

Chapter 77

Fuzzy Linguistic Modelling in Multi Modal Human Computer Interaction: Adaptation to Cognitive Styles using Multi Level Fuzzy Granulation Method

Ilham N. Huseyinov
European University of Lefke, Turkey

ABSTRACT

The purpose of this chapter is to explore fuzzy logic based methodology for computing an adaptive interface in an environment of imperfect, vague, multimodal, complex nonlinear hyper information space. To this end, based on fuzzy linguistic modelling and fuzzy multi level granulation an adaptation strategy to cognitive/learning styles is presented. The granulated fuzzy if-then rules are utilized to adaptively map cognitive/learning styles of users to their information navigation and presentation preferences through natural language expressions. The important implications of this approach are that, first, uncertain and vague information is handled; second, a mechanism for approximate adaptation at a variety of granulation levels is provided; third, a qualitative linguistic model of adaptation is presented. The proposed approach is close to human reasoning and thereby lowers the cost of solution, and facilitates the design of human computer interaction systems with high level intelligence capability.

INTRODUCTION

The growing amount of information on the WEB and the heterogeneous characteristics of Web users have lead to a considerable attention to web-based adaptive hypermedia systems (WAHS) by the

research community (Brusilovsky, 1996, 2001). The power of hypermedia of web technology is in its capability to support non-linear navigation in hyperspace and multimedia presentation of the web content. WAHS offers an alternative to the traditional “one-size-fits-all” hypermedia and Web systems by adapting to the goals, interests, and knowledge of individual users represented in

DOI: 10.4018/978-1-4666-4422-9.ch077

the individual user models (Brusilovsky, 2001). WAHS aims to minimize cognitive overload faced by users, to alleviate the disorientation problem of users, to enhance the usability and the utility of the system by applying intelligent information adaptation (personalization) techniques for user/system interactions that take into account individual differences of users (Mobasher & Anand, 2010). Adaptation involves two key activities:

1. A user modelling activity to develop a user model and
2. An adaptation activity that leverages a 'rich' user-model to personalize the information content, the information presentation style and the navigation path of the system to the user (Brusilovsky, 1996).

One of the ways to enhance the efficiency of WAHS is to build accurate user models. It can be achieved by taking into account human factors (or individual differences) that have significant effects on human computer interaction and on the learning process (Nikos, Panagiotis, Zacharias, Constantinous, & George, 2009; Triantafillou, Pomportsis, & Demetriadis, 2003). Research into individual differences suggests cognitive/learning styles have significant effects on student learning in hypermedia systems (Triantafillou, Pomportsis, & Demetriadis, 2003; Chen, 2002; Mitchell, Chen, & Macredie, 2010; Nikos, Panagiotis, Zacharias, & Costas, 2009).

Information imperfection, that is, information used in one or more respects is imprecise, uncertain, incomplete, unreliable, vague or partially true, is an inherent characteristics of WAHS (Garcia, & Sicilia, 2010). Imprecision of WAHS is rooted in imprecision of its input information. Sources of input information to build a user model are either the explicit information provided by subjective judgments of users/experts or the implicit information inferred by monitoring and measurement of a user behaviour, or combination of both. This imprecision is passed on user model and then on

adaptation strategy that is guided by heuristics, hypotheses, or approximate decisions.

The purpose of this chapter is to explore fuzzy logic based methodology of computing an adaptive interface in an environment of imperfect, vague, multimodal, complex nonlinear hyper information space. To this end, based on fuzzy linguistic modelling and fuzzy multi-level granulation an adaptation strategy to cognitive/learning styles is presented. The granulated fuzzy if-then rules are utilized to create a fuzzy inference system (FIS) to adaptively map cognitive/learning styles of users to their information navigation/presentation preferences through natural language expressions. The important implications of this approach are that, first, uncertain and vague information used is handled; second, a mechanism for approximate adaptation at a variety of granulation levels is provided; third, a qualitative linguistic model of adaptation is presented. The proposed approach is close to human reasoning and thereby lowers the cost of solution, and facilitates the design of human computer interaction systems with high level intelligence capability.

The chapter is organized as follows. First I present a brief description of WAHS and fuzzy logic theory in WAHS. The description of cognitive and learning styles is given. Navigation and presentation preferences of users are presented. The adaptation process, examples of fuzzy granulation of input and output linguistic variables, and an inference mechanism of adaptation are presented. The next section is devoted to description of a simulation example to illustrate the proposed approach. Finally, we present conclusions and future work.

WEB-BASED ADAPTIVE HYPERMEDIA SYSTEMS AND FUZZY LOGIC THEORY

WAHS can be defined as the technology that allows personalization for each individual user of hypermedia application. The process of personal-

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/fuzzy-linguistic-modelling-in-multi-modal-human-computer-interaction/80684

Related Content

Sensors and their Application for Disabled and Elderly People

Jesus Tomas, Jaime Lloret, Diana Briand Sandra Sendra (2014). *Assistive Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 357-376).

www.irma-international.org/chapter/sensors-and-their-application-for-disabled-and-elderly-people/80621

Supporting Active and Healthy Aging with Advanced Robotics Integrated in Smart Environment

Raffaele Esposito, Laura Fiorini, Raffaele Limosani, Manuele Bonaccorsi, Alessandro Manzi, Filippo Cavalloand Paolo Dario (2016). *Optimizing Assistive Technologies for Aging Populations* (pp. 46-77).

www.irma-international.org/chapter/supporting-active-and-healthy-aging-with-advanced-robotics-integrated-in-smart-environment/137788

Design and Control of a Hand-Assist Robot with Multiple Degrees of Freedom for Rehabilitation Therapy

Haruhisa Kawasaki, Satoshi Ueki, Satoshi Itoand Tetsuya Mouri (2016). *Virtual Reality Enhanced Robotic Systems for Disability Rehabilitation* (pp. 199-234).

www.irma-international.org/chapter/design-and-control-of-a-hand-assist-robot-with-multiple-degrees-of-freedom-for-rehabilitation-therapy/143484

Augmented/Virtual Reality Technologies and Assistive/Humanoid Robots: Students With Autism Spectrum Disorders

Leila Goosen (2022). *Assistive Technologies for Differently Abled Students* (pp. 239-267).

www.irma-international.org/chapter/augmentedvirtual-reality-technologies-and-assistivehumanoid-robots/305472

A Kinect-Based Biomechanical Assessment of Neurological Patients' Motor Performances for Domestic Rehabilitation

Alessandro Scano, Marco Caimmi, Andrea Chiavenna, Matteo Malosioand Lorenzo Molinari Tosatti (2016). *Virtual Reality Enhanced Robotic Systems for Disability Rehabilitation* (pp. 252-279).

www.irma-international.org/chapter/a-kinect-based-biomechanical-assessment-of-neurological-patients-motor-performances-for-domestic-rehabilitation/143487