

# Chapter 16

## Learning Argumentation Practices in School with a Graphical Synchronous Discussion Tool

**Amnon Glassner**

*The Kaye Academic College of Education, Israel*

**Baruch B. Schwarz**

*The Hebrew University of Jerusalem, Israel*

### **EXECUTIVE SUMMARY**

*Several computerized representation tools have been developed to enhance collective argumentation in schools. The authors describe Digalo<sup>1</sup>, a graphical synchronous e-discussion tool (Schwarz & Glassner, 2007). They focus on how Digalo was used in a program (the Kishurim program) dedicated to foster dialogic and dialectic thinking among students in lessons centered on scientific and social issues. The studies undertaken on the use of Digalo suggest important lessons that moderators of e-discussions should keep in mind while designing, moderating, and evaluating small-group e-discussions.*

## INTRODUCTION

### **Construction of Knowledge through Visual Representation of Arguments and Argumentation**

Collaborative settings in which small groups of students argue with each other have been shown to be powerful tools for knowledge construction (Kuhn, Felton, & Shaw, 1997; Pontecorvo & Girardet, 1993; Andriessen and Schwarz 2009). However, students seldom argue with each other on scientific issues (e. g., De Vries, Lund & Baker, 2002). Andriessen and Schwarz (2009) identified design principles for insuring maintenance of argumentation towards eventual construction of knowledge. Among those design principles: pairing peers with different initial cognitions (Glachan & Light, 1982), providing hypothesis testing devices (Howe, Tolmie, Duchak-Tanner, & Rattay, 2000; Schwarz & Linchevski, 2007) and providing tasks that have the potentiality to engender diverse explanations (van Bruggen & Kirschner, 2003; Schwarz, Neuman, & Biezuner, 2000).

Other design principles concern structuring dialogue in verbal interaction. It has been recognized that this structuring is ineffective unless being practiced intensively (Webb, 2009). Consequently, long run programs were implemented according to different approaches: invoking ground rules for peer-to-peer talk (Mercer, Wegerif, & Dawes, 1999; Schwarz & De Groot, 2007), explicitly teaching basic elements of argumentation (Kuhn et al., 1997; Reznitskaya, Anderson, & Kuo, 2007), or developing communication skill to improve dialogue practices (Gillies & Khan, 2009; Resnick, Michaels, & O'Connor, 2010; Wells, 2007).

These design principles are sometimes successful but they demand economical and pedagogical resources for training and technological infrastructure. Another design effort has been invested to remedy this weakness: the elaboration of technological tools that structure student's representation of their own reasoning/argumentation.

The most productive educational setting will be operated among junior high school students. The school should have an adequate technological infrastructure, a culture of collaboration and practices of learning in small groups. The teachers should be available and motivated to learn and instruct with technology.

### **Technological Tools for Argument Representation**

Bell (1997) has recognized two different types of representations of argumentation: a. representation of argumentation structures; b. representation of argumentative processes. The first type, *knowledge representation tools*, supports the construction of argumentation whose structure and content correspond to a *valid argument*. Examples of such environments are SenseMaker (Bell, 1997) and Belvedere

26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/learning-argumentation-practices-in-school-with-a-graphical-synchronous-discussion-tool/107146](http://www.igi-global.com/chapter/learning-argumentation-practices-in-school-with-a-graphical-synchronous-discussion-tool/107146)

## Related Content

---

### Data Cube Compression Techniques: A Theoretical Review

Alfredo Cuzzocrea (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 367-373).

[www.irma-international.org/chapter/data-cube-compression-techniques/10846](http://www.irma-international.org/chapter/data-cube-compression-techniques/10846)

### Distance-Based Methods for Association Rule Mining

Vladimír Bartík (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 689-694).

[www.irma-international.org/chapter/distance-based-methods-association-rule/10895](http://www.irma-international.org/chapter/distance-based-methods-association-rule/10895)

### Subsequence Time Series Clustering

Jason Chen (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1871-1876).

[www.irma-international.org/chapter/subsequence-time-series-clustering/11074](http://www.irma-international.org/chapter/subsequence-time-series-clustering/11074)

### An Introduction to Kernel Methods

Gustavo Camps-Valls, Manel Martínez-Ramón and José Luis Rojo-Álvarez (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1097-1101).

[www.irma-international.org/chapter/introduction-kernel-methods/10958](http://www.irma-international.org/chapter/introduction-kernel-methods/10958)

### A Case Study of a Data Warehouse in the Finnish Police

Arla Juntunen (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 183-191).

[www.irma-international.org/chapter/case-study-data-warehouse-finnish/10818](http://www.irma-international.org/chapter/case-study-data-warehouse-finnish/10818)