

# Predicting Resource Usage for Capital Efficient Marketing

**D. R. Mani**

*Massachusetts Institute of Technology and Harvard University, USA*

**Andrew L. Betz**

*Progressive Insurance, USA*

**James H. Drew**

*Verizon Laboratories, USA*

## INTRODUCTION

A structural conflict exists in businesses which sell services whose production costs are discontinuous and whose consumption is continuous but variable. A classic example is in businesses where capital-intensive infrastructure is necessary for provisioning service, but the capacity resulting from capital outlay is not always fully and efficiently utilized. Marketing departments focus on initiatives which increase infrastructure usage to improve both customer retention and on-going revenue. Engineering and operations departments focus on the cost of service provision to improve the capital efficiency of revenue dollar received. Consequently, a marketing initiative to increase infrastructure usage may be resisted by engineering if its introduction would require great capital expense to accommodate that increased usage. This conflict is exacerbated when a usage-enhancing initiative tends to increase usage variability so that capital expenditures are triggered with only small increases in total usage.

A data warehouse whose contents encompass both these organizational functions has the potential to mediate this conflict, and data mining can be the tool for this mediation. Marketing databases typically have customer data on rate plans, usage and past response to marketing promotions. Engineering databases generally record infrastructure locations, usages and capacities. Other information is often available from both general domains to allow for the aggregation, or clustering of customer types, rate plans and marketing promotions so that marketing proposals and their consequences can be systematically evaluated to aid in decision making. These databases generally contain such voluminous or complicated data that classical data analysis tools are inadequate. In this chapter, we look at a case study

where data mining is applied to predicting capital-intensive resource or infrastructure usage, with the goal of guiding marketing decisions to enable capital efficient marketing. Although the data mining models developed in this chapter do not provide conclusive positions on specific marketing initiatives and their engineering consequences, the usage revenues and infrastructure performance predicted by these models provide systematic, sound, and quantitative input for making balanced and cost-effective business decisions.

## BACKGROUND

In this business context, applying data mining (Berry and Linoff, 2004; Abramowicz and Zurada, 2000; Han and Kamber, 2006; Kantardzic and Zurada, 2005) to capital efficient marketing is illustrated here by a study from wireless telephony (Green, 2000) where marketing plans introduced to utilize excess off-peak network capacity (see Figure 1) could potentially result in requiring fresh capital outlays by indirectly driving peak demand to levels beyond current capacity.

We specifically consider marketing initiatives—e.g., specific rate plans with free nights and weekends—that are aimed at stimulating off-peak usage. Given a rate plan with a fixed peak minute allowance, availability of extra off-peak minutes could potentially increase peak usage. The quantification of this effect is complicated by the corporate reality of myriad rate plans and geographically extensive and complicated peak usage patterns. In this study, we use data mining methods to analyze customer, call detail, rate plan and cell-site location data to predict the effect of marketing initiatives on busy hour network utilization. This will enable forecasting

Figure 2. Flowchart describing data sources and data mining operations used in predicting busy hour impact of marketing initiatives





Figure 1. Marketing initiatives to boost average demand can indirectly increase peak demand to beyond capacity.



network cost of service for marketing initiatives thereby leading to optimization of capital outlay.

**MAIN THRUST OF THE CHAPTER**

Ideally, the capital cost of a marketing initiative is obtained by determining the existing capacity, the

increased capacity required under the new initiative, and then factoring the cost of the additional capital; and data for a study like this would come from a corporate data warehouse (Berson and Smith, 1997) that integrates data from relevant sources. Unfortunately, such detailed cost data are not available in most corporations and businesses—in fact in many situations, the connection between promotional marketing initiatives and capital cost is not even recognized. In this case study, we therefore need to assemble relevant data from different and disparate sources in order to predict the busy hour impact of marketing initiatives.

**Data**

The parallelograms in the flowchart in Figure 2 indicate essential data sources for linking marketing initiatives to busy hour usage. *Customer Data* characterizes the customer by indicating a customer’s mobile phone number(s), lifetime value, access charge, subscribed rate plan, peak and off-peak minutes used. *Rate Plan Data* provides details for a given rate plan including monthly charges, allowed peak, off-peak and weekend minutes of use, per-minute charges for excess use, long distance and roaming charges, etc. *Call Detail Data* provides, for every call placed in a given time period, the originating and terminating phone numbers

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/predicting-resource-usage-capital-efficient/11027](http://www.igi-global.com/chapter/predicting-resource-usage-capital-efficient/11027)

## Related Content

---

### Pattern Synthesis in SVM Based Classifier

C. Radha (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1517-1523).

[www.irma-international.org/chapter/pattern-synthesis-svm-based-classifier/11021](http://www.irma-international.org/chapter/pattern-synthesis-svm-based-classifier/11021)

### Data Reduction with Rough Sets

Richard Jensen (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 556-560).

[www.irma-international.org/chapter/data-reduction-rough-sets/10875](http://www.irma-international.org/chapter/data-reduction-rough-sets/10875)

### A Genetic Algorithm for Selecting Horizontal Fragments

Ladjel Bellatreche (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 920-925).

[www.irma-international.org/chapter/genetic-algorithm-selecting-horizontal-fragments/10930](http://www.irma-international.org/chapter/genetic-algorithm-selecting-horizontal-fragments/10930)

### Clustering Analysis of Data with High Dimensionality

Athman Bouguettaya and Qi Yu (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 237-245).

[www.irma-international.org/chapter/clustering-analysis-data-high-dimensionality/10827](http://www.irma-international.org/chapter/clustering-analysis-data-high-dimensionality/10827)

### Instance Selection

Huan Liu (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1041-1045).

[www.irma-international.org/chapter/instance-selection/10949](http://www.irma-international.org/chapter/instance-selection/10949)