Chapter 9 Application of Artificial Neural Network and Genetic Programming in Civil Engineering

Pijush Samui VIT University, India

Dhruvan Choubisa VIT University, India

Akash Sharda VIT University, India

ABSTRACT

This chapter examines the capability of Genetic Programming (GP) and different Artificial Neural Network (ANN) (Backpropagation [BP] and Generalized Regression Neural Network [GRNN]) models for prediction of air entrainment rate (Q_A) of triangular sharp-crested weir. The basic principal of GP has been taken from the concept of Genetic Algorithm (GA). Discharge (Q), drop height (h), and angle in triangular sharp-crested weir (θ) are considered as inputs of BP, GRNN, and GP. Coefficient of Correlation (R) has been used to assess the performance of developed GP, BP, and GRNN models. For a perfect model, the value of R should be close to one. A sensitivity analysis has been carried out to determine the effect of each input parameter. This chapter presents a comparative study between the developed BP, GRNN, and GP models.

DOI: 10.4018/978-1-4666-6078-6.ch009

INTRODUCTION

A weir is designed to change flow characteristics of river. Different shapes of weir are used such as rectangular weir, triangular or v-notch weir, the broad-crested weir, etc. The amount of dissolved oxygen in a river system is increased by weir. The change in oxygen concentration due to weir is given by the following equation

$$\frac{dm}{dt} = V \frac{dC}{dt} = k_L A \left(C_s - C \right) \tag{1}$$

where dm/dt is mass transfer rate of gas molecules across an interface, C_s and C are the saturation concentration of oxygen in water at prevailing ambient conditions and the actual concentration of oxygen in the water at time t-difference being proportional to the concentration gradient, k_L is bulk liquid film coefficient, A is the air–water contact area and V is the volume of water associated with this. Ervine, et al. (1980) explained air entrainment mechanisms by weirs. They gave four mechanism of air entrainment.

So, the determination of air entrainment rate (QA) of triangular sharp-crested weir is an imperative task in civil engineering. Researchers determined air entrainment rate and aeration efficiency of different shapes weirs (Baylar & Bagatur, 2000; 2001a; 2001b; 2006; Baylar, et al., 2001a; 2001b; Baylar, 2002, 2003; Baylar & Emiroglu, 2007; Emiroglu & Baylar, 2003a; 2003b; 2005). Baylar, et al. (2008) successfully adopted Adaptive Neuro Fuzzy Inference System(ANFIS) for prediction of QA of triangular sharp-crested weir. ANFIS has been successfully used to model different problems in water (ASCE, 2000; Kisi, 2004a; 2004b; Hanbay, et al., 2006a; 2006b; 2007; Abolpour, et al., 2007; Baylar, et al., 2007). ANFIS can be trained to provide input/output data mappings and one can get the relationship between model inputs and corresponding outputs. It enables the knowledge that has been learnt in the network training to be translated into a set of fuzzy rules that describe the model input/output relationship in a more transparent fashion. ANFIS makes inference by fuzzy logic and shapes fuzzy membership function using neural network (Altrock, 1995; Brown & Harris, 1995).

However, the developed ANFIS did not give any equation for prediction of air entrainment rate and aeration efficiency of triangular sharpcrested weir.

This chapter adopts two data mining techniques (Artificial Neural Network [ANN] and Genetic Programming [GP]) for determination of Q_{A} of triangular sharp-crested weir. Figure 1 shows a triangular sharp-crested weir. Two types (Backpropagation [BP] and Generalized Regression Neural Network [GRNN]) of ANN have been developed. ANN was developed originally by Mc-Culloch and Pitts (1943). In ANN, the knowledge lies in the interconnection weights between neuron and architecture of the networks (Jones & Hoskins, 1987). Hebb (1949) described the importance of the synaptic connections in the learning process. Rosenblatt (1958) defined the term 'Perceptron BP network consists an input layer, a sigmoid hidden layer and a linear output layer. It has ability to approximate any function (Demuth & Beale, 1999). Irie and Miyanki (1988) described BP as the most versatile learning algorithm. It is an approximate steepest descent algorithm, in which the performance index is mean square error. It is most useful for non-linear mappings. It works well with noisy data. GRNN consists an input layer, hidden layer and the output layer. It falls into the category of probabilistic neural networks. It is a special case of Radial Basis Networks. In GRNN, the hidden layer contains radial-basis neurons. These radial-basis neurons use the Gaussian transfer function. There are lots of applications of ANN in the literatures (Zhang, et al., 2008; Akdag, et al., 2009; Sharma & Ponselva, 2010; Mardi, et al., 2011; Saraswathi, et al., 2012; Khosravi, et al., 2013). GP is developed based on the concept of genetic algorithm (Koza, 1992). It is an 15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/application-of-artificial-neural-network-and-</u> <u>genetic-programming-in-civil-engineering/110460</u>

Related Content

Information Retrieval in the Hidden Web

Shakeel Ahmed, Shubham Sharmaand Saneh Lata Yadav (2021). *New Opportunities for Sentiment Analysis and Information Processing (pp. 50-71).* www.irma-international.org/chapter/information-retrieval-in-the-hidden-web/286904

Serialized Co-Training-Based Recognition of Medicine Names for Patent Mining and Retrieval

Na Dengand Caiquan Xiong (2020). International Journal of Data Warehousing and Mining (pp. 87-107). www.irma-international.org/article/serialized-co-training-based-recognition-of-medicine-names-for-patent-mining-andretrieval/256164

A Measure Optimized Cost-Sensitive Learning Framework for Imbalanced Data Classification

Peng Cao, Osmar Zaianeand Dazhe Zhao (2014). *Biologically-Inspired Techniques for Knowledge Discovery and Data Mining (pp. 48-75).*

www.irma-international.org/chapter/a-measure-optimized-cost-sensitive-learning-framework-for-imbalanced-dataclassification/110454

Overview of PAKDD Competition 2007

Junping Zhangand Guo-Zheng Li (2008). *International Journal of Data Warehousing and Mining (pp. 1-8)*. www.irma-international.org/article/overview-pakdd-competition-2007/1801

Mining Dense Periodic Patterns in Time Series Databases

Wynne Hsu, Mong Li Leeand Junmei Wang (2008). *Temporal and Spatio-Temporal Data Mining (pp. 44-62).*

www.irma-international.org/chapter/mining-dense-periodic-patterns-time/30261