

Text Mining Methods for Hierarchical Document Indexing

Han-Joon Kim

The University of Seoul, Korea

INTRODUCTION

We have recently seen a tremendous growth in the volume of online text documents from networked resources such as the Internet, digital libraries, and company-wide intranets. One of the most common and successful methods of organizing such huge amounts of documents is to hierarchically categorize documents according to topic (Agrawal, Bayardo & Srikant, 2000; Kim & Lee, 2003). The documents indexed according to a hierarchical structure (termed ‘topic hierarchy’ or ‘taxonomy’) are kept in internal categories as well as in leaf categories, in the sense that documents at a lower category have increasing specificity. Through the use of a topic hierarchy, users can quickly navigate to any portion of a document collection without being overwhelmed by a large document space. As is evident from the popularity of web directories such as Yahoo (<http://www.yahoo.com/>) and Open Directory Project (<http://www.dmoz.org/>), topic hierarchies have increased in importance as a tool for organizing or browsing a large volume of electronic text documents.

Currently, the topic hierarchies maintained by most information systems are manually constructed and maintained by human editors. The topic hierarchy should be continuously subdivided to cope with the high rate of increase in the number of electronic documents. For example, the topic hierarchy of the Open Directory Project has now reached about 590,000 categories. However, manually maintaining the hierarchical structure incurs several problems. First, such a manual task is prohibitively costly as well as time-consuming. Until now, large search portals such as Yahoo have invested significant time and money into maintaining their taxonomy, but obviously they will not be able to keep up with the pace of growth and change in electronic documents through such manual activity. Moreover, for a dynamic networked resource (e.g., World Wide Web) that contains highly heterogeneous documents accompanied by frequent content changes, maintain-

ing a ‘good’ hierarchy is fraught with difficulty, and oftentimes is beyond the human experts’ capabilities. Lastly, since human editors’ categorization decision is not only highly subjective but their subjectivity is also variable over time, it is difficult to maintain a reliable and consistent hierarchical structure. The above limitations require information systems that can provide intelligent organization capabilities with topic hierarchies. Related commercial systems include Verity Knowledge Organizer (<http://www.verity.com/>), Inktomi Directory Engine (<http://www.inktomi.com/>), and Inxight Categorizer (<http://www.inxight.com/>), which enable a browsable web directory to be automatically built. However, these systems did not address the (semi-)automatic evolving capabilities of organizational schemes and classification models at all. This is one of the reasons why the commercial taxonomy-based services do not tend to be as popular as their manually constructed counterparts, such as Yahoo.

BACKGROUND

In future systems, it will be necessary for users to be able to easily manipulate the hierarchical structure and the placement of documents within it (Aggarwal, Gates & Yu, 1999; Agrawal, Bayardo & Srikant, 2000). In this regard, this section presents three critical requirements for intelligent taxonomy construction, and taxonomy construction process using text-mining techniques.

Requirements for Intelligent Taxonomy Construction

1. **Automated classification of text documents:** In order to organize a huge number of documents, it is essential to automatically assign incoming documents to an appropriate location on a pre-defined taxonomy. Recent approaches towards automated classification have used a supervised

machine-learning paradigm to inductively build a classification model of pre-defined categories from a training set of labeled (pre-classified) data. Basically, such machine-learning based classification requires sufficiently large number of labeled training examples to build an accurate classification model. Assigning class labels to unlabeled documents should be performed by human labeler, and the task is a highly time-consuming and expensive. In fact, it is not easy to obtain a large number of good quality labeled documents in real world operational environments. Thus one of important issues is to develop a reasonable classification model only with insufficient training examples. We must assume that rather than trying to prepare a perfect set of training examples at first, new training documents are continuously provided for learning as a data stream; this means that continuous (on-line) update of the current classification model is required whenever a new set of training examples are prepared.

2. **Semiautomatic management of evolving taxonomy:** The taxonomy initially constructed should change and adapt as its document collection continuously grows or users' needs change. When concept drift happens in particular categories, or when the established criterion for classification alters with time as the content of the document collection changes, it should be possible for part of taxonomy to be reorganized; the system is expected to recommend users a number of feasible sub-taxonomies for the reorganized part.

3. **Making use of domain (or human) knowledge in cluster analysis for topic discovery:** In order to refine the taxonomy, it is necessary to discover new topics (or categories) that can precisely describe the currently indexed document collection. In general, topic discovery is achieved by clustering techniques since clusters that are distinct groups of similar documents can be regarded as representing topically coherent topics in the collection. Clustering for topic discovery is a challenging problem with sufficient domain knowledge. This is because taxonomy should reflect the preferences of an individual user or specific requirements of an application. However, clustering is inherently an unsupervised learning process without depending on external knowledge. Therefore, a new type of supervised clustering is required that reflects external knowledge provided by users.

Taxonomy Construction Process using Text-Mining Techniques

Table 1 illustrates a procedure for hierarchically organizing text documents. The system begins with an initial topic hierarchy in which each document is assigned to its appropriate categories by automatic document classifiers. The topic hierarchy is then made to evolve so as to reflect the current contents and usage of indexed documents. The classification process repeats based on the more refined hierarchy.

Table 1: Procedure for hierarchically organizing text documents

| | |
|---|--|
| Step 1. Initial construction of taxonomy | i. Define an initial (seed) taxonomy |
| Step 2. Category (Re-) Learning | i. Collect a set of the controlled training data fit for the defined (or refined) taxonomy |
| | ii. Generate (or Update) the current classification model so as to enable a classification task for newly generated categories |
| | iii. Periodically, update the current classification model so as to constantly guarantee high degree of classification accuracy while refining the training data |
| Step 3. Automatic Classification | i. Retrieve documents of interest from various sources |
| | ii. Assign each of the unknown documents into more than one categories with its maximal membership value according to the established model |
| Step 4. Evolution of taxonomy | i. If concept drift or a change in the viewpoint occurs within a sub-taxonomy, reorganize the specified sub-taxonomy |
| | ii. If a new concept sprouts in the unclassified area, perform the cluster analysis for the data within the unclassified area into new categories |
| Step 5. Sub-taxonomy Construction and Integration | i. Integrate the refined sub-taxonomy or new categories into the main taxonomy |
| Step 6. Go to Step 2 | |

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/text-mining-methods-hierarchical-document/11087

Related Content

Data Warehouse Performance

Beixin ("Betsy") Lin, Yu Hong and Zu-Hsu Lee (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 580-585).

www.irma-international.org/chapter/data-warehouse-performance/10879

Ensemble Data Mining Methods

Nikunj C. Oza (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 770-776).

www.irma-international.org/chapter/ensemble-data-mining-methods/10907

Applications of Kernel Methods

Gustavo Camps-Valls, Manel Martínez-Ramón and José Luis Rojo-Álvarez (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 51-57).

www.irma-international.org/chapter/applications-kernel-methods/10797

A User-Aware Multi-Agent System for Team Building

Pasquale De Meo, Diego Plutino, Giovanni Quattrone and Domenico Ursino (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 2004-2010).

www.irma-international.org/chapter/user-aware-multi-agent-system/11094

Enclosing Machine Learning

Xunkai Wei (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 744-751).

www.irma-international.org/chapter/enclosing-machine-learning/10903