

# Information Physics and Complex Information Systems

**Miroslav Svítek**

*Czech Technical University in Prague, Czech Republic*

## INTRODUCTION

This article presents original approach into information representation, transmission and processing together with their features that yield into basic principles of informatics. Models of complex systems are based on knowledge from *information science* that has been gathered over the years in classical physics, a specialized part of which is called *information physics* by Stonier (1990). At present, this discipline is still in its infancy, but many discoveries have already been made by Vedral (2006) and some scientists have realized that without basic theories in this area, the further development of human knowledge will not be possible.

The proposed methodology represents the new ideas that come from defined mathematical assumptions like information-electrical or information-mechanical analogies. From these simple assumptions a lot of information physical principles can be derived like for example information flow, information content, information power, etc.

Analogies among electrical, mechanical and information circuits seem to be efficient attempts for problems solving within *systems engineering* by Vlček (1999). Concepts of *information power* and significant proximity of the measure of information and knowledge could enable upgrading these analogies for solving even wider class of tasks.

## BACKGROUND

*Data* mean a change of state, for example from 0 to 1 or from 1 to 0, where the state vector is not necessarily only digital or one-dimensional. Every such change can be described with the use of a quantity of *information* in bits.

Information theory was founded by Shannon (1948) and his colleagues in the 1940s and was associated with coding and data transmission, especially in the newly emerging field of radar systems, which became a component of defensive systems during the Second World War.

*Syntactic (Shannon) information* has been defined as the degree of probability of a given event and has replied to the question: how often a message appears? For example, by telling you that the solar system would cease to exist tomorrow, I would be giving you the maximum information possible, because the probability of this phenomenon occurring is nearly equal to zero. The probability model of information so defined has been used for the designing of self-repairing codes, digital modulations and other technical applications. Telecommunications specialists and radio engineers were concentrating on a probabilistic description of encoded data and on the minimizing of probability errors during data transmission.

The model-theoretical work of *semantic information* was done by Carnap and Bar-Hiller (1953). On the other hand, semantic information asks: how often a message is true? Zadeh (1965) introduced the theory of *fuzzy sets* as functions that map a value, which might be a member of a set, to a number between zero and one, indicating its actual degree of membership.

Currently, a number of interesting results have been discovered in the field of *quantum information science*, taking as their basis the foundations of quantum physics and using for modeling of complex systems those principles that do not arise in classical physics, such as *entanglement* and *quantization*. In the technical literature, we read that the behavior of entangled states is very odd. Firstly, it spreads rapidly among various phenomena, where for this spreading it makes use of a property known as *entanglement swapping*. The quantum information quantity in bits can be measured e.g. by *von Neumann entropy* in Vedral (2006) which

measures the amount of uncertainty contained within the density operator taking into account also wave probabilistic features like entanglement, quantization or bosonic / fermionic quantum behavior by Svítek (2012).

On the basis of the information theories, a number of methods and algorithms have emerged that attempt to eliminate or minimize indefiniteness and to do a better job of extracting the real, useful information from data. An excellent example is the *Bayes method* by Peterka (1981), which interprets the density of probability not as a description of a random quantity, but rather as a description of the indefiniteness of the system, i.e. how much information we have available about the monitored system. The system itself might be completely deterministic (describable without probability theory), but we may have very little available information about the system. When performing continuous measurement, we obtain more and more data, and therefore more information as well about our system, and our system begins to appear to us to be more definite. The elimination of indefiniteness therefore increases the quantity of information we have about the monitored system.

When eliminating indefiniteness, we also have to bear in mind the possibility of a change to the context of the event or phenomenon. There is plenty of testimony available to us from live witnesses, but there is none from dead ones, and this gives us an asymmetrical set of observations by Taleb (2010). It brings to mind the well-known saying that history is not written by the losers.

Once indefiniteness has been eliminated, one may proceed to the *interpretation of information*, or in other words, to the determination of how to reconstruct the described system, or how to build a more or less perfect model of it using the information. This task already belongs to the theory of systems, where it is necessary to identify the state vector, individual processes of the system etc. There emerges from this a knowledge system, which is able to describe the given object appropriately.

*Information systems* in Kelly and Cegielski (2009) aim to support management, operation and decision making, e.g. expert system, geographical information system, enterprise system, etc. Components of computer-based information systems are hardware, software, databases, networks and procedures.

## INFORMATION PHYSICS



*Information behavior* in Fidher, Erdelez and McKechnie (2005) means human behavior in relation to sources and channels of information - both active and passive information-seeking and use in different contexts. Information can be treated as physical matter or physical entity, and as such can be studied using the same methods as those applied by physics to study the properties of the physical matter. That is why new field *information physics* is established.

If we wish to apply information theory to the natural sciences, we should begin by describing information systems using a mathematical tool similar to one by which physics is described. We would therefore use analogies between various physical systems. In every such system, there exists potential and kinetic energy, to which there are corresponding quantities of potential and flow. In electronics, for example, voltage is defined as the quantity of potential, and electric current is the quantity of flow.

Let us then introduce a unit for the current of information and call it *information flow*, which is measured in bits per second and describes the input or output of information per unit of time. We can analogously define a quantity of potential, which we would call *information content*, which determines the quantity of work per bit (in Joules per bit). Information content for information systems (IT/ICT) can be defined as the number of 'success events' in the system per bit of information, and one may expect that if received information is significant, in information system a sequence of 'success events' is activated that orders our system. This also means that in order for us to obtain any concrete information content, we would already have to have done work, such as studying, searching for documentation, preparation etc. On the other hand, it could be the other way around: the given information content might enable us to obtain a certain quantity of energy or (nowadays) funding.

From knowledge of information flow and information content, one can define other information physics quantities. One of the important quantities can be *information power*, defined by Svítek, Votruba and Moos (2010) as the product of information flow times information content. Analysis easily reveals that the unit of information power is work per second realized thanks to the received bit of information. For

4 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/information-physics-and-complex-information-systems/112444](http://www.igi-global.com/chapter/information-physics-and-complex-information-systems/112444)

## Related Content

---

### Research on Big Data-Driven Urban Traffic Flow Prediction Based on Deep Learning

Xiaoan Qin (2023). *International Journal of Information Technologies and Systems Approach* (pp. 1-20).  
[www.irma-international.org/article/research-on-big-data-driven-urban-traffic-flow-prediction-based-on-deep-learning/323455](http://www.irma-international.org/article/research-on-big-data-driven-urban-traffic-flow-prediction-based-on-deep-learning/323455)

### Enhanced Information Retrieval Evaluation between Pseudo Relevance Feedback and Query Similarity Relevant Documents Methodology Applied on Arabic Text

Sameh Ghwanmeh, Ghassan Kannan and Riyadh Al-Shalabi (2009). *Utilizing Information Technology Systems Across Disciplines: Advancements in the Application of Computer Science* (pp. 56-66).  
[www.irma-international.org/chapter/enhanced-information-retrieval-evaluation-between/30717](http://www.irma-international.org/chapter/enhanced-information-retrieval-evaluation-between/30717)

### Barcodes vs. RFID and Its Continued Success in Manufacturing and Services

Amber A. Smith-Ditizio and Alan D. Smith (2018). *Encyclopedia of Information Science and Technology, Fourth Edition* (pp. 5273-5284).  
[www.irma-international.org/chapter/barcodes-vs-rfid-and-its-continued-success-in-manufacturing-and-services/184232](http://www.irma-international.org/chapter/barcodes-vs-rfid-and-its-continued-success-in-manufacturing-and-services/184232)

### Model-Driven Software Modernization

Liliana Maria Favre, Liliana Martinez and Claudia Teresa Pereira (2018). *Encyclopedia of Information Science and Technology, Fourth Edition* (pp. 7447-7458).  
[www.irma-international.org/chapter/model-driven-software-modernization/184442](http://www.irma-international.org/chapter/model-driven-software-modernization/184442)

### 3D Reconstruction of Ancient Building Structure Scene Based on Computer Image Recognition

Yueyun Zhu (2023). *International Journal of Information Technologies and Systems Approach* (pp. 1-14).  
[www.irma-international.org/article/3d-reconstruction-of-ancient-building-structure-scene-based-on-computer-image-recognition/320826](http://www.irma-international.org/article/3d-reconstruction-of-ancient-building-structure-scene-based-on-computer-image-recognition/320826)