

# Decision Support Systems and Representation Levels in the Decision Spine

D

**Patrick Humphreys**

*London School of Economics and Political Science, UK*

## INTRODUCTION: DECISION-MAKING AS PROBLEM SOLVING

Problem solving has been defined as the complex interplay of cognitive, affective, and behavioural processes with the aim to adapt to external or internal demands or challenges (Heppner & Krauskopf, 1987). In the realm of organizational decision-making, Herbert Simon (1977) describes the problem-solving process as moving through three stages: intelligence, design, and choice. In this context, design focuses on “inventing, developing and analysing possible courses of action,” where the design artefact being constructed for this purpose constitutes the “representation of the problem.”

While a wide range of representation means and calculi have been proposed for decision problem solving purposes, practical implementations generally involve applying one or more of these means to develop the structure of the problem within one or more frames. Typically, these are future-scenario frames, multi-attributed preference frames, and rule base-frames (Chatjoulis & Humphreys, 2007). Simon (1977) characterized decision problems according to the degree of problem-structure that was pre-established (or taken for granted as “received wisdom,” or “the truth about the situation that calls for a decision”) at the time participants embark on the decision problem solving process. He placed such problems on a continuum ranging from routine (programmed, structured) problems with well-specified solutions to novel, complex (unprogrammed, unstructured) with ambiguous solutions.

System thinking and soft systems methodologies (Checkland, 1999) have provided ways of looking at problem solving as an integrated whole throughout this continuum by modelling the process within a problem definition cycle, moving from the awareness that a problem exists to the moment of choice. Central to these models is the specification of a sequence of stages that the decision-making group has to follow in

order to reduce uncertainty and increase structure, in transforming an ill-defined problem into a well defined one (Humphreys, 1989; Phillips, 1992). A great number of decision support systems (DSS) have been produced with the goal of providing mechanisms to help decision makers get through such sequences in processing uncertain and ambiguous decisions (Silver, 1991). The majority of these DSS are intended to support decision makers by increasing the structure of decision problem representations situated in already semi structured decision situations (Keen, 1980). However, as Meredith (2006, p. 31) points out:

*At the extremely unstructured end of the continuum sits a class of decision problems for which a pre-existing solution either does not exist or is inadequate. Such problems require creative decision-making. DSS designed to support decision makers with such a task face a dilemma: too much structure may stifle the creative process, while too little structure provides inadequate support.*

In such situations, participants embarking on the decision-making process can start out at the level of feeling, without being constrained (either explicitly or implicitly) by “received wisdom” about how the decision problem is already structured. Initially, participants have complete freedom and autonomy about how to think about translating this desire into action: all imaginable courses of action are candidates for implementation (Meredith, 2006). Conventional decision support methodologies, operating within the problem solving paradigm, intend to support a group process that aims at progressively strengthening the constraints on how the problem is represented at five qualitatively distinct levels, until only one course of action is prescribed: the one which should actually be embarked upon in the *real* (Humphreys & Jones, 2007).

## LEVELS OF REPRESENTATION OF DECISION PROBLEMS

Each level of problem representation is associated with a different kind of discourse concerning how to structure the constraints at that level (Humphreys, 1998). The nature of the knowledge represented at each level and the cognitive operations involved in generating these knowledge representations has been discussed in detail elsewhere (Humphreys, 1984, 1989; Humphreys & Berkeley, 1986). These levels have been presented in a point-down triangle, or “decision spine” (Humphreys, 2007), as shown in Figure 1, indicating the progressive decrease in discretion in considering what knowledge can be included in the problem representation being developed as one moves downward from level 5 (exploring fantasy scenarios and dreams with conjecturality beyond formalization or structure) towards fixed structure (with all other knowledge now external to the representation of the problem), and zero discretion at level 1 (making “best assessments”). Three key formal properties of the 5-level scheme, taken as a whole, are as follows:

1. What is qualitatively different at each level are the cognitive operations carried out in thinking about the decision problem.
2. The results of the operations carried out on a particular level constrain the ways operations are carried out at all lower levels.
3. Any decision problem is represented at all levels, *doubled* in the symbolic/imaginary (where cog-


nitive operations are carried out) and in the real (Deleuze & Guattari, 1988).

Therefore, we cannot treat levels like taxonomy, classifying decision problems as level 1, level 2, and so forth. We have to examine how each problem is handled at each level. In the actual decision making process, the sequence movement through the levels is not linear, but corresponds to a spiral through the circular logic of choice (Humphreys, 2007 ; Nappelbaum, 1997) to the point where a particular course of action is prescribed as the “true solution” to the decision problem. Decision conferencing methodologies essentially provide process designs to enable the decision making group to move efficiently and effectively through these levels within a general process which Phillips (1988, 1989) called “conferencing to consensus.”

### At Level 5

At the top level (level 5 in Figure 1), the roots of the decision problem are imagined through explorations carried out within a “small world” (Savage, 1955; Toda, 1976) whose bounds are defined by what each of the participants in the decision-making process is prepared to think about. However, small worlds complete with contents do not exist as complete entities pigeonholed away in a person’s mind ready to be retrieved intact. From the outside, we infer the contents of the small world the person is using by looking at what he or she explores, and guessing its boundaries or possible holes within it by what he or she leaves out.

Figure 1. Five levels of constraint setting along the decision spine



5 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/decision-support-systems-representation-levels/11259](http://www.igi-global.com/chapter/decision-support-systems-representation-levels/11259)

## Related Content

---

### Multi-Agent Simulation and Management Practices

Peer-Olaf Siebers, Uwe Aickelin, Helen Celiaand Chris Clegg (2008). *Encyclopedia of Decision Making and Decision Support Technologies* (pp. 645-652).

[www.irma-international.org/chapter/multi-agent-simulation-management-practices/11305](http://www.irma-international.org/chapter/multi-agent-simulation-management-practices/11305)

### Application of Selected Software Tools for Data Collection and Analysis in Library Management and Their Effectiveness Assessment: Results of the Research Conducted at Polish Academic Libraries

Marek Górskiand Marzena Marcinek (2012). *Integrated and Strategic Advancements in Decision Making Support Systems* (pp. 108-119).

[www.irma-international.org/chapter/application-selected-software-tools-data/66728](http://www.irma-international.org/chapter/application-selected-software-tools-data/66728)

### Research Challenges in Big Data Analytics

Sivamathi Chokkalingamand Vijayarani S. (2017). *Decision Management: Concepts, Methodologies, Tools, and Applications* (pp. 83-99).

[www.irma-international.org/chapter/research-challenges-in-big-data-analytics/176750](http://www.irma-international.org/chapter/research-challenges-in-big-data-analytics/176750)

### Toward a Sustainable Fishery Management Policy: An Artificial Neural Network Model for Predicting Bull Shark (*Carcharhinus Leucas*) Presence

Steven P. Coy, Margaret F. Shipleyand J. Brooke Shipley-Lozano (2014). *International Journal of Strategic Decision Sciences* (pp. 1-20).

[www.irma-international.org/article/toward-a-sustainable-fishery-management-policy/114625](http://www.irma-international.org/article/toward-a-sustainable-fishery-management-policy/114625)

### Knowledge Representation Technologies Using Semantic Web

Vudattu Kiran Kumar (2017). *Web Data Mining and the Development of Knowledge-Based Decision Support Systems* (pp. 158-166).

[www.irma-international.org/chapter/knowledge-representation-technologies-using-semantic-web/173829](http://www.irma-international.org/chapter/knowledge-representation-technologies-using-semantic-web/173829)