

Trends in Managing Multimedia Semantics

Roberto Poli, Department of Sociology and Social, University of Trento, Trento, Italy

Achilles Kameas, School of Sciences and Technology, Hellenic Open University, Patras, Greece

Lambrini Seremeti, School of Sciences and Technology, Hellenic Open University, Patras, Greece

ABSTRACT

This paper reviews various efforts to define and capture the semantics of multimedia data. These efforts are particularly relevant to the problem of storing, managing and querying the semantic content of such data. Since there is not yet an accepted solution to the problem of how to represent, organize and manage multimedia data and the related semantics by means of a formal framework, this paper aims at providing some major research trends in this area. The focus is on ontologies, which allow the exchange of semantics of multimedia content between distributed information systems. This paper aims at reporting on recent trends in the development of multimedia ontologies.

Keywords: Metadata, Multimedia Objects, Multimedia Ontologies, Multimedia Semantics, Ontology Matching

INTRODUCTION

Audiovisual resources in the form of still pictures, graphical, 3D models, audio, speech, and video play an increasing pervasive role in our lives, and there

will be a growing need to manage all these multimedia objects. This is a task of increasing importance for users who need to archive, organize, and search their multimedia collections in an appropriate fashion.

DOI: 10.4018/ijwnbt.2014040103

To cope with this situation, much effort has been put in developing standards both for multimedia data (natural and synthetic (e.g., photography, face animation), continuous and static (e.g., video, image)) and for data describing multimedia content (metadata). The aim is to describe open multimedia frameworks and achieve a reasonable and interoperable use of multimedia data in a distributed environment.

The development and application of ontologies, as explicit formal knowledge bodies, in the multimedia domain aims at bridging the gap separating the available low-level multimedia descriptors and the noema of the information conveyed by multimedia objects.

The objective of this paper is to report on some recent trends in semantic technologies responding to the challenges of managing and accessing multimedia objects (images, audio, video, 3D material, etc.). After a brief introduction to the role of metadata in the multimedia domain, the need for a common understanding of the semantic relationships between metadata terms from different domains is stressed. The next section highlights the use of ontologies in the representation of the multimedia data, by giving an overview of the most well-known multimedia ontologies. Moreover, guidelines for multimedia ontologies construction are given. The works quoted are by no means exhaustive, but provide some indicative pointers in this direction. Finally, ontology matching is mentioned as “a new vision” of developing multimedia ontologies by

reusing available multimedia knowledge resources, and of enabling interoperability between multimedia resources.

METADATA

Metadata are a representation of the administrative, descriptive, preservation, usage, and technical characteristics associated with multimedia objects; they can be extracted manually or automatically from multimedia documents. This value-added information helps bridge the semantic gap, described as: “The lack of coincidence between the information that one can extract from the visual data and the interpretation that the same data have for a user in a given situation” (Smeulders, Worring, Santini, Gupta, & Jain, 2000).

Because of the high cost and subjectivity associated with human-generated metadata, a large number of research initiatives are focusing on technologies that enable automatic classification and segmentation of digital resources. Many consortia are working on a number of projects to define multimedia metadata standards, in order to describe multimedia content in many different domains and to support sharing, exchanging, and interoperability across different platforms. They are distinguished in (Salvetti, Pieri, & Di Bono, 2004):

1. *Standardised description schemes* that are directly related to the representation of multimedia content for a specific domain (like METS, MPEG-7);

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/article/trends-in-managing-multimedia-semantics/115589

Related Content

Prediction of Ethereum Blockchain ERC-20 Token Standard Smart Contract Vulnerabilities Using Source Code Metrics: An Ensemble Learning Approach

Nemitari Ajenkaand Richard Ikechukwu Otuka (2022). *5G Internet of Things and Changing Standards for Computing and Electronic Systems* (pp. 155-171).

www.irma-international.org/chapter/prediction-of-ethereum-blockchain-erc-20-token-standard-smart-contract-vulnerabilities-using-source-code-metrics/305638

Link Failure Avoidance Mechanism (LFAM) and Route Availability Check Mechanism (RACM): For Secure and Efficient AODV Routing Protocol

Meeta Singhand Sudeep Kumar (2018). *International Journal of Wireless Networks and Broadband Technologies* (pp. 1-14).

www.irma-international.org/article/link-failure-avoidance-mechanism-lfam-and-route-availability-check-mechanism-racm/209431

An RFID Best Effort Mechanism for in Motion Tracking Applications

Rafael Perazzo Barbosa Motaand Daniel Macedo Batista (2018). *International Journal of Wireless Networks and Broadband Technologies* (pp. 39-52).

www.irma-international.org/article/an-rfid-best-effort-mechanism-for-in-motion-tracking-applications/209434

Managing 5G Converged Core With Access Traffic Steering, Switching, and Splitting: From Hybrid Access to Converged Core

Toktam Mahmoodi, Stephen H. Johnson, Massimo Condoluci, Vicknesan Ayadurai, Maria A. Cuevasand Mischa Dohler (2021). *Research Anthology on Developing and Optimizing 5G Networks and the Impact on Society* (pp. 609-626).

www.irma-international.org/chapter/managing-5g-converged-core-with-access-traffic-steering-switching-and-splitting/270209

Link Failure Avoidance Mechanism (LFAM) and Route Availability Check Mechanism (RACM): For Secure and Efficient AODV Routing Protocol

Meeta Singhand Sudeep Kumar (2018). *International Journal of Wireless Networks and Broadband Technologies* (pp. 1-14).

www.irma-international.org/article/link-failure-avoidance-mechanism-lfam-and-route-availability-check-mechanism-racm/209431