

Chapter 29

Addressing Device-Based Adaptation of Services: A Model Driven Web Service Oriented Development Approach

Achilleas P. Achilleos
University of Cyprus, Cyprus

Kun Yang
University of Essex, UK

George A. Papadopoulos
University of Cyprus, Cyprus

ABSTRACT

The rapid growth of the mobile devices market and the increasing requirements of mobile users augment the need to develop Web Service clients that could be deployed and run on both mobile and desktop devices. Different developers attempt to address this heterogeneity requirement and provide solutions that simplify and automate the development of device-aware services. This chapter proposes a Model-Driven Web Service oriented approach, which allows designing and automatically generating mobile and desktop-based clients that are able to invoke ubiquitously Web Services from different devices. This is further enabled via the Web Services Description Language that allows generating the required proxy classes, which support the communication with platform-specific clients. The applicability and efficiency of the approach is demonstrated via the design and development of a device-aware Web Service prototype.

INTRODUCTION

Mobile devices have obtained great prominence in the marketplace (Bartolomeo et al., 2006) and mobile users requirements have significantly increased in terms of running mobile services

on these devices (Kapitsaki et al., 2009). The continuous development of existing technologies (e.g. J2ME, C#) and the introduction of brand new technologies (e.g. Android) raises new requirements and imposes new restrictions when developing service-clients (Daniel Dern, 2010).

DOI: 10.4018/978-1-4666-6539-2.ch029

Consequently, an all-important constraint arises, which is principally associated with the interface limitations and restrictions imposed when developing platform-specific service clients for invoking and utilising Web Services from different devices.

During the early days of computing, the development of complete desktop-based applications was the main focus of developers. With the advent of Web Services the focus shifted to the development of services designed to be accessible from resource-rich (i.e. desktop, laptop) devices. Nowadays, the rapid and continuous growth of mobile devices hardware and software technologies shifted the focus towards mobile computing. Thus, the necessity arises to design Web Services in a flexible way because of the requirement to invoke them from different types of devices; i.e. mobile and stationary. This prerequisite perplexes the development of platform-specific service clients (running on different mobile devices) mainly because of interface limitations and restrictions; e.g. screen size, resource-constraints, processing power.

In this chapter we concentrate on the formulation of a model-driven approach, which attempts to exploit also the benefits of the Web Services technology. The key point is the separation of the development of the service clients from the implementation of the functionality of the Web Services. This offers a flexible, modular and abstract approach, which simplifies and accelerates the development of device-aware Web Services. The term device-aware Web Services refers to the development of both the service clients and the server-side functionality (i.e. Web Service). Hence, such an approach automates and speeds up development for the following categories of devices (Ortiz and Prado, 2009):

- **Resource-Rich Devices:** These refer to powerful desktop and laptop devices that do not impose restrictions in terms of processing power, memory, screen size, etc.

- **Resource-Competent Devices:** An intermediate category of devices that are not as powerful as the above but have higher computing resources than mobile devices and smartphones; e.g. Netbooks, iPad, Kindle.
- **Resource-Constrained Devices:** Devices such as smartphones and mobile phones that have inferior computational power, memory, interface capabilities, etc. Also, they support a restrictive set of Application Programming Interfaces (APIs).

In order to accomplish this objective, the Presentation Modelling Language (PML) is defined that allows designing and automating the implementation of service clients for the above categories of devices. Moreover, the Web Services Description Language (WSDL) is exploited since it allows designing and automatically generating the required device-specific proxy classes for each service client, which support communication with the Web Service. In this way, we allow users to design Web Service clients in the form of graphical user interfaces (GUIs) and collections of communication endpoints capable of exchanging messages (W3C, 2001) with implemented Web Service(s). Both definitions are specified in the form of graphical models that are transformed to different platform-specific implementations and deployed on the corresponding devices to enable access to the Web Service(s). Thus, an experienced developer only requires to implement the main functionality of the Web Service (at the server-side) in one of the many possible implementations; e.g. Java, .NET.

In this work, the BookStore Web Service is manually implemented in Java. This service enables the user of a mobile or desktop device to search and retrieve information on specific books. Following, it enables the user to provide his personal and payment details to complete the purchase of the book. The service clients of this prototype device-aware Web Service are designed

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/addressing-device-based-adaptation-of-services/119875

Related Content

Cloud Robotics in Education

Babitha Hemanth, Samarth S. Kumar and Drishya Devananda (2024). *Shaping the Future of Automation With Cloud-Enhanced Robotics* (pp. 319-332).

www.irma-international.org/chapter/cloud-robotics-in-education/345549

Analysis on Cloud Classification using Accessibility

Anirban Kundu, Guanxiong Xu and Chunlin Ji (2014). *International Journal of Cloud Applications and Computing* (pp. 44-53).

www.irma-international.org/article/analysis-on-cloud-classification-using-accessibility/120245

Dynamic Dedicated Server Allocation for Service Oriented Multi-Agent Data Intensive Architecture in Biomedical and Geospatial Cloud

Sudhansu Shekhar Patra and R. K. Barik (2014). *International Journal of Cloud Applications and Computing* (pp. 50-62).

www.irma-international.org/article/dynamic-dedicated-server-allocation-for-service-oriented-multi-agent-data-intensive-architecture-in-biomedical-and-geospatial-cloud/111148

Reservation System for Cloud Computing Resources (RSCC): Immediate Reservation of the Computing Mechanism

Ashish Tiwari and Ritu Garg (2022). *International Journal of Cloud Applications and Computing* (pp. 1-22).

www.irma-international.org/article/reservation-system-for-cloud-computing-resources-rscc/311502

Efficient Healthcare Integrity Assurance in the Cloud with Incremental Cryptography and Trusted Computing

Wassim Itani, Ayman Kayssi and Ali Chehab (2014). *Cloud Computing Applications for Quality Health Care Delivery* (pp. 102-115).

www.irma-international.org/chapter/efficient-healthcare-integrity-assurance-in-the-cloud-with-incremental-cryptography-and-trusted-computing/110431