

Chapter 86

An Efficient Evolutionary Algorithm for Strict Strong Graph Coloring Problem

Meriem Bensouyad

MISC Laboratory, Constantine 2 University, Algeria

Nousseiba Guidoum

MISC Laboratory, Constantine 2 University, Algeria

Djamel-Eddine Saïdouni

MISC Laboratory, Constantine 2 University, Algeria

ABSTRACT

A very promising approach for combinatorial optimization is evolutionary algorithms. As an application, this paper deals with the strict strong graph coloring problem defined by Haddad and Kheddouci (2009) where the authors have proposed an exact polynomial time algorithm for trees. The aim of this paper is to introduce a new evolutionary algorithm for solving this problem for general graphs. It combines an original crossover and a powerful correction operator. Experiments of this new approach are carried out on large Dimacs Challenge benchmark graphs. Results show very competitive with and even better than those of state of the art algorithms. To the best of the author's knowledge, it is the first time that an evolutionary algorithm is proposed to solve the strict strong graph coloring problem.

1. INTRODUCTION

Evolutionary Algorithms have been applied to some well-known NP-hard combinatorial problems (Muehlenbein, Gorges-Schleuter & Kraemer, 1988) such as the traveling salesman problem (Labadie, Melechovsky & Prins, 2014), the bin packing problem (Blum & Schmid, 2013), the quadratic assignment problem (Maniezzo, Dorigo

& Colorni, 1995; Loiolade, Abreu, Boaventura-Netto, Hahn & Querido, 2007) and Knapsack Problem (Chu & Beasley, 1998 ; Gottlieb, 2000). In particular, many evolutionary approaches have been proposed to deal with the graph coloring problem and some other graph coloring parameters (Davis, 1991; Costa, Hertz & Dubuis, 1995; Galinier & Hao, 1999; Ben Mabrouk, Hasni & Mahjoub, 2009; Galinier, Hamiez & Hao, 2013;

DOI: 10.4018/978-1-4666-7456-1.ch086

Chalupa, 2011; Myszkowski, 2008; Consoli, Collier & Pavone, 2013). The results obtained by these algorithms are impressive and they constitute a strong indicator that evolutionary algorithms are among the powerful solving tools for hard problems.

In this paper, we are interested in tackling with an evolutionary algorithm a recent graph coloring variant called the strict strong graph coloring (short SSColoring). So, The applicability of evolutionary algorithm in finding good solutions to the presented problem is the main motivation of the present research.

The SSColoring is a new graph coloring problem. It consists in a vertex coloring problem with considering the dominance relation between vertices and color classes. More precisely, the SSColoring consists in coloring the vertices of a given graph with a minimal number of colors called strict strong chromatic number denoted by χ_{ss} with the constraints that adjacent vertices should receive different colors (i.e. proper coloring) and also each vertex in the graph must dominate at least one non-empty color class (i.e. dominance) (Haddad & Kheddouci, 2009).

The SSColoring problem is defined to embody the use of the dominance property in the strong coloring (short SColoring). The latter is defined by Zverovich (2006). It allows the dominance of the empty color class which hasn't a sense in practice.

To more explain the assumption, Haddad and Kheddouci (2009) have taken as example the broadcasting application:

In the broadcasting process, one possibility is that every vertex v in the graph forwards the received message to the color class that it dominates. However, as defined by Zverovich (2006), a proper coloring can be seen as a strong coloring where each vertex dominates the empty color class. In this case, if a vertex v dominates an empty color class, then, the messages will never leave the vertex v . Unfortunately, the dominance property is useless in this case and the broadcasting of the message fails. For that reason, Haddad and Kheddouci (2009)

have proposed the SSColoring which forbids the presence of an empty color class.

The SSColoring concept allows modeling many practical and important applications:

Haddad, Dekar, and Kheddouci (2008) have proposed an efficient distributed algorithm based on the SSColoring parameter for the broadcast applications in ad hoc networks. Also, Guidoum, Bensouyad, and Saidouni (2013) proved the usefulness of SSColoring concept to deal with the graph distribution problem. The latter represents one of the most studied problems in the literature.

In addition, such coloring parameter ought to be useful to many other applications like gossiping, data dissemination and scheduling.

The rest of the paper is organized as follows: First, the related works are reviewed in Section 2. Then, Section 3 gives necessary notations and definitions. Section 4 describes the proposed algorithm and details its different components. Section 5 illustrates computational results of the algorithm and gives some discussions. To close, conclusion and perspectives are given in the last section.

2. RELATED WORK

The SSColoring problem is very difficult to solve because it belongs to the NP-complete family of problems (Haddad & Kheddouci, 2009). In fact, as far as we know, only two algorithms have been developed in the literature to deal with it (Haddad & Kheddouci, 2009; Bouzenada, Bensouyad, Guidoum, Reghioua & Saidouni, 2012).

The first one is an exact polynomial time algorithm for SSColoring of trees (Haddad & Kheddouci, 2009). This algorithm uses several kinds of vertices such as: base vertex, bridge and structures like: b-locality and pseudo b-locality where the purpose is the decomposition of trees and by the way coloring them with an exact and appropriate number of colors χ_{ss} (Haddad & Kheddouci, 2009).

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/an-efficient-evolutionary-algorithm-for-strict-strong-graph-coloring-problem/124583

Related Content

Theory of Constraints and Human Resource Management Applications

Brian J. Galli (2019). *International Journal of Strategic Engineering* (pp. 61-77).

www.irma-international.org/article/theory-of-constraints-and-human-resource-management-applications/219325

Implications of Economic Decision Making to the Project Manager

Brian J. Galli (2021). *International Journal of Strategic Engineering* (pp. 19-32).

www.irma-international.org/article/implications-of-economic-decision-making-to-the-project-manager/269715

Semantic Teaching Process as a Basis for the Development of Education in Polyfunctional Environment

Vladimir Vasilyevich Sokhranov-Preobrazhensky and Galina Vladimirovna Vishnevskaya (2018). *Handbook of Research on Students' Research Competence in Modern Educational Contexts* (pp. 60-79).

www.irma-international.org/chapter/semantic-teaching-process-as-a-basis-for-the-development-of-education-in-polyfunctional-environment/196465

Sustainable Urban Development: Strategies To Support The Melbourne 2017 - 2050

Koorosh Gharehbaghi, Bambang Trigunarsyah and Addil Balli (2020). *International Journal of Strategic Engineering* (pp. 59-72).

www.irma-international.org/article/sustainable-urban-development/255142

Research Paradigms Underpinning SoTL Papers: A Comparative Analysis of Two Journals

Kym Fraser and Ekaterina Pechenkina (2017). *Methods and Paradigms in Education Research* (pp. 42-52).

www.irma-international.org/chapter/research-paradigms-underpinning-sotl-papers/170985