

Chapter 13

Structural Condition Monitoring with the Use of the Derivative– Free Nonlinear Kalman Filter

Gerasimos Rigatos

Industrial Systems Institute, Greece

Argyris Soldatos

National Technical University of Athens, Greece

ABSTRACT

The chapter proposes structural condition monitoring for buildings and mechanical structures using a new nonlinear filtering method under the name Derivative-Free Nonlinear Kalman Filtering. The filter makes use of exact linearization of the structure's dynamical model in accordance to differential flatness theory and of an inverse transformation that enables one to obtain estimates for the state vector elements of the initial model. The response of the structure is compared to the response generated by the filter under the assumption of a damage-free model. Moreover, the filter provides estimates of the state vector elements of the structure, which cannot be directly measured, while it can also give estimates of unknown excitation inputs. By comparing the two signals, residuals sequences are generated. The statistical processing of the residuals provides an indication about the existence of parametric changes (damages) in the structure that otherwise could not have been detected.

1. INTRODUCTION


Damages in civil or mechanical structures cannot always be detected by visual inspection. Therefore, it is necessary to develop elaborated methods for structural health monitoring that will be capable of diagnosing the existence of parametric changes and failures (Wu, Zhou, & Yang, 2006), (Campillo & Mevel., 2005). Previous results in the area of Kalman Filter-based structural condition monitoring can be found in (Lei, Wu.& Li, 2012), (Lei, Jiang & Xu, 2012), (Zhou, 2008), (Katkhuda & Hadlar, 2008). In the present chapter, the development of a new structural health monitoring approach is proposed making use of nonlinear Kalman Filtering and of statistical signal processing.

DOI: 10.4018/978-1-4666-7387-8.ch013

The multi-DOF building or mechanical structure is modeled as a set of coupled nonlinear oscillators that can be subjected to external excitation. First, it is shown that the dynamic model of the monitored structure is differentially flat and admits static feedback linearization (Sira-Ramirez and Agrawal, 2004), (Rigatos, 2011), (Fliess & Mounier, 1999), (Rouchon, 2005), (Bououden, Boutat, Zheng, Barbot, & Kratz, 2011). It is also shown that the dynamic model can be written in the linear Brunovsky canonical form for which a state feedback controller can be easily designed, thus also enabling active control of the structure. Next, to estimate the building's or mechanical structure's motion characteristics from indirect measurements a new nonlinear filtering method under the name Derivative-free nonlinear Kalman Filtering is introduced (Rigatos, 2012a), (Rigatos, 2012b), (Rigatos & Tzafestas, 2007). The considered filter makes use of the aforementioned exact linearization transformation of the structure's dynamical model, in accordance to differential flatness theory, and of an inverse transformation that enables to obtain estimates for the state vector elements of the initial model. The filter provides estimates of the state vector elements of the structure which cannot be directly measured. Moreover, by redesigning the Derivative-free nonlinear Kalman Filter as a disturbance observer, it is shown that it is possible to estimate unknown external inputs applied to the structure.

The response of the structure is recorded through suitable sensors (in the form of a wireless sensors network deployed at specific measurement points) and is compared against the response generated by nonlinear Kalman Filtering under the assumption of a damage-free model (to improve accuracy it is possible to apply a sensor fusion-based implementation of the Kalman Filter). By comparing the two signals, residuals sequences are generated. The processing of the residuals with the use of statistical decision making criteria provides an indication about the existence of parametric changes (damages) in the structure, which otherwise could not have been detected (Basseville & Nikiforov, 1993), (Zhang, Basseville & Benveniste, 1998), (Rigatos. & Zhang, 2009). Thus, by applying fault detection tests based

Figure 1. Diagram of the n -storey building with elasticity and dissipation elements



29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/structural-condition-monitoring-with-the-use-of-the-derivative-free-nonlinear-kalman-filter/126022

Related Content

Perception Effects in Ground Robotic Tele-Operation

Richard T. Stone, Thomas Michael Schniedersand Peihan Zhong (2018). *International Journal of Robotics Applications and Technologies* (pp. 42-61).

www.irma-international.org/article/perception-effects-in-ground-robotic-tele-operation/232730

Wheelchair Secure Navigation with RF Signal Triangulation and Genetic Algorithm Optimization

Leonimer Flávio de Melo, Evandro Junior Rodriguesand João Maurício Rosário (2015). *Handbook of Research on Advancements in Robotics and Mechatronics* (pp. 750-792).

www.irma-international.org/chapter/wheelchair-secure-navigation-with-rf-signal-triangulation-and-genetic-algorithm-optimization/126033

Appraise the Economic Values of Logistic Handling System under Mixed Information

Anoop Kumar Sahu, Nitin Kumar Sahuand Atul Kumar Sahu (2020). *Robotic Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1594-1619).

www.irma-international.org/chapter/appraise-the-economic-values-of-logistic-handling-system-under-mixed-information/244075

Enhancing Money Laundering Detection Through Machine Learning: A Comparative Study of Algorithms and Feature Selection Techniques

Soumya Ranjan Mishra, Pranati, Anikaand Hitesh Mohapatra (2024). *AI and Blockchain Applications in Industrial Robotics* (pp. 300-321).

www.irma-international.org/chapter/enhancing-money-laundering-detection-through-machine-learning/336091

Improving Dependability of Robotics Systems, Experience from Application of Fault Tree Synthesis to Analysis of Transport Systems

Nidhal Mahmud (2015). *International Journal of Robotics Applications and Technologies* (pp. 38-62).

www.irma-international.org/article/improving-dependability-of-robotics-systems-experience-from-application-of-fault-tree-synthesis-to-analysis-of-transport-systems/152361