

Cost-Sensitive Classification for Medical Diagnosis

Gerald Schaefer

Aston University, UK

Tomoharu Nakashima

Osaka Prefecture University, Japan

Yasuyuki Yokota

Osaka Prefecture University, Japan

INTRODUCTION

Medical diagnosis is often regarded as a pattern classification problem: based on a certain input, the task is to assign it to one of a set of classes. Often the number of classes is two: for example, malignant vs. benign, disease vs. no disease. The task of a pattern classification system is to assign as many input samples as possible to the correct class whereas the behaviour of the classifier is often optimised through the learning of some ground truth data. Conventional classifiers treat each sample of this learning set equally, yet in medical diagnosis this is often not desirable as different classes are associated with different costs. While the misdiagnosis of a malignant case as being benign can be very costly (e.g., when the time for effective treatment has passed), mistaking a benign case as malignant (though of course it should be avoided) will involve relatively lower costs (such as some further tests).

In this article, we present a cost-sensitive approach to medical diagnosis based on fuzzy rule-based classification (Schaefer, Nakashima, Yokota, & Ishibuchi, 2007). While fuzzy rule-based systems have been mainly employed for control problems (Lee, 1990) more recently they have also been applied to pattern classification problems (Ishibuchi & Nakashima, 1999; Nozaki, Ishibuchi, & Tanaka, 1996). We modify a fuzzy rule-based classifier to incorporate the concept of weight which can be considered as the cost of an input pattern being misclassified. The pattern classification problem is thus reformulated as a cost minimisation problem. Based on experimental results on the Wisconsin breast cancer dataset, we demonstrate the efficacy of our approach. We also show that the application of a learning algorithm can further improve the classification performance of our classifier.

FUZZY RULE-BASED CLASSIFICATION


Let us assume that our pattern classification problem is an n -dimensional problem with M classes (in medical diagnosis M is typically 2) and m given training patterns $\mathbf{x}_p = (x_{p1}, x_{p2}, \dots, x_{pn})$, $p = 1, 2, \dots, m$. Without loss of generality, we assume each attribute of the given training patterns to be normalised into the unit interval $[0, 1]$; that is, the pattern space is an n -dimensional unit hypercube $[0, 1]^n$. In this study we use fuzzy if-then rules of the following type as a base of our fuzzy rule-based classification systems:

$$\begin{aligned} \text{Rule } R_j : & \text{ If } x_1 \text{ is } A_{j1} \text{ and } \dots \text{ and } x_n \text{ is } A_{jn} \\ & \text{ then Class } C_j \text{ with } CF_j \quad j = 1, 2, \dots, N \end{aligned} \quad (1)$$

where R_j is the label of the j -th fuzzy if-then rule, A_{j1}, \dots, A_{jn} are antecedent fuzzy sets on the unit interval $[0, 1]$, C_j is the consequent class (i.e., one of the M given classes), and CF_j is the grade of certainty of the fuzzy if-then rule R_j . As antecedent fuzzy sets we use triangular fuzzy sets as in Figure 1 where we show a partition of the unit interval into a number of fuzzy sets.

Our fuzzy classification system consists of N fuzzy if-then rules each of which has a form as in Equation (1). There are two steps in the generation of the rules: specification of antecedent part, and determination of consequent class C_j and grade of certainty CF_j . Once the antecedent part of a rule is specified the consequent part (i.e., consequent class and the grade of certainty) is determined from a set of given training patterns (Ishibuchi, Nozaki, & Tanaka, 1992). In Ishibuchi and Nakashima (2001), it is shown that the use of the grade of certainty in fuzzy if-then rules allows us to generate comprehensible fuzzy rule-based classification systems with high classification performance.

Figure 1. Triangular membership function



Fuzzy Rule Generation

Let us assume that m training patterns $\mathbf{x}_p = (x_{p1}, \dots, x_{pn})$, $p=1, \dots, m$ are given for an n -dimensional C -class pattern classification problem. The consequent class C_j and the grade of certainty CF_j of the if-then rule are determined in the following manner:

1. Calculate $\beta_{Class\ h}(j)$ for Class h as:

$$\beta_{Class\ h}(j) = \sum_{\mathbf{x}_p \in Class\ h} \mu_j(\mathbf{x}_p) \quad (2)$$

where

$$\mu_j(\mathbf{x}_p) = \mu_{j1}(x_{p1}) \cdot \dots \cdot \mu_{jn}(x_{pn}) \quad (3)$$

and $\mu_{jn}(\cdot)$ is the membership function of the fuzzy set A_{jn} . In this article, we use triangular fuzzy sets as in Figure 1.

2. Find Class \hat{h} that has the maximum value of $\beta_{Class\ h}(j)$:

$$\beta_{Class\ \hat{h}}(j) = \max_{1 \leq k \leq C} \{\beta_{Class\ k}(j)\} \quad (4)$$

If two or more classes take the maximum value, the consequent class C_j of the rule R_j cannot be determined uniquely. In this case, we specify C_j as $C_j = \{\}$. If a single class \hat{h} takes the maximum value, let C_j be Class \hat{h} .

The grade of certainty CF_j is determined as:

$$CF_j = \frac{\beta_{Class\ \hat{h}}(j) - \bar{\beta}}{\sum_h \beta_{Class\ h}(j)} \quad (5)$$

with

$$\bar{\beta} = \frac{\sum_{h \neq \hat{h}} \beta_{Class\ h}(j)}{c-1} \quad (6)$$

Fuzzy Reasoning

Using the rule generation procedure outlined above we can generate N fuzzy if-then rules as in Equation (1). After both the consequent class C_j and the grade of certainty CF_j are determined for all N rules, a new pattern $\mathbf{x} = (x_1, \dots, x_n)$ can be classified by the following procedure:

1. Calculate $\alpha_{Class\ h}(\mathbf{x})$ for Class $h, j=1, \dots, C$, as:

$$\alpha_{Class\ h}(\mathbf{x}) = \max \{ \mu_j(\mathbf{x}) \times CF_j \mid C_j = h \} \quad (7)$$

2. Find Class h' that has the maximum value of $\alpha_{Class\ h}(\mathbf{x})$:

$$\alpha_{Class\ h'}(\mathbf{x}) = \max_{1 \leq k \leq C} \{ \alpha_{Class\ k}(\mathbf{x}) \} \quad (8)$$

If two or more classes take the maximum value, then the classification of \mathbf{x} is rejected (i.e., \mathbf{x} is left as an unclassifiable pattern), otherwise we assign \mathbf{x} to Class h' .

COST-SENSITIVE FUZZY CLASSIFICATION

The standard fuzzy rule-based classifier as detailed above treats each class and hence each sample equally. In medical diagnosis however this is often not desirable. Misdiagnosing a malignant case as benign should be penalised more than diagnosing healthy patients as having a certain disease. While in the first case, the result might be that of late treatment in the best and missing of the treatable time in the worst scenario, the latter case will usually involve some further tests which should then identify the misdiagnosis. Clearly, the costs involved in the first case will exceed those of the latter.

4 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/cost-sensitive-classification-medical-diagnosis/12954

Related Content

Right to Health Information and an Example of Its Implementation

Suptendra Nath Sarbadhikari (2013). *International Journal of User-Driven Healthcare* (pp. 88-89).

www.irma-international.org/article/right-to-health-information-and-an-example-of-its-implementation/86372

Reforming Public Healthcare in the Republic of Ireland with Information Systems: A Comparative Study with the Private Sector

David Sammon and Frederic Adam (2010). *Health Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1151-1171).

www.irma-international.org/chapter/reforming-public-healthcare-republic-ireland/49922

ISO 9001 2008 & CEN/TS 15224 2005: The Contribution of Continuous Medical Education

Antonia Mourtzikou, Marilena Stamouli, Elena Athanasiadi and Evaggelia Marasidi (2015). *International Journal of Reliable and Quality E-Healthcare* (pp. 39-50).

www.irma-international.org/article/iso-9001-2008--cents-15224-2005/136783

The Benefits and Challenges of Using Mobile-Based Tools in Self-Management and Care

Rupananda Misra (2016). *Reshaping Medical Practice and Care with Health Information Systems* (pp. 1-13).

www.irma-international.org/chapter/the-benefits-and-challenges-of-using-mobile-based-tools-in-self-management-and-care/146002

Internet Use and Health Decision Making by Breast Cancer Patients in Malaysia

Gerald Goh Guan Gan and Khor Yoke Lim (2010). *Handbook of Research on Developments in E-Health and Telemedicine: Technological and Social Perspectives* (pp. 863-881).

www.irma-international.org/chapter/internet-use-health-decision-making/40680