

Chapter 13

The Role and Use of Telemedicine by Physicians in Developing Countries: A Case Report from Saudi Arabia

Dana Alajmi

Independent Researcher, Saudi Arabia

Suleiman Alomran

King Saud University, Saudi Arabia

Mohamed Khalifa

*King Faisal Specialist Hospital and Research
Center, Saudi Arabia*

Ashraf El-Metwally

*King Saud Bin Abdul Aziz University for Health
Sciences, Saudi Arabia*

Amr Jamal

King Saud University, Saudi Arabia

Majed Al-Salamah

Independent Researcher, Saudi Arabia

Nasria Zakaria

*King Saud University, Saudi Arabia & Universiti
Sains Malaysia, Malaysia*

Mowafa Househ

*King Saud Bin Abdulaziz University for Health
Sciences, Saudi Arabia*

ABSTRACT

As technological advance leaps into the developing world, telemedicine is expected to significantly grow in many developing countries. It is important to investigate the awareness, preferences, requirements, perceptions and attitudes of physicians in Saudi Arabia towards the use of telemedicine technology. In order to promote the use of telemedicine among physicians, training should be focused on older professionals and those who show lower levels of IT knowledge and experience. This chapter uses the results of a survey that was conducted in the city of Al-Dammam, Saudi Arabia, which gathered information about physicians' awareness and attitude towards telemedicine. Most physicians reported high level of awareness of telemedicine and showed interest in using telemedicine technology in their work. Physicians' preference of using such technology was predicted by their awareness, knowledge and previous experience, using telemedicine and technology affinity. Physicians' willingness to use telemedicine was influenced by age, technology preparedness and practice.

DOI: 10.4018/978-1-4666-8702-8.ch013

INTRODUCTION

Worldwide, the use of information technology and software applications constitutes an integral component of the daily workload in business, banking, industry, education and healthcare settings. Computers and the Internet, as a part of modern information and communication technologies (ICTs), have changed the way of how individuals communicate and exchange information. The development of computer technology and telecommunication services has had a significant impact on quality of health care especially for rural areas where access to quality health care has usually been an obstacle (Bashshur, 2002). Telemedicine is one of those technologies that have brought an opportunity for people who are living in rural areas to gain better accessibility and quality of healthcare services.

Over the past few years, user resistance and acceptance of technology has received more attention in healthcare research (Kim et al., 2010; Chau & Hu, 2002). Schopenhauer, a German philosopher in 1860, suggested that there are three stages for the revelation of each truth. "First, it is ridiculed; in the second, resisted; in the third, it is considered self-evident".

The same situation is applicable with regards to telemedicine technology. Telemedicine is one of the technologies that help facilitate medical care at a distance and have been found useful to reach those patients living in rural and underserved areas (Cox & Towle, 2012; Alajlani, 2010). Telemedicine can include various services ranging from the simplest form as store-and-forward to the highly specialized and sophisticated services, which can be found in academic medical centers. However, telemedicine is still not self-evident because it is still not an integral part of classic healthcare practice (Weiss, 2008). The successful adoption of telemedicine technology relies mainly on the recognizing of barriers to telemedicine. Physicians' attitude and acceptance are considered some of the main challenges for telemedicine. In order to overcome these issues and facilitate the adoption of innovative technologies, it is very important to understand the factors that affect the acceptance of telemedicine technologies by clinical staff in healthcare (Kim et al., 2010).

Telemedicine is about using information and communication technology (ICT) in order to deliver health care services at a distance (American Telemedicine Association, 2013; Currell et al., 2000). Telemedicine can provide the population in particular who are living in rural areas with the opportunity to gain better-quality healthcare services (Khalifehsoltani & Gerami, 2010; Bashshur, 2002). The industrial countries have had a significant amount of experience with the use of telemedicine during the last 50 years. In 1959, Nebraska Psychiatric Institute was one of the first health organizations that implemented telemedicine in the United States (Ramos, 2010; Jung et al., 2012). It utilized a television link to connect with Norfolk Hospital, which was 12 miles away. Such a link allowed physicians to communicate with both physicians and patients on the other end (Ramos, 2010).

In April of 1968, there were some other early implementations of telemedicine services in Massachusetts General Hospital where a microwave video was used to communicate with Boston Logan airport. With such a link, Massachusetts General Hospital was able to provide instant healthcare services to employees and passengers at the airport. The services provided at the Logan Airport included cardiology, dermatology and radiology services (Ramos, 2010; Adler, 2000). Since then, telemedicine has achieved significant progress in the developed world. In the 1970's, telemedicine became a separate field of study. In the 1990's, the innovation was increased due to the appearance of new technologies like the Internet and mobility services (Wade et al., 2010). Currently, there is a wide range of services already implemented in the industrial countries ranging from basic forms to complicated virtual reality services. These services can be used everywhere mostly in areas whereas a shortage physicians and

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/the-role-and-use-of-telemedicine-by-physicians-in-developing-countries/133691

Related Content

Five Drivers of Eco-Innovation: Insights from Parsimonious Model Using a Content Analysis Approach

Yudi Fernando, Wah Wen Xinand Anisha Banu Dawood Gani (2016). *International Journal of Disease Control and Containment for Sustainability* (pp. 12-31).

www.irma-international.org/article/five-drivers-of-eco-innovation/170383

Musculoskeletal Disorders and Their Associated Risk Factors in Long-Distance Truck Drivers From Allahabad, India: A Cross-Sectional Study

Ravindra Kumar, Anish Kumar Sinhaand Apurvakumar Pandya (2022). *International Journal of Applied Research on Public Health Management* (pp. 1-9).

www.irma-international.org/article/musculoskeletal-disorders-their-associated-risk/290375

What We Learned From the Paimio Sanatorium as a Spatial Reflection of Contagious Diseases

Aye Sirel (2021). *Stakeholder Strategies for Reducing the Impact of Global Health Crises* (pp. 187-208).

www.irma-international.org/chapter/what-we-learned-from-the-paimio-sanatorium-as-a-spatial-reflection-of-contagious-diseases/282868

Role of the Media on Migrants' Vulnerability to Health Hazards

Olayinka Susan Ogundoyin (2021). *Research Anthology on Public Health Services, Policies, and Education* (pp. 175-189).

www.irma-international.org/chapter/role-of-the-media-on-migrants-vulnerability-to-health-hazards/281975

Exploring the Spread of Zika: Using Interactive Visualizations to Control Vector-Borne Diseases

Oluwakemi Ola, Olha Bucheland Kamran Sedig (2016). *International Journal of Disease Control and Containment for Sustainability* (pp. 47-68).

www.irma-international.org/article/exploring-the-spread-of-zika/170385