



# Context-Aware Services for Ambient Environments

*René Meier, Trinity College Dublin, Ireland*

*Deirdre Lee, Trinity College Dublin, Ireland*

---

## ABSTRACT

*This article presents the iTransIT framework for building context-aware pervasive services in large-scale ambient environments. The iTransIT framework provides an architecture for conceptually integrating the independent systems underlying an ambient environment and a data model for capturing the contextual information generated by these systems. The data model is based on a hybrid approach to context-modelling that incorporates the management and communication benefits of traditional object-based context modelling with the semantic and inference advantages of ontology-based context modelling. The iTransIT framework furthermore supports a programming model designed to provide a standardised way to access and correlate information from systems and their devices based on context and ultimately, to build context-aware ambient services. The framework has been assessed based on a prototypical realisation of an architecture for integrating diverse intelligent transportation systems in Dublin and by building context-aware ambient transportation services for urban journey planning and for visualising traffic congestion.*

*Keywords:* data management; data models; distributed systems; middleware; ontologies; software architecture; spatial data

---

## INTRODUCTION

Ambient environments describe smart spaces where networked systems and devices interact to support the everyday life activities of their inhabitants. Such intelligent environments are based on the vision of ubiquitous computing where everyday objects communicate and collaborate to provide information and services to users. Ambient environments may support people in spaces ranging from smart offices, to smart cars, to smart homes, to large geographical

areas, for example, outlined by a shopping mall, by a road, or by a town. Ambient environments are inherently heterogeneous, as they likely will consist of a multitude of sensors, devices, networks, and ultimately systems, especially, with increasing scale of the space. People moving in such intelligent environments may use integrated devices, such as on-board computers in a vehicle, or handheld devices, such as mobile phones and Personal Digital Assistants (PDAs), to interact with the environments and to use the services they provide. These devices will

provide access to the contextual information and the context-aware services available in an ambient environment, ranging from personal and professional information services, to environmental monitoring and control, to social services, to city-wide information systems (Cheverst, Davies, Mitchell, Friday, & Efstratiou, 2000), to traveller assistance (Kjeldskov et al., 2003).

Transportation is one obvious domain for large-scale ambient environments since services can be built to exploit the very many heterogeneous sensor-rich systems that have already been deployed in towns and cities and along national road networks to support urban traffic control and highway management. Such an ambient environment might enable people to access information ranging from places of interest, to prevailing road and weather conditions, to expected journey times, to up-to-date public transport information. It might also enable suitably privileged users to interact with the infrastructure, for example, to request a change to a traffic light or to reserve a parking space.

This article presents a framework for building context-aware services in large-scale ambient environments. The basis for the provision of such context-aware ambient services to users is the integration of the individual systems associated with intelligent environments into comprehensive platforms. The iTransIT framework (Meier, Harrington, & Cahill, 2005, 2006) proposes an architecture for the conceptual integration of the individual systems and their information deployed in an ambient environment. This enables information integration and sharing across independent systems and context-aware ambient services. The framework also proposes an extensible and layered data model to facilitate data exchange between systems and services with diverse data sets and quality of service requirements. Data layers are defined within a common context model along the primary context dimensions of space, time, quality and identity, and may be distributed across multiple systems. The data model is based on a hybrid approach to context modelling that combines the management and

communication benefits of traditional object-based context modelling with the semantic and inference advantages of ontology-based context modelling. The Primary-Context Model and Primary-Context Ontology (Lee & Meier, 2007) have been designed with a strong emphasis on primary context, which is used to access other system context and to correlate context from independent systems, making them particularly suitable for large-scale ambient computing environments. And finally, the framework proposes a spatial programming model designed to provide a standardised way for ambient services to access context information that is provided by independent systems by exploiting the overlapping primary context attributes of the information maintained by these systems. This enables services to use and act upon information from a variety of deployed (and novel) systems as well as to share information between them. The spatial programming model hides the complexity and diversity of the underlying systems and their data sources and provides services with a common view on the available information and its context. For example, a service might use the spatial programming model to retrieve public transport information, which might be provided by an underlying system, and then access relevant weather information provided by another system using the temporal and spatial primary context of this information.

The iTransIT framework has been motivated by the transportation needs of Dublin City in the Republic of Ireland and has been designed to enable information integration and sharing across independent Intelligent Transportation Systems (ITS) and context-aware ambient user services. It has been developed in cooperation with the Traffic Office of Dublin City Council and detailed framework requirements were informed by a comprehensive audit of existing and planned future intelligent transportation systems and services in the Dublin City area.

The framework has been realised in the form of a proof-of-concept prototype that captures a variety of real transportation information derived from systems currently deployed in Dublin City. The framework's support for

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/article/context-aware-services-ambient-environments/1368](http://www.igi-global.com/article/context-aware-services-ambient-environments/1368)

## Related Content

---

### Reducing the Workload: AI as a Support Tool for Human Content Moderators

J. K. Lalchhanhima, Vijayalaxmi Rajendranand Aradhana Madhusudanan (2025).

*Content Moderation in the Age of AI* (pp. 251-284).

[www.irma-international.org/chapter/reducing-the-workload/376477](http://www.irma-international.org/chapter/reducing-the-workload/376477)

### ISCG: An Intelligent Sensing and Caption Generation System for Object Detection and Captioning Using Deep Learning

Aahan Singh, Nithin Nagaraj, Srinidhi Hiriyannaiah and Lalit Mohan Patnaik (2020).

*International Journal of Intelligent Information Technologies* (pp. 51-67).

[www.irma-international.org/article/iscg/262979](http://www.irma-international.org/article/iscg/262979)

### Weight-Aware Multidimensional Advertising for TV Programs

Jianmin Wang, Yi Liu, Ting Xie and Yuchu Zuo (2013). *International Journal of Ambient Computing and Intelligence* (pp. 1-11).

[www.irma-international.org/article/weight-aware-multidimensional-advertising-for-tv-programs/104157](http://www.irma-international.org/article/weight-aware-multidimensional-advertising-for-tv-programs/104157)

### Applications of Artificial Intelligence in the Process Control of Electro Chemical Discharge Machining (ECDM)

T. K.K.R. Mediliyegedara, A. K.M. De Silva, D. K. Harrison and J. A. McGeough (2007). *Artificial Intelligence and Integrated Intelligent Information Systems: Emerging Technologies and Applications* (pp. 139-163).

[www.irma-international.org/chapter/applications-artificial-intelligence-process-control/5304](http://www.irma-international.org/chapter/applications-artificial-intelligence-process-control/5304)

### Introduction to Bayesian Networks and Influence Diagrams

Luis Enrique Sucar (2012). *Decision Theory Models for Applications in Artificial Intelligence: Concepts and Solutions* (pp. 9-32).

[www.irma-international.org/chapter/introduction-bayesian-networks-influence-diagrams/60922](http://www.irma-international.org/chapter/introduction-bayesian-networks-influence-diagrams/60922)