Chapter 3 Energy Conservation Law for the Turbulent Motion in the Free Atmosphere: Turbulent Motion in the Free Atmosphere

Kulyash Kaliyeva Lorraine University, France

ABSTRACT

This chapter presents convergent-divergent flow in the free atmosphere which is governed by the three dimensional Navier-Stokes equations and deals with the fundamental problem of fluid dynamics. Considering air movement under influence divergence and rotation were found the true dependencies between the velocity vector and the pressure distribution. Following the classical procedure by using rotor operator and a well-known formula of vector analysis were obtained the second kind nonlinear Volterra-Fredholm integral equations in a matrix form which contained only three components of the velocity vector. According to the theory of the matrix operators were defined the velocity components by the successive approximation method. According to the obtained balance equation for the pressure distribution were defined significant properties of the transient convergent-divergent flow which provide a description of the constitutive relationships between three physical quantities: the velocity vector, the external and internal forces, the pressure distribution.

INTRODUCTION

Theoretical prediction and practical analysis of turbulence are the fundamental problems of atmospheric dynamics. Turbulence is considered as an eddy motion with a wide spectrum of sizes. Turbulent motion is a nonlinear multistage phenomenon of the elusive process which under influence divergence and rotation is characterized by high Reynolds numbers and involves some difficult problems in theoretical and mathematical physics. Due to the mathematical theory of partial differential equations introduced turbulent models were based on the transport equation of the most appropriate convergent-divergent mo-

DOI: 10.4018/978-1-4666-8823-0.ch003

tions. The Navier-Stokes equations are described interactions between fluctuations and their space-time directions of the different wavelengths which have a great theoretical interest and practical importance in mathematical and physical modeling of elusive atmospheric phenomena of turbulence. Here were found dependencies of the velocity vector from the pressure distribution which make varying turbulent effects in agreement with the energy conservation law. It was shown the space-time dependent impact of divergence of the velocity vector and the density. Considering a flow element at a space-time position has been found energy balance which is expressed relationship between three physical quantities: the velocity vector, the external and internal forces, the pressure distribution. Balance equation expresses the second law of thermodynamics, which says that in all natural world processes of the entropy always increases. Obtained universal energy balance equation in the principal form expresses a stability condition which is an important part in simplifying the processing and analysis of the theoretical and experimental date of the turbulent field problems. It was shown that in the particular case of the energy balance equation can be got Bernoulli's equation. Atmospheric flow is considered by the Navier-Stokes equations in agreement with the second law of thermodynamics where external forcing is supplied by radioactive forcing from the Sun, Lorentz force, dynamic Carioles force, gravity and acceleration due to the rotating Earth and heat sources at ground. The language and methodology of this research is the mathematical theory of partial differential equations. We have focused on the global existence, uniqueness and smoothness of weak solution of the Navier-Stokes equations. Investigation of the analytical solvability for a practical complex problem in infinite space for the nonlinear turbulent phenomenon requires a perspective using some alternative approach which different from that is needed for studying the general classical issues in determining the influence of divergence and rotation from the turbulent velocity vector. Following the classical procedure by using rotor operator and a well-known formula of vector analysis were obtained the second kind nonlinear Volterra-Fredholm integral equations in a matrix form which contained only three components of the velocity vector. According to the theory of the Volterra-Fredholm matrix operators were defined the velocity components by the successive approximation method. Considering the pressure gradient as a potential field was determined the pressure distribution which satisfies the energy conservation law. We have clear mathematical evidence that the conservative force fields effectively make fluctuations in infinite space. Thank to the defined estimations for the velocity vector and the pressure distribution were proved existence and uniqueness theorems in the potential stable fields and general cases of bifurcating instabilities.

Background

This chapter is presented mathematical theory for the Navier-Stokes problem and deals with model problems for common nature, atmospheric phenomena under influence divergence and rotation of the velocity vector. The Navier-Stokes equations as nonlinear partial differential equations in real natural situations were formulated in 1821 and appeared to give an accurate description of fluid flow including laminar and turbulent features. Concerning the large literature for the Navier-Stokes problem we mentioned only some papers which considered particularly relevant for our analytic purpose. We have focused on the global existence, uniqueness and smoothness of weak solution of the Navier-Stokes equations. Examples of weak solution were given by Caffarelli [1], Sheffer [2]. Critical analyses for many analytic and numerical solutions of Navier-Stokes equations were given by Fefferman [3]. We will follow this idea of existence of weak solution given in [3] by using the energy conservation law for the external force and the gradient of pressure. Global existence, uniqueness and smoothness of the weak or classical

32 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/energy-conservation-law-for-the-turbulent-

motion-in-the-free-atmosphere/137436

Related Content

Agents' Risk Relations in a Strategic Tax Reporting

Nuno Trindade Magessiand Luis Antunes (2014). *Interdisciplinary Applications of Agent-Based Social Simulation and Modeling (pp. 254-268).* www.irma-international.org/chapter/agents-risk-relations-in-a-strategic-tax-reporting/106774

Information Processing by Chemical Reaction-Diffusion Media: From Computing to Vision

Nicholas G. Rambidi (2011). Computational Modeling and Simulation of Intellect: Current State and Future Perspectives (pp. 455-483).

www.irma-international.org/chapter/information-processing-chemical-reaction-diffusion/53316

A Virtual Environment for Machining Operations Simulation and Machining Evaluation

Bilalis Nicolaosand Petousis Markos (2011). *Virtual Technologies for Business and Industrial Applications: Innovative and Synergistic Approaches (pp. 88-104).* www.irma-international.org/chapter/virtual-environment-machining-operations-simulation/43405

Stochastic Analytical Modeling Based on Queuing Systems

(2023). Deterministic and Stochastic Approaches in Computer Modeling and Simulation (pp. 280-302). www.irma-international.org/chapter/stochastic-analytical-modeling-based-on-queuing-systems/332103

Intelligent Information Description and Recognition in Biomedical Image Databases

Khalifa Djemaland Hichem Maaref (2011). Computational Modeling and Simulation of Intellect: Current State and Future Perspectives (pp. 52-80).

www.irma-international.org/chapter/intelligent-information-description-recognition-biomedical/53301