

Chapter 42

A Mobile Matchmaker for the Ubiquitous Semantic Web

Floriano Scioscia

Politecnico di Bari, Italy

Michele Ruta

Politecnico di Bari, Italy

Giuseppe Loseto

Politecnico di Bari, Italy

Filippo Gramegna

Politecnico di Bari, Italy

Saverio Ieva

Politecnico di Bari, Italy

Agnese Pinto

Politecnico di Bari, Italy

Eugenio Di Sciascio

Politecnico di Bari, Italy

ABSTRACT

The Semantic Web and Internet of Things visions are converging toward the so-called Semantic Web of Things (SWoT). It aims to enable smart semantic-enabled applications and services in ubiquitous contexts. Due to architectural and performance issues, it is currently impractical to use existing Semantic Web reasoners. They are resource consuming and are basically optimized for standard inference tasks on large ontologies. On the contrary, SWoT use cases generally require quick decision support through semantic matchmaking in resource-constrained environments. This paper presents Mini-ME, a novel mobile inference engine designed from the ground up for the SWoT. It supports Semantic Web technologies and implements both standard (subsumption, satisfiability, classification) and non-standard (abduction, contraction, covering) inference services for moderately expressive knowledge bases. In addition to an architectural and functional description, usage scenarios are presented and an experimental performance evaluation is provided both on a PC testbed (against other popular Semantic Web reasoners) and on a smartphone.

DOI: 10.4018/978-1-4666-8751-6.ch042

INTRODUCTION

Semantic Web technologies have been acknowledged as tools to promote interoperability and intelligent information processing in ubiquitous computing. Scenarios include supply chain management, u-commerce (Liu, 2013; Ruta, Di Noia, Di Sciascio, Piscitelli, & Scioscia, 2007), peer-to-peer resource discovery (Ruta, Di Sciascio, & Scioscia, 2011) and so on. The increasing computational resources and communications effectiveness of mobile devices enable ubiquitous processing and exchange of rich and structured information for context-aware resource discovery and decision support. The Semantic Web and the Internet of Things paradigms are converging more and more toward the so-called Semantic Web of Things (SWoT) (Scioscia & Ruta, 2009; Pfisterer *et al.*, 2011). It enables semantic-enhanced pervasive computing by embedding intelligence into ordinary objects and environments through a large number of heterogeneous micro-devices, each conveying a small amount of information.

Such a vision requires an increased flexibility and autonomy of ubiquitous knowledge-based systems in information encoding, management, dissemination and discovery. User agents running on mobile personal devices should be able to discover dynamically the best available resources according to user's profile and preferences, in order to support her current tasks through unobtrusive and context-dependent suggestions. Reasoning and query answering are particularly critical issues, stimulating the need for further specialized inference services in addition to classical ones like *subsumption* and *satisfiability* check. Furthermore, mobile computing platforms (e.g., smartphones, tablets) are still constrained by hardware/software limitations with respect to typical setups for Semantic Web reasoning engines. In fact, architectural and performance issues affect the porting of current OWL-based reasoners, designed for the Semantic Web, to mobile devices (Yus, Bobed, Esteban, Bobillo, & Mena, 2013).

This paper presents *Mini-ME (the Mini Matchmaking Engine)*¹, a compact matchmaker and reasoner for the ALN (Attributive Language with unqualified Number restrictions) Description Logic (DL). It is aimed to semantic matchmaking for resource/service discovery in mobile and ubiquitous contexts, although it is also a general-purpose Semantic Web inference engine. The reduced expressivity of the logical language is compensated by an increased mobility level and provided quality of the resource discovery. Optimized non-standard inference services allow a fine-grained categorization and ranking of matching resources w.r.t. a request, providing both a distance metric and a logic-based explanation of the outcomes. Mini-ME is suitable to a widespread class of applications where a large number of low-complexity component resources can be aggregated to build composed services with growing semantic complexity. This is fit for the computational and power supply limitations of resource providers in ubiquitous contexts and their short storage availability. An “agile” service discovery architecture able to select, assemble and orchestrate *on the fly* many elementary components is more manageable and effective in ubiquitous applications.

Mini-ME uses the OWL API (Horridge & Bechhofer, 2009) to parse and manipulate Knowledge Bases in all OWL 2² supported syntaxes. It exploits structural inference algorithms on unfolded and CNF (Conjunctive Normal Form) normalized concept expressions for efficient computations also on resource-constrained platforms. Mini-ME implements both standard reasoning tasks for Knowledge Base (KB) management (subsumption, classification, satisfiability) and non-standard inference services for semantic-based resource discovery and ranking (abduction, contraction (Colucci *et al.*, 2007), covering (Ragone *et al.*, 2007)). It is developed in Java, with *Android* as the main target computing platform. Mini-ME supports the *OWLink* protocol (Liebig, Luther, Noppens, & Wessel, 2011) for standard

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-mobile-matchmaker-for-the-ubiquitous-semantic-web/138316

Related Content

Ubiquitous Semantic Applications: A Systematic Literature Review

Timofey Ermilov, Ali Khaliliand Sören Auer (2016). *Mobile Computing and Wireless Networks: Concepts, Methodologies, Tools, and Applications* (pp. 241-276).

www.irma-international.org/chapter/ubiquitous-semantic-applications/138185

A Mobility-Based Routing Protocol for CR Enabled Mobile Ad Hoc Networks

Yan Sun, Jingwen Bai, Hao Zhang, Roujia Sunand Chris Phillips (2015). *International Journal of Wireless Networks and Broadband Technologies* (pp. 81-104).

www.irma-international.org/article/a-mobility-based-routing-protocol-for-cr-enabled-mobile-ad-hoc-networks/125820

Mobility Support for IPv6-based Next Generation Wireless Networks: A Survey of Related Protocols

Li Jun Zhangand Samuel Pierre (2012). *International Journal of Wireless Networks and Broadband Technologies* (pp. 18-41).

www.irma-international.org/article/mobility-support-for-ipv6-based-next-generation-wireless-networks/90275

Evolution of Wireless and Mobile Communications

M. A. Matin (2014). *Handbook of Research on Progressive Trends in Wireless Communications and Networking* (pp. 1-17).

www.irma-international.org/chapter/evolution-of-wireless-and-mobile-communications/97839

Receiver Diversity for Distributed Detection in Wireless Sensor Networks

Mohammad A. Al-Jarrahand Mohammad M. Al-Ibrahim (2012). *International Journal of Wireless Networks and Broadband Technologies* (pp. 1-15).

www.irma-international.org/article/receiver-diversity-distributed-detection-wireless/75524