Reconfigurable Computing Technologies Overview

Kai-Jung Shih

National Chung Cheng University, ROC

Pao-Ann Hsiung

National Chung Cheng University, ROC

INTRODUCTION

Reconfigurable computing is breaking down the barrier between hardware and software design technologies. The segregation between the two has become more and more fuzzy because reconfigurable computing has now made it possible for hardware to be programmed and software to be synthesized. Reconfigurable computing can also be viewed as a trade-off between general-purpose computing and application specific design. Given the architecture and design flexibility, reconfigurable computing has catalyzed the progress in hardware-software codesign technology and a vast number of application areas such as scientific computing, biological computing, artificial intelligence, signal processing, security computing, and control-oriented design, to name a few.

In this article, we briefly introduce why and what is reconfigurable computing in the introduction section. Then, the resulting enhancements of hardware-software codesign methods and the techniques, tools, platforms, design and verification methodologies of reconfigurable computing will be introduced in the background section. Furthermore, we will introduce and compare some reconfigurable computing architectures. Finally, the future trends and conclusions will also be given. This article is aimed at widespread audiences, including both a person not particularly well grounded in computer architecture and a technical person.

Why Reconfigurable Computing?

With the popularization of the use of computers, computeraided computing can be roughly divided into two technical areas, one of which is general-purpose computing and the other is application-specific integrated circuit (ASIC) computing.

On one extreme, general-purpose computing was accomplished by the world's first fully operational electronic general-purpose computer, called *Electronic Numerical Integrator and Calculator* (ENIAC), built by J. Presper Eckert and John Mauchly. But it is well-known as *von Neumann computer* because ENIAC was improved by

John von Neumann (Hennessy & Patterson, 2007). A general-purpose computer is a single common piece of silicon, called a *microprocessor*, that could be programmed to solve any computing task. This means many applications could share commodity economics for the production of a single integrated circuit (IC). This computing architecture has the flexibility and superiority that the original builders of the IC never conceived (Tanner Research, 2007).

On the other extreme, an ASIC is an IC specifically designed to provide unique functions. ASIC chips can replace general-purpose commercial logic chips, and integrate several functions or logic control blocks into one single chip, lowering manufacturing cost and simplifying circuit board design. Although the ASIC has the high performance and low power advantages, its fixed resource and algorithm architecture result in drawbacks such as high cost and poor flexibility.

As a tradeoff between the two extreme characteristics, reconfigurable computing has combined the advantages of both general-purpose computing and ASIC computing. A comparison among the different architecture characteristics is illustrated in Table 1 (Tredennick, 1996; Tessier & Burleson, 2001).

From Table 1, we observe that reconfigurable computing has the advantage of programmable or configurable computing resources, called configware (TU Kaiserslautern, 2007a), as well as configurable algorithms, called flowware (Hartenstein, 2006; TU Kaiserslautern, 2007b). Further, the performance of reconfigurable systems is better than general-purpose systems and the cost is smaller than that of ASICs. The main advantage of reconfigurable system is its high flexibility, while its main disadvantage is its high power consumption. The design effort in terms of nonrecurring engineering (NRE) cost is between that of general-purpose processor and ASICs.

Because reconfigurations of underlying resources help achieve the goals of balance among performance, cost, power, flexibility, and design effort. The reconfigurable computing architecture has enhanced the performances of large variety of applications, including embedded systems, SoCs, digital signal processing, image processing, network

|--|

Computing Architecture	Programming source		Advantage				
	Resources	Algorithms	Performance	Cost	Power	Flexibility	Design effort (NRE)
General-purpose	Fixed	Software	Low	Low	Medium	High	Low
ASIC	Fixed	Fixed	High	High	Low	Low	High
Reconfigurable	Configware	Flowware	Medium	Medium	High	High	Medium

security, bioinformatics, supercomputing, boolean SATisfiability (SAT), spacecrafts, and military applications. We can say that reconfigurable computing will widely, pervasively, and gradually impact human lives.


What is Reconfigurable Computing?

In 1960, Estrin (1960) first proposed the term "reconfigurable computing." The reconfigurable computing architecture is composed of a general-purpose processor and reconfigurable

hardware logic. The reconfigurable computing architecture can be concisely defined as *Hardware-On-Demand* TM (Schewel, 1998), *general purpose custom hardware* (Goldstein et al., 2000) or a *hybrid approach between ASICs and general-purpose processors* (Singh et al. 2000).

We illustrate a general reconfigurable computing architecture in Figure 1. In this architecture, the reconfigurable hardware logic executes application-specific computation intensive task, such as encryption (RH $_1$) and image processing (RH $_3$) as shown in Figure 1. The processor is used to

Figure 1. Reconfigurable computing



8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/reconfigurable-computing-technologies-overview/14055

Related Content

Humanware Issues in a Government Management Information Systems Implementation

Susan K. Lippert (2003). *Annals of Cases on Information Technology: Volume 5 (pp. 112-129).* www.irma-international.org/article/humanware-issues-government-management-information/44537

Measurement Issues in Decision Support Systems

William K. Holsteinand Jakov Crnkovic (2005). *Encyclopedia of Information Science and Technology, First Edition (pp. 1906-1911)*.

www.irma-international.org/chapter/measurement-issues-decision-support-systems/14535

Customer Relationship Management and Knowledge Discovery in Database

Jounghae Bang, Nikhilesh Dholakiam, Lutz Hameland Seung-Kyoon Shin (2009). *Encyclopedia of Information Science and Technology, Second Edition (pp. 902-907).*

www.irma-international.org/chapter/customer-relationship-management-knowledge-discovery/13682

Characteristics of Social Networks and Employee Behavior and Performance A Chinese Case Study of a State-Owned Enterprise

Jianping Pengand Jing Quan (2012). *Information Resources Management Journal (pp. 26-45)*. www.irma-international.org/article/characteristics-social-networks-employee-behavior/70598

Spatial Modeling of Risk Factors for Gender-Specific Child Mortality

Mohammad Ali, Christine Ashley, M. Zahirul Haqand Peter Kim Streatfield (2005). *Encyclopedia of Information Science and Technology, First Edition (pp. 2584-2591).*

www.irma-international.org/chapter/spatial-modeling-risk-factors-gender/14657