

Chapter 11

Monitoring Time Consumption in Complementary Diagnostic and Therapeutic Procedure Requests

Ana Alpuim

University of Minho, Portugal

Sónia Pereira

University of Minho, Portugal

Marisa Esteves

University of Minho, Portugal

Manuel Santos

University of Minho, Portugal

ABSTRACT

Over the years, information technologies and computer applications have been widespread amongst all fields, including healthcare. The main goal of these organizations is focused on providing quality health services to their patients, ensuring the provision of quality services. Therefore, decisions have to be made quickly and effectively. Thus, the increased use of information technologies in healthcare has been helping the decision-making process, improving the quality of their services. For an example, the insertion of Business Intelligence (BI) tools in healthcare environments has been recently used to improve healthcare delivery. It is based on the analysis of data in order to provide useful information. BI tools assist managers and health professionals through decision-making, since they allow the manipulation and analysis of data in order to extract knowledge. This work aims to study and analyze the time that physicians take to prescribe medical exams in Centro

DOI: 10.4018/978-1-4666-9882-6.ch011

Monitoring Time Consumption

Hospitalar do Porto (CHP), through BI tools. The main concern is to identify the physicians who take more time than average to prescribe complementary means of diagnosis and treatment, making it possible to identify and understand the reason why it occurs. To discover these outliers, a BI platform was developed using the Pentaho Community. This platform presents means to represent information through tables and graphs that facilitate the analysis of information and the knowledge extraction. This information will be useful to represent knowledge concerning not only the prescription system (auditing it) but also its users. The platform evaluates the time prescription, by specialty and physician, which can afterwards be applied in the decision-making process. This platform enables the identification of measures to unravel the time differences that some physicians exhibit, in order to, subsequently, improve the whole process of electronic medical prescription.

INTRODUCTION

The Electronic Health Record (EHR) is a Health Information System (HIS) that collects all the information of a patient from various information systems, including his medical history. The EHR covers several hospital departments and units, enabling an analysis of the clinical process. It should be noted that it is oriented to the patient and not the service unit or even the diseases to which they are subject, i.e., it stands with the firm intention of benefiting the patients (Duarte et al., 2011; Hasman, 1998).

The EHR is nothing more than a set of standardized documents used for the registration of medical procedures rendered to a given patient in a given hospital unit by health professionals. Essentially, it is a set of information compiled by health professionals, which corresponds to the full data record of a given patient, including all the existing information about him. Hereupon, it tracks the general state of the individual and allows the preparation of the same clinical history, chronologically, and it also enables remote and simultaneous access to any clinical process (Duarte et al., 2011; Hasman, 1998).

This HIS is seen as a set of registration annotations and use of clinical information for better delivery of healthcare services to the patient. This being the task of practically everyone who works in the hospital, they all contribute to a better delivery of services. The EHR integrates information from various sources, from other HIS or other applications based on Information and Communication Technologies (ICT) in all its aspects, in order to replace the part, improve and speed up the assistance to the patient to accelerate certain processes, prevent medical errors, and also ease the work of all health professionals (Duarte et al., 2011; Hasman, 1998).

31 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/monitoring-time-consumption-in-complementary-diagnostic-and-therapeutic-procedure-requests/146070

Related Content

Big Data Business Intelligence in Bank Risk Analysis

Nayem Rahman and Shane Iverson (2015). *International Journal of Business Intelligence Research* (pp. 55-77).

www.irma-international.org/article/big-data-business-intelligence-in-bank-risk-analysis/149262

Understanding User Engagement With Gemini Through Sentiment Analysis and Concept Mapping

Ahmet Alkan Çelik, Yavuz Selim Balçolu and Erkut Altında (2025). *International Journal of Business Analytics* (pp. 1-14).

www.irma-international.org/article/understanding-user-engagement-with-gemini-through-sentiment-analysis-and-concept-mapping/375429

Integrating Business Intelligence Services in the Cloud: A Conceptual Model

Volker Herwig and Kristof Friess (2016). *Business Intelligence: Concepts, Methodologies, Tools, and Applications* (pp. 572-585).

www.irma-international.org/chapter/integrating-business-intelligence-services-in-the-cloud/142640

Effect of Knowledge Sharing and Supply Chain Management on Organizational Performance

Korhan Arun (2016). *Business Intelligence: Concepts, Methodologies, Tools, and Applications* (pp. 1524-1538).

www.irma-international.org/chapter/effect-of-knowledge-sharing-and-supply-chain-management-on-organizational-performance/142687

Influence Estimation and Opinion-Tracking Over Online Social Networks

Luis E. Castro and Nazrul I. Shaikh (2018). *International Journal of Business Analytics* (pp. 24-42).

www.irma-international.org/article/influence-estimation-and-opinion-tracking-over-online-social-networks/212633