Chapter 3 Recent Trends in Spatial Data Mining and Its Challenges

Anuradha Jagadeesan VIT University, India

Prathik A *VIT University, India*

Tripathy B K *VIT University, India*

ABSTRACT

With tremendous development in the field of science and technology, there is vast amount of data which are used in analytics for decision making. Considering its spatial characteristics for mining will enhance the accuracy of decision. So, obtaining knowledge from spatial data becomes very essential and meaningful. The spatial database contains very numerous amounts of spatial and non-spatial data of different forms. Interpretation and analyzing of vast data is far beyond human ability. In order to acquire knowledge on such scenario we need spatial data mining. The challenges involved in spatial mining are to deal with different objects that represent the spatial characteristics. This makes spatial data mining and the methods of spatial data mining in recent years.

INTRODUCTION

Spatial data mining refers to discovering hidden and interesting patterns or rules from large amount of spatial database. Large amount of space related data is stored in spatial database which has relational database with different characteristics that contains information about distance and geology.

Data are organized in multi-structural spatial index dimension and often needs mathematical calculations and geographic reasoning and complicated operations. Spatial characteristic involves mining of information that faces many challenging issues. Because spatial data is different from other data such

DOI: 10.4018/978-1-5225-0427-6.ch003

as numbers, points, polygons, classification and symbols which is traditionally treated by data mining techniques.

Data mining is about pattern extraction from larger database, there is strong spatial component which exists in that larger database, for example, satellite observing earth which maps the entire earth surface systematically collects about terabyte of spatial data every day. A Larger database includes weather, climate and U.S Census. The mining classical relational database is different from those of mining spatial database. Compare to common dataset, spatial data mining is more complex, different and larger. Spatial extent refers to each data item that has a spatial reference where occurrence of each entity will take on a continuous surface or where the two nearby entities have a spatial-relationship existing between them.

Spatial data does not only include location data and attribute data but also the spatial entities relationship. Moreover, data structure is complex in spatial database than the table's in common relational database. In spatial database there are vector and raster graphical data along with numerical data. Storing the features of graphical data is not clear and at the same time, only basic analytical functionalities are given by contemporary GIS. Raster data model in spatial data mining is represented by Single Square of for the land cover and corresponding to land cover each cell has its value as shown in *Figure 1*.

Raster data is better for representing:


- Data are continuous (e.g. slope, elevation etc.).
- Data with multiple feature types (e.g. lines, polygons) and also has single feature types(cell)
- Data with rapid calculation ("map algebra") in which mathematical expression of raster layers are treated as elements.
- Data with multi-variant analysis (e.g. satellite image processing)
- Disk space hogging.

Vector data model in spatial data mining is represented by points, lines, polygons and the TIN's (Triangulated irregular networks) is shown in *Figure 2*. Vectors data are good at:

- Accurately representing true shape and size.
- Representing non-continuous data (e.g., rivers, political boundaries, road lines, mountain peaks).
- Creating aesthetically pleasing maps.
- Conserving disk space.

Spatial mining has its application in the field of Geographic Information System (GIS), remote sensing, medical imaging, exploration of image database and other areas where spatial data is used. Knowledge

Figure 1. Raster image



16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/recent-trends-in-spatial-data-mining-and-its-challenges/157480

Related Content

Survey on Applications of Wearable Technology for Healthcare

Sridhar Iyer, Sujay Gejjiand Rahul J. Pandya (2022). *Handbook of Research on Lifestyle Sustainability and Management Solutions Using AI, Big Data Analytics, and Visualization (pp. 18-36).*

www.irma-international.org/chapter/survey-on-applications-of-wearable-technology-for-healthcare/298366

Q-Neutrosophic Soft Expert Set and its Application in Decision Making

Nasruddin Hassan, Vakkas Uluçayand Mehmet ahin (2018). *International Journal of Fuzzy System Applications (pp. 37-61).*

www.irma-international.org/article/q-neutrosophic-soft-expert-set-and-its-application-in-decision-making/211985

Representing Non-Rigid Objects with Neural Networks

José García-Rodríguez, Francisco Flórez-Revueltaand Juan Manuel García-Chamizo (2009). *Encyclopedia of Artificial Intelligence (pp. 1363-1369).*

www.irma-international.org/chapter/representing-non-rigid-objects-neural/10417

Sociomateriality Implications of Multi-Agent Supported Collaborative Work Systems

Tagelsir Mohamed Gasmelseid (2012). *International Journal of Intelligent Information Technologies (pp. 1-16).*

www.irma-international.org/article/sociomateriality-implications-multi-agent-supported/69387

Context-Awareness in Ambient Intelligence

Declan Traynor, Ermai Xieand Kevin Curran (2012). *Innovative Applications of Ambient Intelligence: Advances in Smart Systems (pp. 13-23).*

www.irma-international.org/chapter/context-awareness-ambient-intelligence/61546