Chapter 31 Ultra High Frequency SINC and Trigonometric Higher Order Neural Networks for Data Classification

Ming Zhang Christopher Newport University, USA

ABSTRACT

This chapter develops a new nonlinear model, Ultra high frequency SINC and Trigonometric Higher Order Neural Networks (UNT-HONN), for Data Classification. UNT-HONN includes Ultra high frequency siNc and Sine Higher Order Neural Networks (UNS-HONN) and Ultra high frequency siNc and Cosine Higher Order Neural Networks (UNC-HONN). Data classification using UNS-HONN and UNC-HONN models are tested. Results show that UNS-HONN and UNC-HONN models are better than other Polynomial Higher Order Neural Network (PHONN) and Trigonometric Higher Order Neural Network (THONN) models, since UNS-HONN and UNC-HONN models can classify the data with error approaching 0.0000%.

INTRODUCTION

The contributions of this chapter will be:

- Introduce the background of HONNs with the applications of HONNs in classification area.
- Develop a new HONN models called UNS-HONN and UNC-HONN for ultra- high frequency data classifications.
- Provide the UNS-HONN and UNC-HONN learning algorithm and weight update formulae.
- Compare UNS-HONN and UNC-HONN models with other HONN models.
- Applications of UNS-HONN and UNC-HONN models for classifications.

DOI: 10.4018/978-1-5225-0788-8.ch031

This chapter is organized as follows: the background section gives the background knowledge of HONN and HONN applications in classification area. Section HONN models introduces UNS-HONN and UNC-HONN structures. Section update formula provides the UNS-HONN and UNC-HONN model update formulae, learning algorithms, and convergence theories of HONN. Section test describes UNS-HONN and UNC-HONN testing results in the data classification area. Conclusions are presented in last section.

BACKGROUND

Artificial Neural Network (ANN) has been widely used in the classification areas. Lippman (1989) studies pattern classification using neural networks. Moon and Chang (1994) learn classification and prediction of the critical heat flux using fuzzy clustering and artificial neural networks. Lin and Cunningham (1995) develop a new approach to fuzzy-neural system modelling. Behnke and Karayiannis (1998) present a competitive Neural Trees for pattern classifications. Bukovsky, Bila, Gupta, Hou, and Homma (2010) provide foundation and classification of nonconventional neural units and paradigm of non-synaptic neural interaction.

Artificial Higher Order Neural Network (HONN) has been widely used in the classification area too. Reid, Spirkovska, and Ochoa (1989) research simultaneous position, scale, rotation invariant pattern classification using third-order neural networks. Shin (1991) investigate tThe Pi-Sigma network: an Efficient Higher-Order Neural Network for Pattern Classification and Function Approximation. Ghosh and Shin (1992) show efficient higher order neural networks for function approximation and classification. Shin, Ghosh, and Samani (1992) analyze computationally efficient invariant pattern classification with higher order Pi-Sigma networks. Husken and Stagge (2003) expand recurrent neural networks for time series classification. Fallahnezhad, Moradi, and Zaferanlouei (2011) contribute a hybrid higher order neural classifier for handling classification problems.

Shawash and Selviah (2010) test artificial higher order neural network training on limited precision processors, and investigate the training of networks using Back Propagation and Levenberg-Marquardt algorithms in limited precision achieving high overall calculation accuracy, using on-line training, a new type of HONN known as the Correlation HONN (CHONN), discrete XOR and continuous optical waveguide sidewall roughness datasets by simulation to find the precision at which the training and operation is feasible. The BP algorithm converged to a precision beyond which the performance did not improve. The results support previous findings in literature for Artificial Neural Network operation that discrete datasets require lower precision than continuous datasets. The importance of the chapter findings is that they demonstrate the feasibility of on-line, real-time, low-latency training on limited precision electronic hardware.

Sanchez, Urrego, Alanis, and Carlos-Hernandez (2010) focus on recurrent higher order neural observers for anaerobic processes, and propose the design of a discrete-time neural observer which requires no prior knowledge of the model of an anaerobic process, for estimate biomass, substrate and inorganic carbon which are variables difficult to measure and very important for anaerobic process control in a completely stirred tank reactor (CSTR) with biomass filter; this observer is based on a recurrent higher order neural network, trained with an extended Kalman filter based algorithm.

Boutalis, Christodoulou, and Theodoridis (2010) provide identification of nonlinear systems using a new neuro-fuzzy dynamical system definition based on high order neural network function approxima-

39 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/ultra-high-frequency-sinc-and-trigonometric-

higher-order-neural-networks-for-data-classification/161052

Related Content

Robust Design of Power Distribution Systems Using an Enhanced Multi-Objective Genetic Algorithm

Cristiane G. Taroco, Eduardo G. Carranoand Oriane M. Neto (2010). *International Journal of Natural Computing Research (pp. 92-112).*

www.irma-international.org/article/robust-design-power-distribution-systems/45888

Consciousness and Commonsense Critics in Cognitive Architectures: Case Study of Society of Mind Cognitive Architecture

K. R. Shylaja, Vijayakumar Maragal Venkatamuni, Darryl N. Davisand E. V. Prasad (2012). *International Journal of Artificial Life Research (pp. 26-37).* www.irma-international.org/article/consciousness-commonsense-critics-cognitive-architectures/74334

Artificial Higher Order Neural Network Models

Ming Zhang (2017). *Nature-Inspired Computing: Concepts, Methodologies, Tools, and Applications (pp. 241-311).*

www.irma-international.org/chapter/artificial-higher-order-neural-network-models/161032

An Application of Genetic Programming to Forecasting Foreign Exchange Rates

Muneer Buckley, Zbigniew Michalewiczand Ralf Zurbruegg (2010). *Nature-Inspired Informatics for Intelligent Applications and Knowledge Discovery: Implications in Business, Science, and Engineering (pp. 26-48).*

www.irma-international.org/chapter/application-genetic-programming-forecasting-foreign/36310

Parallelization of a Modified Firefly Algorithm using GPU for Variable Selection in a Multivariate Calibration Problem

Lauro C. M. de Paula, Anderson S. Soares, Telma W. L. Soares, Alexandre C. B. Delbem, Clarimar J. Coelhoand Arlindo R. G. Filho (2014). *International Journal of Natural Computing Research (pp. 31-42).* www.irma-international.org/article/parallelization-of-a-modified-firefly-algorithm-using-gpu-for-variable-selection-in-a-multivariate-calibration-problem/104692