

Chapter 4

Impact of Climate Change on Potato Production in India

M. K. Jatav

*Central Institute for Arid
Horticulture, India*

P. M. Govindakrishnan

*Central Potato Research Institute,
India*

V. K. Dua

*Central Potato Research Institute,
India*

R. P. Sharma

*National Bureau of Soil Survey and
Land Use Planning, India*

ABSTRACT

Potato is a temperate crop and higher day temperatures cause some areas to less suitable for potato production due to lower tuber yields and its quality. Tuber growth and yield can be severely reduced by temperature fluctuations outside 5-30 °C. The rate of warming in last 50 years is double than that for the last century. Increase in temperature and atmospheric CO₂ are interlinked occurring simultaneously under future climate change and global warming scenarios. If CO₂ is elevated to 550 ppm the temperature rise is likely to be 3 °C with decline in potato production by 13.72% in the year 2050. The changing climate will affect the potato production adversely due to drought, salinity, frost, flooding, erratic unseasonal rains etc. It may reduce seed tuber production, impact storage facility and potato processing industries. Therefore, the quantification of regional vulnerability and impact assessment is very important for the development of early warning on disease forecasting systems, breeding of short duration and heat, drought, salinity tolerant and disease resistant cultivars.

DOI: 10.4018/978-1-5225-1715-3.ch004

Copyright ©2017, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

INTRODUCTION

The book chapter “Sustainable Potato Production and the Impact of Climate Change” deals with the possible impact of global warming and elevated CO₂ on Potato production. The results presented in this chapter are summarized findings of the research conducted in India; its agricultural universities and Indian council of Agricultural Research (ICAR). The level of atmospheric temperature and carbon dioxide raised under controlled conditions to some possible changes in near future to assess the impact on climate change on potato production. Findings of various researchers of India are compiled in the form of book chapter for easy understanding and in line of future work. Mitigation of impact of climate change on potato is discussed in global context.

BACKGROUND

The bottom-line conclusion of the Third Assessment Report of the Intergovernmental Panel on Climate Change (IPCC, 2001) is that the average global surface temperature will increase by between 1.4°C and 3°C above 1990 levels by 2100 for low emission scenarios and between 2.5°C and 5.8°C for higher emission scenarios of greenhouse gases and aerosols in the atmosphere. The effect of increased temperatures on potato production in specific areas will vary depending partly on the current temperature of that area. Temperatures above 30 °C can have several negative impacts on potato production like: slowing tuber growth and initiation, less partitioning of starch to the tubers, physiological damage to tubers (e.g. brown spots), shortened/non-existent tuber dormancy, making tubers sprout too early. These effects can reduce crop yield and the number and weight of tubers. As a result, areas where current temperatures are near the limits of potatoes’ temperature range will likely suffer large reductions in potato crop yields in the future.

Potato farming is the most important economic activity in some parts of India. Uttar Pradesh, Punjab and West Bengal are the major potato producing states. There is direct effect of global warming and serious risk to future crop production and food security in the country. At high altitudes, global warming will probably lead to changes in the time of planting, the planting of late-maturing cultivars, and a shift of the location of potato production. In many of these regions in India, changes in potato yield are likely to be relatively small in initial stage but expected to trigger in coming era of global warming. Shifting planting time or location is less feasible at lower altitudes, and in these regions global warming could have a strong negative effect on potato production. It is likely that the currently observed trend of global warming, which has been 0.6 °C + 0.2 since 1900, will continue and that the average

16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/impact-of-climate-change-on-potato-production-in-india/171709

Related Content

Reflections on Mode 3, the Co-Evolution of Knowledge and Innovation Systems and How It Relates to Sustainable Development: Conceptual Framework for "Epistemic Governance"

Alice B. M. Vadrot (2011). *International Journal of Social Ecology and Sustainable Development* (pp. 44-52).

www.irma-international.org/article/reflections-mode-evolution-knowledge-innovation/51636

Human Capital as a Factor of Development of the Rural Economy

Olga Kusakina and Anastasia Chaplitskaya (2015). *Green Economic Structures in Modern Business and Society* (pp. 180-195).

www.irma-international.org/chapter/human-capital-as-a-factor-of-development-of-the-rural-economy/129247

Sustainable Luxury Fashion: From Owning to Sharing

Fayrene Chieng (2022). *Innovative Economic, Social, and Environmental Practices for Progressing Future Sustainability* (pp. 200-217).

www.irma-international.org/chapter/sustainable-luxury-fashion/302556

Tourism and Sustainability in Natural Parks: A Survey

Ana-Isabel Santos Silva, Maria-Ceu Gaspar Alves and Cristina Estevão (2022). *International Journal of Social Ecology and Sustainable Development* (pp. 1-17).

www.irma-international.org/article/tourism-and-sustainability-in-natural-parks/287879

Geopolitics and Economic Sustainability Nexus: McDonald's in Russia, China, and Kazakhstan

Danial Saari and Aigul Adibayeva (2020). *Toward Sustainability Through Digital Technologies and Practices in the Eurasian Region* (pp. 90-112).

www.irma-international.org/chapter/geopolitics-and-economic-sustainability-nexus/251695