

# Evolution of DSL Technologies Over Copper Cabling

**Ioannis Chochliouros**

*OTE S.A., General Directorate for Technology, Greece*

**Anastasia S. Spiliopoulou**

*OTE S.A., General Directorate for Regulatory Affairs, Greece*

**Stergios P. Chochliouros**

*Independent Consultant, Greece*

**Elpida Chochliourou**

*General Prefectorial Hospital "G. Gennimatas", Greece*

## INTRODUCTION


A variety of digital technologies can be used for effective implementation of access networks in fast growing (global) markets. The relative challenge becomes of greater importance, due to the extended penetration and the wider (technical and business) adoption of the much-promising broadband perspective (Chochliouros & Spiliopoulou, 2005). Regarding the four different (and actually "primary") media that can be used to reach several categories of end-users (namely, copper, fiber, air, and power lines), Figure 1 demonstrates possible alternatives that can currently be used in all related cases.

## BACKGROUND

### Transmission Technology Over Copper

Technological development and scientific evolution, the rapid growth of the underlying (converged) markets and potential exchange of experiences at international level, all require the proper update and/or "transformation" of the corresponding broadband strategies, in multiple instances (European Commission, 2004). However, the immediate success of any potential broadband technology and its effective market implementation: both depend on separate factors, originating from different thematic areas, such as properly implemented regulatory prerequisites/conditions for support of

*Figure 1. Available access technologies*



healthy competition, liberalization, and innovation perspectives; strategic priorities for further development; current scientific/technical achievements and/or trends for the promotion of innovation and digital-based convergence; socioeconomics (e.g., economic health, cultural context, political will, international cooperation, funding possibilities, and promotion of education); and sociogeographics (e.g., population density, climate, and topography). In such a “multidimensional” context, due to an extended variety of reasons, of major importance becomes the role performed by the family of the “xDSL” technologies, which are now at the frontline of numerous business efforts to provide adequate broadband capacity (European Commission, 2006).


Digital Subscriber Line (DSL) refers to a set of similar technologies that facilitate the transmission of digital data over copper “twisted pair” cable, without amplifiers or repeaters and without the need for conversion to analogue. This kind of technology has been evolved in order to provide increased bandwidth over the “last (or first) mile” between the customer and the first node within the underlying network, which is typically the local telephone exchange. In this particular context, the extended use of “broadband” connections can open up huge possibilities for market deployment, and so constitutes a “concrete” evidence of the promises of the wider “information society” (Chochliouros & Spiliopoulou, 2003). More specifically, recent competitive policies promoted by the European Commission and covering the scope of the European Union, like the specific one of the “unbundling of the local loop” (“ULL”) constitute an important factor that affects DSL roll-out, and certainly any technology that capitalizes on xDSL-existing technical solutions (Chochliouros, Spiliopoulou, & Lalopoulos, 2005).

DSL is currently the predominant access technology in the European Union (EU), and in many countries in

the global as well. DSL has increased its importance as the main leading technology at the expense of cable and other technologies (OECD, 2003); its share of fixed broadband lines in 2005 was 80.4%, compared to 16.8% of lines provided by cable and 2.8% by other technologies (Fibre-to-the-Home (FTTH), satellite, wireless local loop (WLL), leased lines, power-line communications (PLC), and so on). More specifically, according to latest European Community estimations, in 2006, DSL reached approximately 85% of households (Commission of the European Communities, 2006). In such approaches, DSL coverage denotes the percentage of population, depending on appropriately equipped switches. However, the exact definition of “DSL coverage” includes individuals and businesses located too far away from the switches to be reached, overestimating any effective coverage.

Given the predominance context of the corresponding delivery technique (at least for the case of the EU market), the figure for the availability of DSL can be taken as a good proxy for the general availability of broadband. Higher bandwidth can be achieved through advanced modulating techniques, which overlay a digital data stream onto a high-speed analogue signal (Starr, Sorbara, Cioffi, & Silverman, 1999). Figure 2 provides a generalized view of the basic structure of the DSL access technology. In the one end of the local loop exists a modem based on xDSL or a router in the end-user premises (home/office), and in the other end of the loop exists a multiplexer on the provider’s premises, which is called DSL Access Multiplexer (DSLAM). This is the “cornerstone” of the DSL solution and is used to interconnect multiple DSL users to a high-speed backbone network. In upgraded networks, the DSLAM connects to a suitable infrastructure (occasionally through appropriate Internet services providers, or ISPs) that can aggregate data transmission at gigabit

Figure 2. A generalized depiction of the DSL access technology



9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/evolution-dsl-technologies-over-copper/17442](http://www.igi-global.com/chapter/evolution-dsl-technologies-over-copper/17442)

## Related Content

---

### A Spatial Relationship Method Supports Image Indexing and Similarity Retrieval

Ying-Hong Wang (2008). *Multimedia Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 1569-1590).

[www.irma-international.org/chapter/spatial-relationship-method-supports-image/27178](http://www.irma-international.org/chapter/spatial-relationship-method-supports-image/27178)

### Interface-Based Differences in Online Decision Making

David Mazursky (2009). *Encyclopedia of Multimedia Technology and Networking, Second Edition* (pp. 769-775).

[www.irma-international.org/chapter/interface-based-differences-online-decision/17478](http://www.irma-international.org/chapter/interface-based-differences-online-decision/17478)

### Data Secrecy: An FFT Approach

Tamer Rabie (2010). *Advanced Techniques in Multimedia Watermarking: Image, Video and Audio Applications* (pp. 21-35).

[www.irma-international.org/chapter/data-secrecy-fft-approach/43466](http://www.irma-international.org/chapter/data-secrecy-fft-approach/43466)

### High Performance Online Image Search with GPUs on Large Image Databases

Ali Cevahirand Junji Torii (2013). *International Journal of Multimedia Data Engineering and Management* (pp. 24-41).

[www.irma-international.org/article/high-performance-online-image-search-with-gpus-on-large-image-databases/95206](http://www.irma-international.org/article/high-performance-online-image-search-with-gpus-on-large-image-databases/95206)

### A Hierarchical Security Model for Multimedia Big Data

Min Chen (2014). *International Journal of Multimedia Data Engineering and Management* (pp. 1-13).

[www.irma-international.org/article/a-hierarchical-security-model-for-multimedia-big-data/109075](http://www.irma-international.org/article/a-hierarchical-security-model-for-multimedia-big-data/109075)