

# Social Telerehabilitation

**Gilberto Marzano**

*Rezekne Academy of Technologies, Latvia*

## INTRODUCTION

In a relatively short time, information and communication technologies (ICT) have spread worldwide, from defense and space exploration to large industrial applications, and to the worlds of commerce, education, and entertainment. ICT is changing people's daily lives, the way they work, buy, sell, and learn, and also the way that services are run in the healthcare sector. Consequently, *e-health*, *telehealth*, and *telemedicine* are now terms that are commonly used in this sphere, encompassing three main computer-assisted areas in healthcare, namely: clinical assessment, diagnosis, and therapy. E-health comprises the monitoring of patients' health, the promotion of good practices, and the prevention and treatment of health conditions by electronic means, as well as the provision of online access to literature and medical knowledge. One of the first reviews of telehealth is that provided by Winters (2002), who identified two major subsets of telehealth: telemedicine (i.e., delivery of clinical services) and telehealthcare (i.e., management of disability and health).

Nowadays, there is a progressive specialization within the field of e-health, and the specificity of the different branches appears to be increasingly sharp.

Telerehabilitation is a recent emerging field in telehealthcare area and this chapter presents social telerehabilitation, a new specialized sector of telerehabilitation.


## BACKGROUND

Before to deal with social telerehabilitation, the more general notions of rehabilitation and telerehabilitation ought to be introduced.

In fact, social telerehabilitation, which focuses on solving limitations and social issues associated with health conditions, represents a further specialization in telerehabilitation. Figure 1 shows the position of social telerehabilitation within the general framework of telehealth.

It has to be noted that social telerehabilitation results from a change in the concept of rehabilitation, which has seen a shift in view point away from a predominantly medical one, towards an

*Figure 1. Social telerehabilitation within the telehealth general framework*



DOI: 10.4018/978-1-5225-2255-3.ch516

increasingly complex one in which psychological and socio-cultural aspects are deemed to be of equal importance (Brown & Hughson, 1993; Wade & de Jong, 2000; Altman, Swick, Parrot & Malec, 2010; Karkou, Martinsone, Nazarova & Vaverniece, 2011).

## The Notion of Rehabilitation

In general, rehabilitation encompasses any services or providers that are directed to the reduction of impairments, activity limitations, or social participation restrictions experienced by an individual (Figure 2). The World Health Organization describes rehabilitation for people with disabilities as being a process aimed at enabling them to reach and maintain their optimal physical, sensory, intellectual, psychological, and social functional levels.<sup>1</sup>


Generally, two different forms of rehabilitation can be distinguished: *medical* and *social*, or, in the latter case, also referred to as *vocational*.

Both forms are aimed at developing the functional and psychological abilities of the individual and, if necessary, his/her compensatory mechanisms, in order to enable him/her to attain self-dependence and lead an active life. The main

difference between them is that medical rehabilitation is more restricted to curative medicine, and involves intensively trained clinicians and different health professionals, especially physiotherapists, whilst social rehabilitation focuses more on the individuals' social sphere, and includes services such as rehabilitative nursing, occupational therapy, speech and language therapy, audiology, dietetics, prosthetics and orthotics, podiatry, art therapy, music therapy, and social work. However, although social rehabilitation is directed, for example, at overcoming barriers for people to access, maintain, or return to employment or other useful occupations (ILO, 2008; Kuoppala & Lamminpää, 2008), it substantially differs from strategies and policies aimed at promoting and developing the inclusion of people with disabilities in the work place. Offender rehabilitation (Robinson & Crow, 2009) and addict rehabilitation (Wilson *et al.*, 2012), for example, are considered to be forms of social rehabilitation that focus on the development of practices and programs for helping individuals to retake their place in society.

Many social scientists and policy makers share the opinion that community-based rehabilitation practices are a part of general medical care (Haig, 2013). As a consequence of this, it is not always

Figure 2. The rehabilitation process



9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/social-telerehabilitation/184294](http://www.igi-global.com/chapter/social-telerehabilitation/184294)

## Related Content

---

### Amplifying the Significance of Systems Thinking in Organization

Mambo Governor Mupepi, Sylvia C. Mupepi and Jaideep Motwani (2018). *Encyclopedia of Information Science and Technology, Fourth Edition* (pp. 551-562).

[www.irma-international.org/chapter/amplifying-the-significance-of-systems-thinking-in-organization/183770](http://www.irma-international.org/chapter/amplifying-the-significance-of-systems-thinking-in-organization/183770)

### Parallel and Distributed Pattern Mining

Ishak H.A Meddah and Nour El Houda REMIL (2019). *International Journal of Rough Sets and Data Analysis* (pp. 1-17).

[www.irma-international.org/article/parallel-and-distributed-pattern-mining/251898](http://www.irma-international.org/article/parallel-and-distributed-pattern-mining/251898)

### A RNN-LSTM-Based Predictive Modelling Framework for Stock Market Prediction Using Technical Indicators

Shruti Mittal and Anubhav Chauhan (2021). *International Journal of Rough Sets and Data Analysis* (pp. 1-13).

[www.irma-international.org/article/a-rnn-lstm-based-predictive-modelling-framework-for-stock-market-prediction-using-technical-indicators/288521](http://www.irma-international.org/article/a-rnn-lstm-based-predictive-modelling-framework-for-stock-market-prediction-using-technical-indicators/288521)

### Ethical Concerns in Usability Research Involving Children

Kirsten Ellis, Marian Quigley and Mark Power (2010). *Breakthrough Discoveries in Information Technology Research: Advancing Trends* (pp. 151-159).

[www.irma-international.org/chapter/ethical-concerns-usability-research-involving/39577](http://www.irma-international.org/chapter/ethical-concerns-usability-research-involving/39577)

### Inter-Organizational Information Systems in the Supply Chain

Maria Madlberger (2015). *Encyclopedia of Information Science and Technology, Third Edition* (pp. 5094-5103).

[www.irma-international.org/chapter/inter-organizational-information-systems-in-the-supply-chain/112958](http://www.irma-international.org/chapter/inter-organizational-information-systems-in-the-supply-chain/112958)