Chapter 31

A Structured Method for Security Requirements Elicitation Concerning the Cloud Computing Domain

Kristian Beckers

Univeristy of Duisburg-Essen, Germany

Isabelle Côté

ITESYS Institute for Technical Systems GmbH, Germany

Ludger Goeke

ITESYS Institute for Technical Systems GmbH, Germany

Selim Güler

EASY SOFTWARE AG, Germany

Maritta Heisel

University of Duisburg-Essen, Germany

ABSTRACT

Cloud computing systems offer an attractive alternative to traditional IT-systems, because of economic benefits that arise from the cloud's scalable and flexible IT-resources. The benefits are of particular interest for SME's. The reason is that using Cloud Resources allows an SME to focus on its core business rather than on IT-resources. However, numerous concerns about the security of cloud computing services exist. Potential cloud customers have to be confident that the cloud services they acquire are secure for them to use. Therefore, they have to have a clear set of security requirements covering their security needs. Eliciting these requirements is a difficult task, because of the amount of stakeholders and technical components to consider in a cloud environment. Therefore, the authors propose a structured, pattern-based method supporting eliciting security requirements and selecting security measures. The method guides potential cloud customers to model the application of their business case in a cloud computing context using a pattern-based approach. Thus, a potential cloud customer can instantiate our

DOI: 10.4018/978-1-5225-3923-0.ch031

1. INTRODUCTION

It is hard to find the *right* cloud computing offer with regard to security, when one does not know what *right* is. The definition of precise security requirements provides the means define this right with regard to cloud security. After identifying the cloud security needs, one has to select security measures that fulfill the requirements. We provide a structured method to address this problem, so that SME's can use it with little effort. We base the method on known security guidelines and standards like ISO 27001 to ensure a state-of-the-art approach.

The term *cloud computing* describes a technology as well as a business model (Armbrust et al., 2009). According to the *National Institute of Standards and Technology (NIST)*, cloud computing systems can be defined by the following properties (Mell & Grance, 2011): the cloud customer can require resources of the cloud provider over *broad network access* and *on-demand* and pays only for the used capabilities. Resources, i.e., storage, processing, memory, network bandwidth, and virtual machines, are combined into a so-called *pool*. Using cloud computing services is thus an economic way of acquiring IT-resources. The dynamic acquisition and scalability, yet paying only what was used, makes cloud computing an interesting alternative for a large amount of potential customers. The pay-per-use model includes guarantees such as availability or security for resources via customized *Service Level Agreements (SLA)* (Vaquero et al., 2008). However, the customers are also hesitant to sign up with a cloud provider. In 2009, the International Data Corporation¹ conducted a survey to find out why customers are so hesitant. The survey showed that the lack of trust in cloud security measures is at the top of the list why people avoid using cloud services. The customers fear that managing and storing critical data and executing sensitive IT-processes beyond their grasp has an impact on the security of their data and IT-processes, respectively.

To (re-)gain this trust some well-known cloud providers have started to certify their cloud computing systems according to the ISO 27001 standard to show potential customers that they take their concerns, e.g, considering security, seriously. Unfortunately, it is not always clear to customers what their security requirements actually are.

Our approach aims at helping potential cloud customers to elicit their security requirements. We provide patterns that result in a set of security requirements once they have been instantiated. The patterns are embedded in a method that guides a potential cloud customer through the elicitation process in a structured manner. The method uses an enhanced version of the *Cloud System Analysis Pattern* (CSAP) introduced in Beckers et al. (2011). It is possible to add security requirements patterns, if the patterns from existing patterns do not suffice. Our method proposes to use the instantiated requirements patterns to select security measures. We integrate published best practices in our method, e.g., from the BSI recommendations (2012). In addition, we recommend to use existing catalogues of security controls in this part of the method, e.g., from the ISO 27001 standard (2005).

We contribute a meta-model that specifies the structure of the CSAP. The meta-model enables us to specify validation conditions to check, e.g., the consistency of the security requirements amongst each other. In addition, we provide tool support for instantiating the cloud system analysis pattern as well as an automatic transfer from the information of the instance to the security requirements patterns.

We use an online-banking system as running example to show the applicability of our approach.

The paper is structured as follows: In Sect. II, we briefly introduce the case study serving as a running example throughout the remainder of this paper. With Sect. III, we portray our approach. Section IV provides an overview of the technical realization of our current tool support. In Sect. V, we evaluate and

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-structured-method-for-security-requirementselicitation-concerning-the-cloud-computing-domain/192901

Related Content

MEDA-Based Biochips: Proposed New Structural Testing Techniques for Fault Detection

Priyatosh Jana, Pranab Roy, Sarit Chakraborty, Tanmoy Biswasand Soumen Ghosh (2023). *Novel Research and Development Approaches in Heterogeneous Systems and Algorithms (pp. 155-172).* www.irma-international.org/chapter/meda-based-biochips/320129

Investigation on Deep Learning Approach for Big Data: Applications and Challenges

Dharmendra Singh Rajput, T. Sunil Kumar Reddyand Dasari Naga Raju (2018). *Handbook of Research on Pattern Engineering System Development for Big Data Analytics (pp. 25-38).*www.irma-international.org/chapter/investigation-on-deep-learning-approach-for-big-data/202830

Self-Repair by Program Reconfiguration in VLIW Processor Architectures

Mario Schölzel, Pawel Pawlowskiand Adam Dabrowski (2011). *Design and Test Technology for Dependable Systems-on-Chip (pp. 241-267).*

www.irma-international.org/chapter/self-repair-program-reconfiguration-vliw/51404

Online Testing of Nondeterministic Systems with the Reactive Planning Tester

Jüri Vain, Marko Käärameesand Maili Markvardt (2012). Dependability and Computer Engineering: Concepts for Software-Intensive Systems (pp. 113-150).

www.irma-international.org/chapter/online-testing-nondeterministic-systems-reactive/55327

Shaping Interactive Media with the Sewing Machine: Smart Textile as an Artistic Context to Engage Girls in Technology and Engineering Education

Daniela Reimann (2012). Computer Engineering: Concepts, Methodologies, Tools and Applications (pp. 1342-1351).

 $\underline{www.irma-international.org/chapter/shaping-interactive-media-sewing-machine/62515}$