

Chapter LIV

Convergence in Mobile Internet with Service Oriented Architecture and Its Value to Business

Marco Garito
Digital Business, Italy

ABSTRACT

The word “convergence” refers to the combination of fixed and mobile communication, a situation where a private or business user can take advantage of being constantly connected and be able to retrieve applications and data by swapping device, with the limitations that a mobile device may have such as smaller screen and keyboard, reduced storage capability, and limited power provided by batteries. Convergence can also include imagining how mobile technology can be a component of everyday items and how data, applications, and services can be delivered via the network infrastructure. This chapter aims to cover RFID technology, Bar code and Service-Oriented Architecture (SOA): the first two technologies are dealt with in parallel to provide an overall view of advantages and disadvantages, while SOA will be part of a distinct discussion and analysis. Eventually, some practical examples of these discussed technologies are provided.

INTRODUCTION

RFID and Bar code are two emerging mobile technologies able to provide competitive strategic advantage to business when properly deployed and implemented. As extension of current fixed network infrastructure, the coordination with existing business processes, department and organizational structure are an essential part of rewarding implementation. The development of SOA environment can further enhance the capability and possible outcome of RFID and Bar code. The

chapter outlines advantages and disadvantages for both of them, providing examples of how they co-exist and how they can create value.

RFID and Bar Code

Radio frequency identification (RFID) is one of the most interesting technologies today: its use impacts a large number of protagonists in private and business environment but it also raises simple and dramatic issues in legal, social and political affairs. RFID have

histories back to 1930 and 1940, when the British Army, during WW 2 pioneered RFID to identify their own aircraft returning home from bombing Europe. Early radar systems could spot an incoming airplane but not its type (Lahiri, 2006; Garfinkel, Rosenberg 2006; Ascential 2005)

RFID uses radio waves to detect physical items (both living and inanimate) and therefore the range of identifiable object includes everything and everywhere: RFID is an example of automatic identification technology through which an item is automatically detected and classified. Bar code, biometric, voice identification and optical character recognition systems are other example of automatic identification.

The RFID environment consists of a set of mandatory and optional components: Mandatory parts are: tag, reader, antenna controller. Sensor, actuator, host and software system and communication infrastructure are the optional parts. The table below describes the types and usage of RFID in different situations, according to their technical features

The advantages of RFID can be classified as follows (Lahiri, 2006; Garfinkel, Rosenberg 2006; Ascential 2005):

- RFID tag can be read without any physical contact between the tag and the reader
- The data of RFID can be rewritten several times with no diminishing quality or integrity
- A line of sight is not required for an RFID reader to read a tag
- The range can vary from few centimetres to some metres
- Storage capability of a tag is unlimited
- A reader can read different tags within its reach for a limited time

- A tag can be structured to perform unlimited duties
- The data quality is 100% guaranteed

RFID has its limitation that can be summarized as it follows

- RFID do not work well or not work at all with RF-opaque items or RF-absorbent items
- Surrounding conditions may affect performance
- There is a limit for how many tags can be read within a time slot
- Hardware set up may limit performance
- The technology is still immature

Bar code is a scheme representing textual information; the symbols are generally vertical lines, spaces, squares and dots: the bar code is probably the newest technology as the first patent was issued in 1949 and the first application of bar code technology was a rail car tracking system, implemented in 1960 (Lahiri, 2006; Garfinkel, Rosenberg 2006; Ascential 2005). The method encoding letters and numbers using these elements is defined as symbology, which has the following characteristics:

- Symbology with better encoding technique leads to error free and efficient encoding:
- Better character density can represent more information per unit physical area
- Better error checking capability enables data reading even in those cases where the some components are damaged or missing

Figure 1. Type and usage of RFID

Band	Frequency	Wavelength	Usage
Low frequency	125 – 134.s KHz	2.400 meters	Animal tags and keyless entry
High frequency	13,56 MHz	22 meters	As above
UHF (ultra high)	865.5-867 Europe 913 US 950-956 Japan	32.8 centimetres	Smart cards, logistic
ISM (industrial scientific and medical)	2.4 GHz	12.5 centimetres	items

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/convergence-mobile-internet-service-oriented/19579

Related Content

Effect of Perceived Risk on E-Commerce Acceptance: State of the Art and Future Research Directions

Ángel Herrero-Crespo and Ignacio Rodríguez-del-Bosque (2010). *Encyclopedia of E-Business Development and Management in the Global Economy* (pp. 693-700).

www.irma-international.org/chapter/effect-perceived-risk-commerce-acceptance/41230

How Social Commerce Characteristics Influence Consumers' Online Impulsive Buying Behavior in Emerging Markets

Quyen Phu Thi Phan, Vu Minh Ngo and Nguyen Cao Lien Phuoc (2020). *International Journal of E-Business Research* (pp. 74-88).

www.irma-international.org/article/how-social-commerce-characteristics-influence-consumers-online-impulsive-buying-behavior-in-emerging-markets/256857

Determinants of Consumer Intention to Use Online Gambling Services: An Empirical Study of the Portuguese Market

Nuno Fortes, António Carrizo Moreira and João Saraiva (2016). *International Journal of E-Business Research* (pp. 23-37).

www.irma-international.org/article/determinants-of-consumer-intention-to-use-online-gambling-services/163361

Factors Influencing Online Purchase Intention in Qatar

Lubna Alkailani and Emad Ahmed Abu-Shanab (2021). *International Journal of E-Business Research* (pp. 1-21).

www.irma-international.org/article/factors-influencing-online-purchase-intention-in-qatar/280085

An Agent-mediated Middleware Service Framework for e-Logistics

Zongwei Luo, Minhong Wang, William Cheung, Jiming Liu, F. Tong and C. J. Tan (2008). *Agent Systems in Electronic Business* (pp. 193-217).

www.irma-international.org/chapter/agent-mediated-middleware-service-framework/5018