Chapter XXVI Towards Automatic Composition of Geospatial Web Services

Peng Yue¹ George Mason University, USA

Liping Di George Mason University, USA

Wenli Yang George Mason University, USA

Genong Yu George Mason University, USA

Peisheng Zhao George Mason University, USA

ABSTRACT

In a service-oriented environment, an individual geospatial Web service is not sufficient to solve a complex real-world geospatial problem. Service composition, the process of chaining multiple services together, is required. Manual composition of Web services is laborious and requires much work of domain experts. Automatic service composition, if successful, will eventually widen the geospatial users market. This chapter reviews current efforts related to automatic service composition in both general information technology domain and geospatial domain. Key considerations in the geospatial domain are discussed and possible solutions are provided.

INTRODUCTION

A Web service is a software system designed to support interoperable machine-to-machine interaction over a network (Booth et al., 2004). Web service technologies have shown promise for providing geospatial data and processing functions over the Web in an interoperable way. Yet it is usually insufficient to use only an isolated Web service to solve a real-world geospatial problem. In most cases, multiple Web services need to be chained together. For example, an OGC (Open Geospatial Consortium) WCS (Web Coverage Service) providing DEM (Digital Elevation Model) data and a slope service calculating slope from DEM can be chained together to provide the slope data. Geospatial Web service systems must be capable of composing the service chains, that is, service composition. There are roughly two types of composition methods: manual and automatic. Manual composition of Web services requires experts, because it requires much domain knowledge. Automatic composition of Web services can provide solutions for general users since it requires minimal or no human intervention in the generation and instantiation of process models that logically describe the process of generating answers to a user's question. Automatic composition, if successful, will eventually widen the geospatial users market.

A geospatial Web service system capable of automatic service composition is able to answer many users' geospatial questions automatically. The process consists of the following steps (Di, 2004): 1) a user asks the system a question in either natural language or controlled vocabulary; 2) the system converts the question to a formal description of what the user wants in computer-understandable form; 3) a process model is formed automatically, with the help of domain logic; 4) the model is instantiated as a concrete workflow that can be executed in the Web services environment; 5) the workflow is executed to generate the answer to the user's question; and 6) the answer is returned to the user. In these steps, the automatic formation of a geospatial processing model is the key because it is domain-specific.

There is already some work addressing the service chaining issue. OGC Abstract Service architecture (Percivall, 2002) identifies three architecture patterns for service chaining: user defined (transparent) chaining, workflow-managed (translucent) chaining, and aggregate service (opaque). Through the OGC Web Services (OWS) testbeds, OGC has been developing a series of interface protocol specifications, including Web Feature Service (WFS), Web Map Service (WMS), Web Coverage Service (WCS), and Web Processing Service (WPS). Yet their main focus is on the interface interoperability. The automation issue that enables the aggregate service and workflow-managed chaining is not addressed yet. The next sections introduce current efforts related to automatic service composition in the general information technology domain and address the key considerations and the possible solutions in the geospatial domain.

STATE OF THE ART: AUTOMATIC SERVICE² COMPOSITION

There is already significant literature addressing the problem of automatic service composition in the more general information technology domain. Some try to solve this problem through AI (Artificial Intelligence) planning. Russel and Norvig (2002) define planning as follows: "The task of coming up with a sequence of actions that will achieve a goal is called planning". In the planning problem, the world is modeled as a set of states that can be divided into initial states and goal states. Action is an operation that can change one state to another state. Thus, the assumption for Web service composition as a planning problem is that Web service can be specified as an action with an initial state (preconditions) and a new state (effects). First, a Web service is a software component that takes input data and produces

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/towards-automatic-composition-geospatialweb/20405

Related Content

Modeling Urban Growth at a Micro Level: A Panel Data Analysis

Rama Prasada Mohapatraand Changshan Wu (2015). *International Journal of Applied Geospatial Research (pp. 36-52).*

www.irma-international.org/article/modeling-urban-growth-at-a-micro-level/122361

Assessing the Environmental Characteristics of the Margaret River Wine Region, Australia: Potential New Geographical Indication Sub-Units

Mathieu Lacorde (2019). International Journal of Applied Geospatial Research (pp. 1-24). www.irma-international.org/article/assessing-the-environmental-characteristics-of-the-margaret-river-wine-regionaustralia/227647

Whole Life/Life Cycle Costing During the Design Stage of a Construction Project: A Qualitative Review

Daniel Clarke-Hagan, Michael Curran, John Spillaneand Mary-Catherine Greene (2020). *International Journal of Digital Innovation in the Built Environment (pp. 66-87).* www.irma-international.org/article/whole-lifelife-cycle-costing-during-the-design-stage-of-a-construction-project/259897

Case Study: Evaluation of Renewable Energy Strategies Using Building Information Modeling

and Energy Simulation

Aydin Tabriziand Paola Sanguinetti (2013). *International Journal of 3-D Information Modeling (pp. 25-37).* www.irma-international.org/article/case-study/105904

Describing and Selecting Collections of Georeferenced Media Items in Peer-to-Peer Information Retrieval Systems

Daniel Blankand Andreas Henrich (2013). *Geographic Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 666-684).*

www.irma-international.org/chapter/describing-selecting-collections-georeferenced-media/70469