Chapter XXXI Routing

Kevin M. Curtin George Mason University, USA

ABSTRACT

Routing is the act of selecting a course of travel. Routing problems are one of the most prominent and persistent problems in geoinformatics. This large research area has a strong theoretical foundation with ties to operations research and management science. There are a wide variety of routing models to fit many different application areas, including shortest path problems, vehicle routing problems, and the traveling salesman problem, among many others. There are also a range of optimal and heuristic solution procedures for solving instances of those problems. Research is ongoing to expand the types of routing problems that can be solved, and the environments within which they can be applied.

INTRODUCTION

Routing is the act of selecting a course of travel. This process is undertaken by nearly every active person every day. The route from home to school or work is chosen by commuters. The selection of stops one will make for shopping and other commercial activities and the paths between those stops is a routing activity. Package delivery services plan routes for their trucks in such a way that packages are delivered within specified time windows. School buses are assigned routes that will pick up and deliver children in an efficient manner. Less tangible objects such as telephone calls or data packets are routed across information networks. Routing is the most fundamental logistical operation for virtually all transportation and communications applications.

As in the examples above, routing is frequently seen as a practical effort to accomplish some goal.

Its importance to geoinformatics, however, lies in the nature of routing as a general problem. Transportation, communications, or utility systems can all be modeled as networks-connected sets of edges and vertices-and the properties of networks can be examined in the context of the mathematical discipline of graph theory. Routing procedures can be performed on any network dataset, regardless of the intended application. This chapter will discuss the formulation of routing problems including shortest path problems, and will review in detail general vehicle routing problems and the traveling salesman problem. Solution procedures for routing problems are discussed and future trends in routing research are outlined.

BACKGROUND

Generally, a routing procedure is based on an objective-or goal-for the route, and a set of constraints regarding the route's properties. By far the most common objective for routing problems is to minimize cost. Cost can be measured in many different ways, but is frequently defined as some function of distance, time, or difficulty in traversing the network. Thus the problem of locating the least cost or shortest path between two points across a network is the most common routing problem. It is also a problem for which there are several extremely efficient algorithms that can determine the optimal solution. The most widely cited algorithm that solves the least cost path problem on directed graphs with non-negative weights was developed by Edsgar Dijkstra (1959), and an even more efficient version of this algorithm-the two-tree algorithm-exists (Dantzig, 1960). Alternative algorithms have been presented that will solve this problem where negative weights may exist (Bellman, 1958), where all the shortest paths from each node to every other node are determined (Dantzig, 1966; Floyd, 1962), and where not only the shortest path but

also the 2nd, 3rd, 4th, or kth shortest path must be found (Evans & Minieka, 1992).

NETWORK DESIGN PROBLEMS

The shortest path problem is just one of a class of related routing problems that can be described as network design problems. Network design problems require that some combination of the elements of a network (edges and vertices) be chosen in order to provide a route (or routes) through the network. This group includes the minimal spanning tree problem, the Steiner tree problem, the Traveling Salesman Problem, and the vehicle routing problem, among many others (Magnanti & Wong, 1984). The modeling of these problems frequently takes the form of integer programming models. Such models define an objective and a set of constraints. Solution procedures are applied that require decisions to be made that generate a route that optimizes the objective while respecting the constraints. Given the limited space in this forum, the following sections will focus on the modeling of two significant routing problems in an effort to demonstrate the characteristics of the general class. Vehicle Routing Problems are presented in order to discuss the range of possible objectives for routing problems, and the Traveling Salesman Problem is presented to demonstrate the formulation of the objectives and constraints.

Vehicle Routing Problems

Vehicle Routing Problems (VRPs) are those that seek to find a route or routes across a network for the delivery of goods or for the provision of transport services. From their earliest incarnations VRPs have been formulated as distance or cost minimization problems (Clarke & Wright, 1964; Dantzig & Ramser, 1959). This overwhelming bias persists to this day. Nine out of ten research articles regarding route design in the context of transit routing written between 1967 and 1998 and 6 more pages are available in the full version of this document, which may be

purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/routing/20410

Related Content

Development of a Maturity Framework for Lean Construction

Gökhan Demirdöen, Nihan Sena Direnand Zeynep Ik (2019). International Journal of Digital Innovation in the Built Environment (pp. 1-16).

www.irma-international.org/article/development-of-a-maturity-framework-for-lean-construction/245732

Inter and Intra Cities Smartness: A Survey on Location Problems and GIS Tools

Ghada A. El Khayatand Nada Ahmad Fashal (2017). *Handbook of Research on Geographic Information Systems Applications and Advancements (pp. 296-320).* www.irma-international.org/chapter/inter-and-intra-cities-smartness/169993

Linking Scientific Research to Development Agenda: The Case of a Hydrometeorological Project in the Notwane Catchment, Botswana

P. K. Kenabatho, B. P. Parida, B. Matlhodiand D.B. Moalafhi (2018). *Handbook of Research on Geospatial Science and Technologies (pp. 374-391).* www.irma-international.org/chapter/linking-scientific-research-to-development-agenda/187739

Target Evaluation and Correlation Method (TECM) as an Assessment Approach to Global Earth Observation System of Systems (GEOSS)

Samuel Epelbaum, Mo Mansouri, Alex Gorod, Brian Sauserand Alexander Fridman (2013). *Geographic Information Systems: Concepts, Methodologies, Tools, and Applications (pp. 1724-1750).* www.irma-international.org/chapter/target-evaluation-correlation-method-tecm/70531

Land Cover, Tenure Characteristics, and Rural Well-Being in a Black Belt County

Janice F. Dyer, Luke Marzenand Diane Hite (2013). *International Journal of Applied Geospatial Research* (pp. 19-38).

www.irma-international.org/article/land-cover-tenure-characteristics-rural/77923