

Chapter 11

Nutraceutical and Functional Foods in Treatment of Anemia

Vandana B. Patravale

Institute of Chemical Technology, India

Namrata A. Kadwadkar

Institute of Chemical Technology, India

Shalaka R. Patki

Tatyasaheb Kore College of Pharmacy, India

John Intru DiSouza

Tatyasaheb Kore College of Pharmacy, India

ABSTRACT

WHO database mentions that the global anemia-affected population is 24.8%. To name a few conditions in which compromisation of the red blood corpuscles and hemoglobin occurs are iron deficiency anemia, gestational anemia, anemia due to malaria and parasitism, hemolytic anemia, sickle cell anemia. The line of treatment in case of anemia involves administration of iron supplements, plasmapheresis, steroids, blood transfusion at regular intervals, and lifestyle changes. The systematic approach applied for the pharmaceutical molecules should be equally inculcated in the case of nutraceuticals. The traditional system when woven carefully with the novel drug delivery system will give effective nutrient delivery. Functional foods have inherent nutritional value. Nutraceuticals and functional food cannot cure the anemic condition, but help the patient lead life almost like a normal individual.

DOI: 10.4018/978-1-5225-3267-5.ch011

INTRODUCTION


Overview of Anemia

Anemia is a well-known public health problem majorly in gestational women and young children. The factors can be either being decreased red blood cell production or increased red blood cell destruction. The Figure 1 gives frame-diagram of anemia for understanding causes of anemia. A daily requirement of 20 to 30 mg of iron is required by the body for erythropoiesis and other biological processes. A lack of this supply of this iron or its absorption due to varied causes leads to anemia (Greenburg, 1996). WHO 2011 gives us a look at the worldwide prevalence of anemia; same is given in Table 1. Figure 2 gives us an insight about the prevalence of the anemia on the global level in infants and children.

Causes of Anemia

Out of abundant elemental iron available, only a small part of dietary iron is available to the human body, out which 20% is stocked in the storage compartment and 1 and 2mg of iron is lost each day. The total body iron in adult male is 3000 to 4000mg as opposed to 2000mg to 3000mg in adult female. This itself reflects the reason for smaller reserves of iron in female, hence the lower hemoglobin. *Figure 3* explains the physiological turnover of iron in male and female body.

Figure 1. Frame-diagram of anemia for understanding causes of anemia



30 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/nutraceutical-and-functional-foods-in-treatment-of-anemia/207981

Related Content

Neuropathogenesis of Multiple Sclerosis and Huntington's Disease: An Overview of Environment Patterns

Omar El Hiba, Nadia Zouhairi, Hicham Chatoui, Tiziano Balzano, Hind Benammi, Faical Isbaine, Abdelali Bitar, Hamid Rguibi Idrissi, Ismail El Moudden, Fatima Zahra Marhoumeand Halima Gamrani (2019). *Handbook of Research on Global Environmental Changes and Human Health* (pp. 266-285).

www.irma-international.org/chapter/neuropathogenesis-of-multiple-sclerosis-and-huntingtons-disease/222040

Post-Qualifying Practice: Implications for Social Workers with a Spiritual Approach to Practice

Mary Nash (2015). *Evidence Discovery and Assessment in Social Work Practice* (pp. 324-338).

www.irma-international.org/chapter/post-qualifying-practice/119389

The Causal Impact of Coping Strategies of Frontline Health Workers and Board Competencies During the COVID-19 Outbreak: Patient Advisory Intervention and Cost Effectiveness

Nancy Ali Youssef (2022). *International Journal of Applied Research on Public Health Management* (pp. 1-19).

www.irma-international.org/article/the-causal-impact-of-coping-strategies-of-frontline-health-workers-and-board-competencies-during-the-covid-19-outbreak/302648

Plastic Pollution and Its Impact on Aquatic Fauna

Yahya Bakhtiyar, Saima Andrabi, Mohammad Yasir Arafatand Hamid Iqbal Tak (2020). *Handbook of Research on Environmental and Human Health Impacts of Plastic Pollution* (pp. 160-177).

www.irma-international.org/chapter/plastic-pollution-and-its-impact-on-aquatic-fauna/233353

Timing of the first antenatal care visit and associated risk factors in rural parts of Ethiopia

(2022). *International Journal of Applied Research on Public Health Management* (pp. 0-0).

www.irma-international.org/article//282739