

Chapter 37

Mapping Women's World: GIS and the Case of Breast Cancer in the US

Khadijeh Rouzbehani

University of Victoria, Canada

Shirin Rouzbehani

Azad University of Tehran, Iran

ABSTRACT

Feminist geography and geographic information system (GIS) have been the most dynamic research areas over the last decade. Unfortunately, high breast cancer mortality rates have been reported in the northern part of the United States, with recent attention focused on the northern part of the United States. In this article, the authors investigate whether such a high rate of breast cancer is evenly spread in northern parts. The purpose of this article is to provide a more detailed analysis of the breast cancer distribution in the United States by comparing the spatial distribution of breast cancer cases against physical environmental factors using Geographic Information System (GIS). Further, it gives background information to the GIS and its applications in health-related research.

INTRODUCTION

Cancer is the second most common cause of death in the USA, exceeded only by heart disease, and accounts for nearly one of every four deaths (Mobley & Kuo, 2016). Breast cancer, to be more specific, is a major health issue in all countries affecting thousands of women (Tazzite et al., 2013; Dube & Gupta, 2015). So far, its causes are unknown and the national and international strategies to reduce its morbidity and mortality levels are based on early detection of cancer through screening and treatment according to clinical guidelines. Thus, knowledge of which women are at risk and why they are at risk is therefore essential component of disease prevention and screening. In 2015, an estimated 231,840 new cases of invasive breast cancer are expected to be diagnosed in women in the United States, along with

DOI: 10.4018/978-1-5225-7033-2.ch037

60,290 new cases of non-invasive (in situ) breast cancer (Siegel et al., 2015). However, all locations are not equal for breast cancer risk and thus support a major role of the geography in breast carcinogenesis (Akram & Nanna, 2003).

The purpose of this work is to provide a more detailed analysis of the breast cancer distribution in the United States by comparing the spatial distribution of breast cancer cases against physical environmental factors using Geographic Information System (GIS) (Figure 1). Further, it gives background information to the GIS and its applications in health-related research.

BACKGROUND


Breast Cancer Facts/Spatial-Based Patterns

Previous reports have shown that the Northeast United States has a 16% higher breast cancer mortality rate than the rest of the country (Kulldorff et al., 1997). The probability of breast cancer risk is not equal for all locations which indicate that geography plays a very important role in the etiology of breast cancer. Even in some other areas like Australia and New Zealand, the incidence rate is quite high (Baade, 2017).

There are geographic patterns of high cases of breast cancer, and the analysis of these patterns is very important in the formulation of hypotheses about risks and focus investment more effectively in research and intervention on the most significant areas (Laden et al., 1997).

In general, breast cancer incidence rates have continued to increase since 1980, although the rate of increase slowed down in the 1990s, compared to the 1980s (American Cancer Society, 2004). Even in those who have had regular check-ups, a decline is observed (Tabar et al., 2017). Furthermore, during the

Figure 1. Medical-based GIS



11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/mapping-womens-world/212972

Related Content

FDI, Energy Consumption, and Institutional Quality: The Case of Africa

Joseph Dery Nyeadi, Kannyiri Thadious Banyenand Simon Akumbo Eugene Mbilla (2022). *Handbook of Research on Energy and Environmental Finance 4.0* (pp. 159-188).

www.irma-international.org/chapter/fdi-energy-consumption-and-institutional-quality/298748

Spatial Analysis of Climate-Viticulture Indices for the Eastern United States

Rosalyn Francine MacCrackenand Paul R. Houser (2018). *Climate Change and Environmental Concerns: Breakthroughs in Research and Practice* (pp. 152-167).

www.irma-international.org/chapter/spatial-analysis-of-climate-viticulture-indices-for-the-eastern-united-states/201698

Emerging Contaminants: Pollution Control and Abatement

Emily Ng'enoand Victor Odhiambo Shikuku (2020). *Effects of Emerging Chemical Contaminants on Water Resources and Environmental Health* (pp. 172-192).

www.irma-international.org/chapter/emerging-contaminants/248381

Polycyclic Aromatic Hydrocarbon Compounds as Emerging Water Pollutants: Toxicological Aspects of Phenanthrene on Aquatic Animals

Krishna Bhuyanand Anirudha Giri (2020). *Effects of Emerging Chemical Contaminants on Water Resources and Environmental Health* (pp. 45-67).

www.irma-international.org/chapter/polycyclic-aromatic-hydrocarbon-compounds-as-emerging-water-pollutants/248375

Designing an Information Infrastructure for Policy Integration of Spatial Planning and Flood Risk Management

Jing Ranand Zorica Nedovic-Budic (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 520-554).

www.irma-international.org/chapter/designing-an-information-infrastructure-for-policy-integration-of-spatial-planning-and-flood-risk-management/212956