

## Chapter 19

# Assistive Technology for Supporting Communication, Occupation, and Leisure by Children With Severe to Profound Developmental Disabilities

**Fabrizio Stasolla**  
*University of Bari, Italy*

**Viviana Perilli**  
*Lega del Filo d'Oro – Molfetta, Italy*

**Adele Boccasini**  
*Lega del Filo d'Oro – Termini Imerese, Italy*

### **ABSTRACT**

*This chapter provides a literature overview (i.e., range period 2000-2015) concerning the use assistive technology (AT) for children with severe to profound developmental disabilities. Specifically, the chapter presents a general picture concerning the use of electronic tools such as microswitches enabling individuals with multiple disabilities to access independently to preferred stimuli. The chapter focused on the opportunities of choice, literacy process, communication of their own needs, promoting adaptive responses and reducing challenge behaviors, fostering ambulation and/or locomotion fluency, cognitive-behavioral interventions for people estimated within the normal range of intellectual functioning who present pervasive motor impairments. Moreover, the effects of such programs on indices of happiness as outcome measure of participants involved are outlined as well as social validation assessments. Results and implications of the findings are discussed.*

DOI: 10.4018/978-1-5225-7368-5.ch019

## **INTRODUCTION**

Assistive technology (AT) includes a wide range of electronic devices finalized at supporting children with disabilities and special needs to have an active role in the social environment and to minimize their isolation and passivity. By providing practical help to persons with disabilities, AT produce beneficial effects enhancing constructive engagement and quality of life (Borg, Larson, & Ostegren, 2011; Felce & Perry, 1995). To design an effective AT intervention program is necessary creating a solution tailored for the targeted users, and considering the targeted behaviors, tasks and environments in which programs are implemented (Reichle, 2011; Shih, 2011). The growing availability of such technologies may be considered a crucial outcome of the effectiveness of AT-based rehabilitative programs (De Pace & Stasolla, 2014).

## **BACKGROUND**

Two categories of users have been recruited for the aforementioned programs:

1. Participants with extensive motor disabilities and normal intellectual functioning, and
2. Individuals with severe to profound developmental and multiple disabilities (i.e. a combination of intellectual, motor and sensorial disabilities).

The AT for the first category, implemented for educational and/or rehabilitative purposes, may be useful to improve literacy process (Chiapparino, Stasolla, De Pace, & Lancioni, 2011), instead the interventions for the second category may be focused on the independent access to preferred stimuli or on constructive engagement (Stasolla & Caffò, 2013; Stasolla et al., 2015).

A basic form of AT are the microswitches, that is electronic devices planned to enabling persons with disabilities to control autonomously their environment through the exhibition of small and simple behavioral responses (Holburn, Nguyen, & Vietze, 2004; Mechling, 2006; Saunders et al., 2003). For example, through a pressure microswitch, a child may receive a short listen (e.g. 10 sec) of preferred song, rather than directly switching on the computer or the CD player, not accessible to him/her, considering his/her clinical conditions (Lancioni et al., 2008), or accessible only through the help of caregivers (Lancioni, Singh, et al., 2006). Consequently, they are considered as a great educational and rehabilitative resource (Stasolla & Perilli, 2015).

Some basic guidelines are needs for the effectiveness of a microswitch-based program. First, a plausible behavioral response, naturally present in the person's repertoire and exhibited without excessive effort, should be selected. Second, a microswitch for monitoring the aforementioned response should be adapted. Third, a positive stimulation for motivating the exhibition of such response should be retained. Thus, the response cost (i.e. the effort produced to perform the behavioral response) should be highly compensated by the preferred stimuli (Lancioni et al., 2008).

A second relevant goal of AT-based program is represented by the improving of quality of life (Felce & Perry, 1995). The main construct of quality of life is happiness, which encompasses well-being, pleasure, fulfillment and satisfaction, particularly difficult to detect among people with severe to profound developmental disabilities (Lancioni, Singh, O'Reilly, Oliva, & Basili, 2005). To overcome this issue, professionals refer to behavioral signs of happiness such as smiling, laughing and energized body move-

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/assistive-technology-for-supporting-communication-occupation-and-leisure-by-children-with-severe-to-profound-developmental-disabilities/213132](http://www.igi-global.com/chapter/assistive-technology-for-supporting-communication-occupation-and-leisure-by-children-with-severe-to-profound-developmental-disabilities/213132)

## Related Content

---

### Comparative Study of Cancer Blood Disorder Detection Using Convolutional Neural Networks

Pulla Sujaraniand M. Yogeshwari (2023). *Recent Developments in Machine and Human Intelligence* (pp. 119-137).

[www.irma-international.org/chapter/comparative-study-of-cancer-blood-disorder-detection-using-convolutional-neural-networks/330324](http://www.irma-international.org/chapter/comparative-study-of-cancer-blood-disorder-detection-using-convolutional-neural-networks/330324)

### AI-Driven Adaptive BCIs for Personalized Therapy

A. Rajalakshmi, G. SudhaAnanthi, Mohammad Sabeer, T. C. Manjunath, Yasmeenand M. Meenakshi (2026). *Brain-Computer Interfaces for Neurorehabilitation* (pp. 31-52).

[www.irma-international.org/chapter/ai-driven-adaptive-bcis-for-personalized-therapy/409528](http://www.irma-international.org/chapter/ai-driven-adaptive-bcis-for-personalized-therapy/409528)

### Automated Vehicle Number Plate Detection Using Tesseract and Paddleocr: Image Processing

R. Parvathi, Savio Sajan Moloparambil, Aswathi M. Kumarand R. Jeyahari (2023). *Recent Developments in Machine and Human Intelligence* (pp. 90-107).

[www.irma-international.org/chapter/automated-vehicle-number-plate-detection-using-tesseract-and-paddleocr/330322](http://www.irma-international.org/chapter/automated-vehicle-number-plate-detection-using-tesseract-and-paddleocr/330322)

### A Comprehensive Review Concerning the Involvement of Artificial Intelligence Techniques in Face Recognition System

J. Vijaya, Soumya Chandrakarand Pragya Shrivastava (2026). *Practical Applications of Smart Human-Computer Interaction* (pp. 69-110).

[www.irma-international.org/chapter/a-comprehensive-review-concerning-the-involvement-of-artificial-intelligence-techniques-in-face-recognition-system/387991](http://www.irma-international.org/chapter/a-comprehensive-review-concerning-the-involvement-of-artificial-intelligence-techniques-in-face-recognition-system/387991)

### Unlocking New Potentials in Generative AI

P. Ashok, Tanisha Mangal, Lakshmi Srideviand Krishna K. Murali (2025). *Humans and Generative AI Tools for Collaborative Intelligence* (pp. 489-508).

[www.irma-international.org/chapter/unlocking-new-potentials-in-generative-ai/382782](http://www.irma-international.org/chapter/unlocking-new-potentials-in-generative-ai/382782)