

## Chapter 58

# Haptics–Based Systems Characteristics, Classification, and Applications

**Abeer Bayousuf**

*King Saud University, Saudi Arabia*

**Hend S. Al-Khalifa**

*King Saud University, Saudi Arabia*

**Abdulmalik Al-Salman**

*King Saud University, Saudi Arabia*

### ABSTRACT

*Haptics-based systems have had a significant impact in a variety of fields, such as surgical simulation, rehabilitation, technology designed to help the blind and visually impaired, education and training, entertainment and leisure activities such as video games, art and design, online consumer activity, security, and mobile phones. Despite this, haptics-based applications are still in their infancy, and their development is ongoing. In this chapter, the authors present the concept of haptics, its characteristics, classification, and applications. Thus, the outline of the chapter is as follows: Section 2 defines the concept of haptics. Section 3 presents the components of haptics-based system architecture in a virtual environment. Section 4 provides the characteristics and classification of haptic devices. Section 5 presents examples of haptics-based systems in different areas. Finally, Section 6 concludes the chapter with future research directions.*

### INTRODUCTION

With advances in technology, individuals today can interact with computer technology, not only through their visual and auditory senses, but also through touch. The sense of touch is unlike other senses such as vision and hearing; its uniqueness lies in the fact that it enables a bi-directional exchange of information between users and the virtual or real environment, whereas the other senses, such as sight and hearing, are uni-directional forms of interaction, taking place from the computer application to the user.

DOI: 10.4018/978-1-5225-7368-5.ch058

A haptics-based system utilizes the tactile sense of touch, the kinesthetic sense, or both types to enable human–computer interaction. The source of the touch under investigation could be animate (e.g. humans), inanimate (e.g. machines), or a combination of both. The items or environments being touched could be real, virtual, or a combination of both (M. Eid, Orozco, & Saddik, 2007), (Saddik, 2007). In addition, a haptics-based system may complement other sensory information such as vision, audition, or both, to make an environment appear more realistic.

Nowadays, haptics-based systems have had a significant impact in a variety of fields, such as surgical simulation, rehabilitation, technology designed to help the blind and visually impaired, education and training, entertainment and leisure activities such as video games, art and design, online consumer activity, security, and mobile phones. A survey of haptic-based applications can be found in (M. Eid et al., 2007), (Saddik, 2007), (Abdulmotaleb El Saddik, Mauricio Orozco, Mohamad Eid, & Jongeun Cha, 2011) and (Escobar-Castillejos, Noguez, Neri, Magana, & Benes, 2016). Despite this, haptics-based applications are still in their infancy (Saddik, 2007), and their development is ongoing.

In this chapter we present the concept of haptics, its characteristics, classification and applications. Thus, the outline of the chapter is as follows: Section 2 defines the concept of haptics. Section 3 presents the components of haptics-based system architecture in a virtual environment. Section 4 provides the characteristics and classification of haptic devices. Section 5 presents examples of haptics-based systems in different areas. Finally, section 6 concludes the chapter with future research directions.

## **BACKGROUND: THE CONCEPT OF HAPTICS**

The concept of haptics is derived from the Greek verb *haptesthai* which means ‘to touch’. It refers to the science of sensation and manipulation by touch for the purpose of perception or modification of the environment (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2007), (Mihelj, Novak, & Begus, 2014). Touch is divided into two forms: the tactile (also called cutaneous) sense, and the kinesthetic (also called proprioceptive or force) sense (Abdulmotaleb El Saddik et al., 2011), (Benali-khoudja, Hafez, Alex, & Kheddar, 2004). The tactile sense refers to the registering of physical contact with a real object through skin receptors. It provides the individual with information about an object; this includes texture, pressure, temperature, wetness, softness, friction, vibration, and shape. Conversely, the kinesthetic sense of touch means feeling motion through awareness of position and movement of body parts as well as muscular efforts that are conveyed to the individual by sensory receptors in joints, tendons, and muscles when touching and manipulating items. The kinesthetic sense tells the individual about the movement of joints, velocity, muscle control, and weight. The human hand features both types of touch (Abdulmotaleb El Saddik et al., 2011), (Mihelj et al., 2014).

The term haptics was introduced in the field of psychology in the early 20th century to provide an explanation of the human perception of objects by touch. In the 1970s and 1980s, robotics researchers redefined the term to refer to the remote control of robots and their environment by touch (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2007). The early 1990s were the ‘golden age’ of haptics, due to the widespread appearance on the consumer market of different haptic devices such as the tactile mouse and the joystick. The field of computer haptics, introduced to integrate haptic devices with computers (Abdulmotaleb El Saddik et al., 2011), (M. Eid et al., 2007), is associated with the design and development of algorithms and software to generate and display forces and tactile sensations to the user (Abdulmotaleb El Saddik et al., 2011).

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/haptics-based-systems-characteristics-classification-and-applications/213176](http://www.igi-global.com/chapter/haptics-based-systems-characteristics-classification-and-applications/213176)

## Related Content

---

### The Holon/Parton Theory of the Unit of Culture (or the Meme, and Narreme): In Science, Media, Entertainment, and the Arts

J. T. Velikovsky (2018). *Technology Adoption and Social Issues: Concepts, Methodologies, Tools, and Applications* (pp. 1590-1627).

[www.irma-international.org/chapter/the-holonparton-theory-of-the-unit-of-culture-or-the-meme-and-narreme/196747](http://www.irma-international.org/chapter/the-holonparton-theory-of-the-unit-of-culture-or-the-meme-and-narreme/196747)

### Journalism and Media: From Mellowed Pedagogy to New Mobile Learning Tools

Pamela E. Walckand Yusuf Kalyango Jr. (2016). *Human-Computer Interaction: Concepts, Methodologies, Tools, and Applications* (pp. 2179-2195).

[www.irma-international.org/chapter/journalism-and-media/139145](http://www.irma-international.org/chapter/journalism-and-media/139145)

### Folk Culture and Cutting-Edge Technologies: Digital Folklore

Alexandros Georgios Kapaniaris (2022). *The Digital Folklore of Cyberculture and Digital Humanities* (pp. 1-12).

[www.irma-international.org/chapter/folk-culture-and-cutting-edge-technologies/307082](http://www.irma-international.org/chapter/folk-culture-and-cutting-edge-technologies/307082)

### Balancing FOMO and Digital Detoxification

Rekha Mewafarosh, Shivani Agarwaland Deeksha Dwivedi (2024). *Business Drivers in Promoting Digital Detoxification* (pp. 1-15).

[www.irma-international.org/chapter/balancing-fomo-and-digital-detoxification/336738](http://www.irma-international.org/chapter/balancing-fomo-and-digital-detoxification/336738)

### Biomedical Test Instruments: Usability, Ergonomics, and Communicability Assessment

Francisco V. Cipolla-Ficarraand Jim Carré (2018). *Technology-Enhanced Human Interaction in Modern Society* (pp. 34-55).

[www.irma-international.org/chapter/biomedical-test-instruments/189836](http://www.irma-international.org/chapter/biomedical-test-instruments/189836)