

# Chapter 70

## A Trust Case-Based Model Applied to Agents Collaboration

**Felipe Boff**

*Lutheran University of Brazil (ULBRA), Brazil*

**Fabiana Lorenzi**

*Lutheran University of Brazil (ULBRA), Brazil*

### **ABSTRACT**

*This chapter shows an approach for developing a method that uses case-based reasoning (CBR) for calculating trust levels in agents' collaboration. The proposed development foresees all interactions between agents are considered in the updating process of general trust level. These collaborations are also stored in a CBR database. Each new interaction calculates a situational trust level based on similar cases. This trust level will be weighed against the global trust level, creating an indicator based on the requested collaboration without excluding the collaboration history.*

### **INTRODUCTION**

The interaction among people as well as the interaction among systems can, at times, be seen from similar perspectives. People and systems construct their relationship network supported by information. People have the ability to retain information about things and, based on that, pursue their requirements. Computational systems can also function in a similar manner; however, this is highly dependent upon how they were created. As time passes, a person may lose contact with someone or develop stronger ties if they see this relationship as favorable. Systems and agents can also cease to relate to other systems or start new relationships, but, for this, actions external to the agent or system may be necessary.

One of the feelings that can bring comfort to interpersonal relationships is trust. Based on this feeling, people allow other people they trust to participate more frequently or intensely in their lives. The relationship between two systems is treated here as collaboration, where each agent, according to its computational purpose, executes operations requested by other agents. Computational systems, however, can have difficulties in evaluating their collaboration with other systems. Quantifying collaboration as

DOI: 10.4018/978-1-5225-7368-5.ch070

appropriate or detrimental can require complex algorithms and several exceptions to a given rule. The proposal presented here suggests the creation of a method which evaluates the relationship between two agents to generate a rating, called *general trust rating*.

All collaborations between agents are unique and generate equally unique results. These results can be seen as a history of the collaboration between agents. This history is rich in information which can be used to underpin the generation of a trust rating. For this, the information has to be stored. The more information that is stored, the more complex the process of extraction has to be. Due to this, a Case-Based Reasoning approach is used to store this information. The collaboration between agents generates a new case in the case database, which comprises the history of this collaboration. Whether this is beneficial or not for the agent can be concluded by reviewing the whole collaboration history. By using the method developed, the correlation of this history can be quantified, generating a trust rating.

This paper presents a method which was developed to quantify the relationship between agents through the generation of a rating. As in human relations, agents may have a high degree of trust in other agents when the relationship is analyzed from a wider perspective. Nevertheless, the agent is likely to have a different trust rating for specific activities due to the environment it is exposed to or to its purpose. In order to allow this differentiation, the proposed method uses case-based reasoning for each collaboration request to find similar previous collaboration. It selects from this base of previous collaboration cases those that were similar to the current demand, generating a situational trust rating for it. The weighting of the situational with the general trust rating allows evaluating the collaboration considering a particular situation as well as the history of collaboration between the agents.

In the following sections first we present some related work and how the important points are set in the proposed method. Then we illustrate how the method was implemented, where functionalities are separated into modules so as to provide segregation and isolation of these functionalities: we present the tests that were run and the obtained results that corroborate the efficiency of the method. Finally, we present our conclusions and some future work we have planned.

## **BACKGROUND**

### **Related Work**

The conceptual definition of an autonomous agent is understood as being something that perceives its environment through sensors (physical or virtual) and acts upon this environment through effectors (Russel & Norvig, 2003). These effectors can resolve problems or determine actions, acting on the environment to carry out sets of goals or tasks for which they were designed.

A multi-agent system (MAS) consists of a group of agents hosted in an environment where autonomous agents collaborate with other agents for solving problems (Challenger et al., 2016). Agents can be competitive - when an agent attempts to maximize its performance measures over those of other agents - or cooperative, when the agents function in such a manner that they complete their goals and tasks through the knowledge of other agents.

MAS are exploited in several contexts nowadays to provide e-services, as e-Commerce, e-Learning and so on. Those systems are distributed across the internet and are hosted by different companies or structures. Thus, they have a decentralized control and are subject to constant changes during their

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/a-trust-case-based-model-applied-to-agents-collaboration/213188](http://www.igi-global.com/chapter/a-trust-case-based-model-applied-to-agents-collaboration/213188)

## Related Content

---

### Revision of the Groupware Users Interface Development Methods

Mabel del V. Sosa (2014). *Advanced Research and Trends in New Technologies, Software, Human-Computer Interaction, and Communicability* (pp. 587-594).

[www.irma-international.org/chapter/revision-of-the-groupware-users-interface-development-methods/94262](http://www.irma-international.org/chapter/revision-of-the-groupware-users-interface-development-methods/94262)

### Website Interaction between a Football Club and its Supporters: The Case of Sporting Clube de Portugal

João Silva and Pedro Isaiás (2014). *Human-Computer Interfaces and Interactivity: Emergent Research and Applications* (pp. 72-100).

[www.irma-international.org/chapter/website-interaction-between-football-club/111748](http://www.irma-international.org/chapter/website-interaction-between-football-club/111748)

### User Acceptance of IoT Applications in Retail Industry

M. S. Balaji, Sanjit Kumar Roy, Aditi Sengupta and Alain Chong (2018). *Technology Adoption and Social Issues: Concepts, Methodologies, Tools, and Applications* (pp. 1331-1352).

[www.irma-international.org/chapter/user-acceptance-of-iot-applications-in-retail-industry/196732](http://www.irma-international.org/chapter/user-acceptance-of-iot-applications-in-retail-industry/196732)

### The Possibility of Climate Crisis Fiction in Building Social Action

John Thomas Riley (2024). *Bioethics of Cognitive Ergonomics and Digital Transition* (pp. 41-62).

[www.irma-international.org/chapter/the-possibility-of-climate-crisis-fiction-in-building-social-action/351359](http://www.irma-international.org/chapter/the-possibility-of-climate-crisis-fiction-in-building-social-action/351359)

### Evaluating the Degree of Risk Perception Among Kumbakonam Town Users of E-Commerce Platforms Using Artificial Intelligence

K. Nalini and G. Revathy (2025). *Business Sustainability Practices in Society 5.0* (pp. 279-298).

[www.irma-international.org/chapter/evaluating-the-degree-of-risk-perception-among-kumbakonam-town-users-of-e-commerce-platforms-using-artificial-intelligence/359460](http://www.irma-international.org/chapter/evaluating-the-degree-of-risk-perception-among-kumbakonam-town-users-of-e-commerce-platforms-using-artificial-intelligence/359460)