

## Chapter 6

# RNA Interference Therapeutics and Human Diseases

**Dolly Sharma**

*PEC University of Technology, India*

**Shailendra Singh**

*PEC University of Technology, India*

**Trilok Chand**

*PEC University of Technology, India*

### ABSTRACT

*Defective protein synthesis leads to diseases. If protein synthesis can be controlled, disease causing molecules can be tailored in some way. This is the perception behind RNA interference. RNA interference (RNAi) therapeutics is branch of medicine which deals with the treatment of diseases while controlling the gene expression at RNA level. The motive of this chapter is to discover the state-of-the-art of RNAi therapeutics, to explore various techniques used by RNAi therapeutics to fight from diseases, and discuss the future prospects of it.*

### INTRODUCTION

Humans have more than 20 thousand genes that are protein coding. Proteins are essential building blocks of our body as they perform a variety of functions in human body (Pines, 2007). They produce hormones, enzymes and hemoglobin (Hoffman & Falvo, 2004). As proteins are important, their accurate production is also essential. Diseases are caused either by formation of defective protein or by over production of protein or less production of protein (Shenoy, & Jayaram, 2010; Selkoe, 2003). Diseases like Alzheimer's and Parkinson's disease, Huntington's disease, Creutzfeldt–Jakob disease, cystic fibrosis, Gaucher's disease, Uremia as well as other neurodegenerative disorders, heart disease, some cancers, stroke (Chaudhuri & Paul, 2006) are caused by inappropriate synthesis of protein. Proteins in association with RNA form Ribonucleoprotein (RNP) which relates to diseases like influenza A virus, inherited motor neuron disease spinal muscular atrophy (SMA) (Pellizzoni, 2007), premature aging, cancer (Blasco,

DOI: 10.4018/978-1-5225-7489-7.ch006

2005), aplastic anemia (Yamaguchi, Calado, Ly, Kajigaya, Baerlocher & Chanock, 2005), Alzheimer (Diner, Hales, Rabenold, Bishof & Duong, 2004) etc. In short, RNA and protein is linked with an out-sized figure of diseases.

As gene expression (Alberts et al., 2007) is the process of formation of proteins, wherein DNA acts as a template for mRNA which further gets converted into proteins. So, altering the gene expression process may prevent from some disease to occur. More precisely, it is altering gene coding at mRNA level. This is the concept adapted by RNA Interference Therapeutics. RNAi Therapeutics (Aagaard & Rossi, 2007) is the branch of science that focuses on control of gene activity at RNA level to cure diseases.

This chapter is organized as follows: RNA, DNA and gene expression are discussed in Introduction and Background section followed by RNA types, RNA interference process and RNA Therapeutics. Table 1 mentions some of the RNA Therapeutics companies. Further RNAi Therapeutics techniques PMO, LUNAR, RNA upregulation and Gene Silencing are discussed. It is concluded by RNAi Therapeutics' challenges and issues and lastly its future research directions.

## **BACKGROUND**

Cells are the building blocks of life. Inside nucleus of a cell, DNA and RNA molecules reside. Ribonucleic Acid (RNA) molecule is a single stranded sequence consisting of four bases Adenine (A), Guanine (G), Cytosine (C) and Uracil (U). This single stranded sequence is known as the primary structure of RNA (Tinoco & Bustamante, 1999). The backbone of RNA contains ribose as sugar. Phosphate groups are also attached to ribose. RNA can be synthesized from DNA. DNA is another molecule which is double stranded molecule. DNA consists of nucleotides that contain a phosphate group, a sugar group and a nitrogen base. Nitrogen bases are Adenine (A), Guanine (G), Cytosine (C) and Thymine (T).

DNA molecule contains a number of genes. Some genes code for protein and others do not. The process of production of protein is called gene expression. Precisely, Gene Expression process involves two sub processes- Transcription and Translation. Gene expression process is initiated by making a copy of DNA to produce a complementary strand called messenger RNA (mRNA) (Anfinsen, 1972) as shown in Figure 1. mRNA is one of the types of RNA. Thymine of DNA is replaced by Uracil of RNA. This step is called Transcription. Proteins are made up of sequence of amino acids. 20 amino acids exist. The bases of mRNA in sets of three, code for a specific amino acid and forms a codon as shown in Figure 1. As the number of bases is four, so 64 ( $4 \times 4 \times 4$ ) possible codons are there. Consequently, more than one codon may code for a specific amino acid. The amino acid is meshed together with codon by another type of RNA which is transfer RNA (tRNA). tRNA contains a complementary sequence of bases on the other side called anti codon as shown in Figure 1. A sequence of amino acids is called a protein. This process is called Translation. Together these processes transcription and translation are termed as gene expression. Each protein consists of a unique sequence of amino acids. Ribosomal RNA (rRNA) links the amino acids so that specific protein is formed.

## **TYPES OF RNA**

Gene Expression is catalyzed by majorly three types of RNAs, namely, messenger RNA, transfer RNA and ribosomal RNA.

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/rna-interference-therapeutics-and-human-diseases/213585](http://www.igi-global.com/chapter/rna-interference-therapeutics-and-human-diseases/213585)

## Related Content

---

### RNA Interference Therapeutics and Human Diseases

Dolly Sharma, Shailendra Singhand Trilok Chand (2019). *Advanced Methodologies and Technologies in Medicine and Healthcare* (pp. 69-83).

[www.irma-international.org/chapter/rna-interference-therapeutics-and-human-diseases/213585](http://www.irma-international.org/chapter/rna-interference-therapeutics-and-human-diseases/213585)

### Reflective Practices in Speech and Language Therapy Degree

Maria João Gonçalves, Brígida F. Patrício, André G. M. Araújo, Paula Cristina Fariaand Marta Joana Pinto (2022). *Handbook of Research on Improving Allied Health Professions Education: Advancing Clinical Training and Interdisciplinary Translational Research* (pp. 252-272).

[www.irma-international.org/chapter/reflective-practices-in-speech-and-language-therapy-degree/302528](http://www.irma-international.org/chapter/reflective-practices-in-speech-and-language-therapy-degree/302528)

### Augmenting Chronic Kidney Disease Diagnosis With Support Vector Machines for Improved Classifier Accuracy

C. Sathish Kumar, B. Sathees Kumar, Gnaneswari Gnanaguru, V. Jayalakshmi, S. Suman Rajestand Biswaranjan Senapati (2024). *Advancements in Clinical Medicine* (pp. 336-352).

[www.irma-international.org/chapter/augmenting-chronic-kidney-disease-diagnosis-with-support-vector-machines-for-improved-classifier-accuracy/346210](http://www.irma-international.org/chapter/augmenting-chronic-kidney-disease-diagnosis-with-support-vector-machines-for-improved-classifier-accuracy/346210)

### Intravenous Regional Anaesthesia on Comparative Effects of Fentanyl and Magnesium Sulphate as Ropivacaine Adjuvants for Upper Limb Surgeries

R. M. Mulla, Vithal K. Dhulkhed, Soudamini Gandhiand Agus Sudaryanto (2024). *Advancements in Clinical Medicine* (pp. 148-158).

[www.irma-international.org/chapter/intravenous-regional-anaesthesia-on-comparative-effects-of-fentanyl-and-magnesium-sulphate-as-ropivacaine-adjuvants-for-upper-limb-surgeries/346197](http://www.irma-international.org/chapter/intravenous-regional-anaesthesia-on-comparative-effects-of-fentanyl-and-magnesium-sulphate-as-ropivacaine-adjuvants-for-upper-limb-surgeries/346197)

### HE Stain Image Segmentation Using an Innovative Type-2 Fuzzy Set-Based Approach

Dibya Jyoti Bora (2019). *Histopathological Image Analysis in Medical Decision Making* (pp. 276-299).

[www.irma-international.org/chapter/he-stain-image-segmentation-using-an-innovative-type-2-fuzzy-set-based-approach/212548](http://www.irma-international.org/chapter/he-stain-image-segmentation-using-an-innovative-type-2-fuzzy-set-based-approach/212548)