Chapter 21 Virtualization as the Enabling Technology of Cloud Computing

Mohamed Fazil Mohamed Firdhous University of Moratuwa, Sri Lanka

ABSTRACT

Cloud computing is the newest paradigm in computing that turned upside down the way of resource provisioning and payment. Cloud computing improves the resource utilization through virtualization enabling both customers as well as service providers to reap the benefits. Thus, virtualization is the enabling technology that made this revolution possible. Through virtualization, it is possible to host multiple independent systems on a single hardware without interfering with each other. Server virtualization techniques can be grouped based how the underlying hardware and operating systems are presented to the users. In this chapter, the author takes an in depth look at how different virtualization has been implemented along with their security and quality of service issues.

INTRODUCTION

Cloud computing has become the newest computing paradigm that has made a long time dream of making computing a utility a reality (Buyya, Yeo, Venugopal, Broberg, & Brandic, 2009). The initial attempt at providing computing as a utility was attempted by IBM through renting its mainframe computing resources to the Wall Street using remotely connected dumb terminals. Then the idea just died down until it again became popular in the early 2000s as cloud computing. Cloud computing makes it possible to purchase and use computing resources similar to utilities such as electricity, water, gas and telephony. The utility model allows the customers to consume any amount of resources and pay for only the resources that have actually been used. Prior to the arrival cloud computing, computer systems were generally purchased outright. The systems thus purchased had fixed capacity irrespective of the actual demand. Figure 1 shows the capacity-utilization curve developed by Amazon Web Services depicting the usage of disk storage under cloud computing and traditional computing models (AWS, 2012).


DOI: 10.4018/978-1-5225-7598-6.ch021


From Figure 1, it can be seen that the traditional computing model shown by the step wise resource allocation is unable to follow the demand pattern. On the other hand, the cloud based resource provisioning closely follows the demand pattern in both short term as well as long term fluctuations. Thus cloud computing provides the right solution for any venture irrespective of their nature of business. On cloud computing, the committed computing resources and the money spent would have a very close and strong relationship with that of the real demand. This would make the money spent on these resources fully worth. Also cloud computing effectively transforms the money spent on the computing resources into an operational expenditure rather than a capital expenditure that has traditionally been. This helps businesses to utilize their capital fully on core business activities (Jaatmaa, 2010).

BACKGROUND

The technology that works behind to make cloud computing possible is hardware virtualization (Siddhisena, Warusawithana, & Mendis, 2011). In cloud computing, a single system is partitioned and hosted in parallel. These parallel systems can be spawned on demand and allocated to different users (Siddhisena et al., 2011). Once a user has completed his work, the virtual system can be removed and all the resources are released so that they can be allocated to another user in the future.

The virtualized computing infrastructure is created by installing a Virtual Machine Manager (VMM) on the physical hardware (Li, Yang, Kandula, & Zhang, 2010). The VMM provides the necessary isolation and security between the multiple virtual machines running in parallel on a single physical computer. Hosting individual fully functional systems on virtual machines maximizes the utilization of the physical systems as the physical system can be allocated to many customers. When many virtual machines are hosted on a single system simultaneously, its performance may start to degrade after a point due to the competition for resources between the hosted systems. So, in order to maintain the service quality, the maximum number of virtual machines hosted on a system must be limited.





11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/virtualization-as-the-enabling-technology-ofcloud-computing/214621

Related Content

Location Tracking Prediction of Network Users Based on Online Learning Method With Python

Xin Xuand Hui Lu (2019). International Journal of Mobile Computing and Multimedia Communications (pp. 49-64).

www.irma-international.org/article/location-tracking-prediction-of-network-users-based-on-online-learning-method-withpython/220422

Addressing the Credibility of Mobile Applications

Pankaj Kamthan (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 372-381).*

www.irma-international.org/chapter/addressing-credibility-mobile-applications/26514

Viterbi Decoder in Hardware

Mário Pereira Véstias (2019). Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics (pp. 1138-1152). www.irma-international.org/chapter/viterbi-decoder-in-hardware/214688

Illustration of Centralized Command and Control for Flocking Behavior

Sami Oweis, Subramaniam Ganesanand Ka C. Cheok (2014). *International Journal of Handheld Computing Research (pp. 1-22).* www.irma-international.org/article/illustration-of-centralized-command-and-control-for-flocking-behavior/124957

Mobile Handheld Devices for Mobile Commerce

Wen-Chen Hu, Jyh-haw Yeh, Hung-Jen Yangand Chung-wei Lee (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 1183-1193).* www.irma-international.org/chapter/mobile-handheld-devices-mobile-commerce/26580