Chapter 22 Advanced Recommender Systems

Young Park Bradley University, USA

ABSTRACT

This chapter presents a brief and systematic overview of four major advanced recommender systems: group recommender systems, context-aware recommender systems, multi-criteria recommender systems, and cross-domain recommender systems. These advanced recommendations are characterized and compared in a unifying model as extensions of basic recommender systems. Future research topics and directions in the area of advanced personalized recommendations are discussed. Advanced recommender technologies will continue to advance.

INTRODUCTION

It is increasingly difficult to find the right information on the Web in the age of explosive information overload. Recommender systems provide users with personalized suggestions of goods, services, or information and thus help them find the most relevant and interesting goods, services, or information for them. Over the last two decades since the first major recommender systems emerged in the mid-1990s (Konstan et al., 1997; Resnick & Varian, 1997), numerous recommender systems have been developed and used in various application domains including e-commerce, education, and engineering (Aggarwal, 2016; Jannach, Zanker, Felfernig, & Friedrich, 2011; Manouselis, Drachsler, Verbert, & Santos, 2014; Ricci, Rokach, & Shapira, 2015; Robillard, Maalej, Walker, & Zimmermann, 2014). Recommender systems have also proven very useful in various application domains.

A basic personalized recommender system suggests a list of items that seem to be most relevant for a given single target user without considering the context that the user is in by using users' ratings of items on a single overall criterion where both users and items are in a single domain (Jannach et al., 2011). The basic recommender system can be extended in several ways. There are four major extensions, i.e., suggesting items for a group of target users rather than a single user (group recommendations), suggesting items by considering a specific context of the target user (context-aware recommendations),

DOI: 10.4018/978-1-5225-7598-6.ch022

suggesting items using ratings on multiple criteria rather than a single overall criterion (multi-criteria recommendations), and suggesting items by using users and items in multiple domains rather than a single domain (multiple-domain recommendations).

In this chapter, we present a brief and systematic overview of four major advanced recommender systems — *group* recommender systems, *context-aware* recommender systems, *multi-criteria* recommender systems, and *cross-domain* recommender systems. We characterize and compare them within a unifying model as extensions of the basic recommender systems. Future research topics and directions in the area of advanced personalized recommendations are discussed.

BACKGROUND

Recommender Systems (RS)

A *recommender system* (*RS*) is a software-intensive system that provides a given target users with personalized recommendations of items such as goods, services, or information to guide the user to find the most relevant items (Aggarwal, 2016; Jannach et al., 2011; Ricci et al., 2015). The personalized recommendations are made by using profiles of the target user and other users with respect to items.

A typical recommender system generally uses the following three types of data — data about the users (U), data about the items such as goods, services, or information (I), and data about the relevance (such as rating, evaluation, purchase, or interest) information between the users and the items (R) where

- U contains a set of all existing users.
- *I* contains a set of all existing items.
- *R* contains relevance ratings of items to users that are represented as a matrix that maps a user-item pair into a relevance value and are constructed over time either explicitly, inferred implicitly, or both.

Given a target user *T*, a recommender system recommends a list of new items that are likely to be most relevant to the target user by using *U*, *I*, and *R*. The personalized recommendation process generally uses two phases: the prediction phase and the suggestion phase. The prediction phase predicts the unknown relevance values of new items by the target user based on the *similarity* between users or between items. There are a number of similarity metrics including *Pearson correlation* and *Cosine similarity* to represent the degree of similarity between users or items (Jannach et al., 2011). The suggestion phase generates a list of top *n* items with the highest predicted relevance values. Various metrics such as *mean absolute error* (MAE), *mean square error* (MSE), *root mean squared error* (RMSE), *precision* and *recall* are used for evaluating the accuracy of the recommended items (Herlocker, Konstan, Terveen, & Riedl, 2004; Jannach et al., 2011).

There are a number of different approaches for generating personalized recommendations. Three major approaches for personalized recommendations are *collaborative recommender*, *content-based recommender* and *hybrid recommender*. For recommending relatively complex items there is an approach called *knowledge-based recommender* that is based on deep domain *knowledge* about users and items.

Collaborative filtering-based recommendation is based on *user collaborations* and is the most widely used and proven method of providing recommendations (Ekstrand, Riedl, & Konstan, 2011; Schafer,

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/advanced-recommender-systems/214623

Related Content

Essential Functionalities for Commercial Internet Presence: A Portuguese Study

Alexandre Ferreiraand Francisco Antunes (2018). *Mobile Commerce: Concepts, Methodologies, Tools, and Applications (pp. 404-431).*

www.irma-international.org/chapter/essential-functionalities-for-commercial-internet-presence/183298

Instrumented Usability Analysis for Mobile Devices

Andrew Crossan, Roderick Murray-Smith, Stephen Brewsterand Bojan Musizza (2008). *Handbook of Research on User Interface Design and Evaluation for Mobile Technology (pp. 927-944).* www.irma-international.org/chapter/instrumented-usability-analysis-mobile-devices/21874

An Overview of the Capabilities and Limitations of Smartphone Sensors

Avi Klausner, Ari Trachtenberg, David Starobinskiand Mark Horenstein (2013). *International Journal of Handheld Computing Research (pp. 69-80).* www.irma-international.org/article/an-overview-of-the-capabilities-and-limitations-of-smartphone-sensors/79960

Secure Broadcast with One-Time Signatures in Controller Area Networks

Bogdan Grozaand Pal-Stefan Murvay (2013). International Journal of Mobile Computing and Multimedia Communications (pp. 1-18).

www.irma-international.org/article/secure-broadcast-one-time-signatures/80424

Mobile Technologies for Managing Non-Communicable Diseases in Developing Countries

Siddique Latif, Muhammad Yasir Khan, Adnan Qayyum, Junaid Qadir, Muhammad Usman, Syed Mustafa Ali, Qammer Hussain Abbasiand Muhammad Ali Imran (2018). *Mobile Applications and Solutions for Social Inclusion (pp. 261-287).*

www.irma-international.org/chapter/mobile-technologies-for-managing-non-communicable-diseases-in-developingcountries/204718