Chapter 23 Centrality Analysis of the United States Network Graph

Natarajan Meghanathan Jackson State University, USA

ABSTRACT

The authors model the contiguous states (48 states and the District of Columbia) of the United States (US) as an undirected network graph with each state represented as a node and there is an edge between two nodes if the corresponding two states share a common border. They determine a ranking of the states in the US with respect to the four commonly studied centrality metrics: degree, eigenvector, betweenness, and closeness. They observe the states of Missouri and Maine to be, respectively, the most central state and the least central state with respect to all the four centrality metrics. The degree distribution is bimodal Poisson. The eigenvector and closeness centralities also exhibit Poisson distribution, while the betweenness centrality exhibits power-law distribution. The authors observe a higher correlation in the ranking of vertices based on the degree centrality and betweenness centrality.

INTRODUCTION

Network Science is one of the emerging fields of Data Science to analyze real-world networks from a graph theory point of view. Several real-world networks have been successfully modeled as undirected and directed graphs to study the intrinsic structural properties of the networks as well as the topological importance of nodes in these networks. The real-world networks that have been subjected to complex network analysis typically fall under one of these categories: social networks (Ghali et. al., 2012), transportation networks (Cheung & Gunes, 2012), biological networks (Ma & Gao, 2012), citation networks (Zhao & Strotmann, 2015), co-authorship networks (Ding, 2011) and etc. One category of real-world networks for which sufficient attention has not yet been given are the regional networks featuring the states within a country. In this chapter, we present a comprehensive analysis of a network graph of the states within a country with respect to the four commonly used centrality metrics in complex network analysis (Newman, 2010): degree, eigenvector, betweenness and closeness centralities.

DOI: 10.4018/978-1-5225-7598-6.ch023

We opine the chapter to serve as a model for anyone interested in analyzing a connected graph of the states within a country from a Network Science perspective. The approaches presented in this chapter could be useful to determine the states (and their cities) that are the most central and/or influential within a country. For example, the ranking of the vertices based on the shortest path centrality metrics (closeness and betweenness) could be useful to choose the states (and their cities) that could serve as hubs for transportation networks (like road and airline networks). We could identify the states that are most the central states as well as identify the states that could form a connected backbone and geographically well-connected to the rest of the states within a country and use this information to design the road/rail transportation networks. The degree centrality and eigenvector centrality metrics as well as the network-level metrics like minimum connected dominating set and maximal clique size could be useful to identify fewer number of venues (with several adjacent states to draw people) for political campaigns/meetings that would cover the entire country.

We choose the United States (US) as the country for analysis and build a connected network graph of the contiguous states (48 states and the District of Columbia, DC) of the US: each state and DC is a node (vertex) and there exists a link (edge) between two vertices if the two corresponding states/DC share a common border. Though some prior studies have been conducted on transportation networks (Cheung & Gunes, 2012) and food flow networks (Lin et. al., 2014) in the United States, to the best of our knowledge, there has been no prior study of centrality analysis on the graph of the contiguous US states solely based on their geographical locations. Table 1 lists the contiguous states and DC in alphabetical order, their two character codes and the IDs used to refer to them in the chapter. The rest of the

ID	State/District Name	Code	ID	State Name	Code	ID	State Name	Code
1	Alabama	AL	18	Maine	ME	34	Ohio	ОН
2	Arizona	AZ	19	Maryland	MD	35	Oklahoma	ОК
3	Arkansas	AR	20	Massachusetts	MA	36	Oregon	OR
4	California	CA	21	Michigan	MI	37	Pennsylvania	PA
5	Colorado	СО	22	Minnesota	MN	38	Rhode Island	RI
6	Connecticut	СТ	23	Mississippi	MS	39	South Carolina	SC
7	Delaware	DE	24	Missouri	МО	40	South Dakota	SD
8	District of Columbia	DC	25	Montana	MT	41	Tennessee	TN
9	Florida	FL	26	Nebraska	NE	42	Texas	TX
10	Georgia	GA	27	Nevada	NV	43	Utah	UT
11	Idaho	ID	28	New Hampshire	NH	44	Vermont	VT
12	Illinois	IL	29	New Jersey	NJ	45	Virginia	VA
13	Indiana	IN	30	New Mexico	NM	46	Washington	WA
14	Iowa	IA	31	New York	NY	47	West Virginia	WV
15	Kansas	KS	32	North Carolina	NC	48	Wisconsin	WI
16	Kentucky	KY	33	North Dakota	ND	49	Wyoming	WY
17	Louisiana	LA						

Table 1. List of contiguous states (including DC) of the US in alphabetical order

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/centrality-analysis-of-the-united-states-networkgraph/214624

Related Content

A Perspective on Self-Optimization in Next Generation Cellular Networks

Sumita Mishraand Nidhi Mathur (2016). Self-Organized Mobile Communication Technologies and Techniques for Network Optimization (pp. 66-91). www.irma-international.org/chapter/a-perspective-on-self-optimization-in-next-generation-cellular-networks/151135

An Overview of Crowdsourcing

Eman Younis (2019). Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics (pp. 1763-1776). www.irma-international.org/chapter/an-overview-of-crowdsourcing/214738

Dynamic Scheduling Model of Rail-Guided Vehicle (RGV) Based on Genetic Algorithms in the Context of Mobile Computing

Chen Xu, Xueyan Xiong, Qianyi Du, Shudong Liu, Yipeng Li, Deliang Zhongand Liu Yaqi (2021). International Journal of Mobile Computing and Multimedia Communications (pp. 43-62). www.irma-international.org/article/dynamic-scheduling-model-of-rail-guided-vehicle-rgv-based-on-genetic-algorithms-inthe-context-of-mobile-computing/271387

A Hybrid Feature Extraction Framework for Face Recognition: HOG and Compressive Sensing

Ali K. Jaberand Ikhlas Abdel-Qader (2017). International Journal of Handheld Computing Research (pp. 1-13).

www.irma-international.org/article/a-hybrid-feature-extraction-framework-for-face-recognition/181269

Mobile Agents Security Protocols

Raja Al-Jaljouliand Jemal H. Abawajy (2012). *Mobile Computing Techniques in Emerging Markets: Systems, Applications and Services (pp. 270-305).* www.irma-international.org/chapter/mobile-agents-security-protocols/62199