Chapter 6 A Survey of Quality of Service in Long Term Evolution (LTE) Networks

Elisavet Grigoriou University of Cagliari, Italy

ABSTRACT

In the past few years, it's observed that cellular operators have experienced a fast growth of mobile broadband subscribers and traffic volume per subscriber. Simultaneously, operators are moving from a single to a multi-service offering by adding new services. This chapter presents a survey of the Quality of Service (QoS) drivers in LTE and LTE-Advanced, focusing on IP Frameworks and IP Services. It also includes a detailed list and description of the resource management mechanisms, such as power saving, admission control, scheduling and resource allocation that play a vital role in QoS. The authors describe the State-of-the-Art in IP frameworks and Services such as video, VoIP, Video on Demand (VoD). Also, resource management mechanisms are described such as Energy efficiency, admission control, and scheduling. In the end, the authors mentioned the future directions about QoS in 5G networks.

INTRODUCTION

Radio mobile technology has turned into very significant in electronic market of the last years. Due to the services they can deliver to end user, user terminals, such as tablets, smart phones and laptops, are now very familiar in our society. In fact, they can be used for many services e.g. voice call, as well as social networking activities. Long Term Evolution (LTE) deliver these services with very high performance, especially in terms of data rate and latency: a speed of 300 Mbit/s per user is expected. Since LTE was the first full IP wireless technology standardized by 3rd Generation Partnership Project (3GPP), it has a robust relationship with applications based on data transfers. LTE is a technology based on OFDM and it uses a flat network architecture without Radio Network Controller (RNC) offering low transmission and control delay. The main benefits of LTE technology are that it offers high speed Internet, support a large number of simultaneous users and offer services in real time. These are the reasons why until July 2016, 170 countries and regions in the world opened 521 LTE networks.

DOI: 10.4018/978-1-5225-6023-4.ch006

LTE-Advanced was introduced in 3GPP Release 10. Beginning the Evolution of LTE, LTE-Advanced includes all the features of Release 8 and 9 and new features for enhanced performance. The most significant features are Carrier Aggregation (CA), improved support for heterogeneous deployments, enhanced multi-antenna support and relaying. It should be noted that, most of the LTE-Advanced features can be introduced into the network as simple software upgrades. CA was proposed by 3GPP in order to satisfy the design of LTE-Advanced system with the maximum bandwidth and to maintain the backward compatibility. Coordinated Multi-Point (CoMP) is a distributed antenna technology which can improve system capacity and coverage through the coordination of neighbouring Base Stations (BSs). Moreover, enhanced Inter-Cell Interference Coordination (eICIC) technology is used which is the vertical interference suppression of heterogeneous networks between different layers. In order to reduce network cost, support flexible deployment, improve the network capacity and expand the coverage, in LTE-Advanced to the ITU Radio communication sector (ITU-R) as a candidate for 4G IMT-Advanced. Publication by the ITU of the specification for IMT-Advanced was finalized on March 2011.

In Release-12 the first mission critical service defined ("Push to talk") and isolated E-UTRAN operation for Public Safety. Enhancements to proximity-based services such as User Equipment to Network Relay added and proposed enhancements to discover and direct communication. Furthermore, this Release supports efficient, dynamically geographically distributed transmission in LTE through single-cell point-to-multipoint transmission.

The structure of the following chapter described in Figure 1:

BACKGROUND

The recent increase of mobile data usage and emergence of new applications as MMOG (Multimedia Online Gaming), mobile TV, Web 2.0, streaming contents have forced the 3rd Generation Partnership Project (3GPP) to work towards the LTE. The project began in November 2004 and determines the long-term evolution of Universal Mobile Telecommunications System (UMTS) of 3GPP.



Figure 1. Chapter structure

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/a-survey-of-quality-of-service-in-long-term-</u> evolution-lte-networks/214809

Related Content

Modeling and Simulation of IEEE 802.11 Wireless LANs: A Case Study of a Network Simulator

Nurul I. Sarkarand Roger McHaney (2012). Simulation in Computer Network Design and Modeling: Use and Analysis (pp. 85-99).

www.irma-international.org/chapter/modeling-simulation-ieee-802-wireless/63280

Evaluating Organisational Readiness for Virtual Collaboration

Peter Galland Janice Burn (2010). *Networking and Telecommunications: Concepts, Methodologies, Tools, and Applications (pp. 937-946).* www.irma-international.org/chapter/evaluating-organisational-readiness-virtual-collaboration/49786

Game-Based Approach for Network Routing Applications

(2014). *Game Theory Applications in Network Design (pp. 205-243).* www.irma-international.org/chapter/game-based-approach-for-network-routing-applications/109812

Certifications in Cybersecurity Workforce Development: A Case Study

Ping Wangand Hubert D'Cruze (2019). *International Journal of Hyperconnectivity and the Internet of Things* (pp. 38-57).

www.irma-international.org/article/certifications-in-cybersecurity-workforce-development/241804

A Study of Computer Virus Propagation on Scale Free Networks Using Differential Equations

Mohammad S. Khan (2016). Advanced Methods for Complex Network Analysis (pp. 196-214).

www.irma-international.org/chapter/a-study-of-computer-virus-propagation-on-scale-free-networks-using-differentialequations/149420