

Chapter 15

Extending a Conventional Chatbot Knowledge Base to External Knowledge Source and Introducing User–Based Sessions for Diabetes Education

Shafquat Hussain

Western Sydney University, Australia

Athula Ginige

Western Sydney University, Australia

ABSTRACT

Chatbots or conversational agents are computer programs that interact with users using natural language through artificial intelligence in a way that the user thinks he is having dialogue with a human. One of the main limits of chatbot technology is associated with the construction of its local knowledge base. A conventional chatbot knowledge base is typically hand constructed, which is a very time-consuming process and may take years to train a chatbot in a particular field of expertise. This chapter extends the knowledge base of a conventional chatbot beyond its local knowledge base to external knowledge source Wikipedia. This has been achieved by using Media Wiki API to retrieve information from Wikipedia when the chatbot's local knowledge base does not contain the answer to a user query. To make the conversation with the chatbot more meaningful with regards to the user's previous chat sessions, a user-specific session ability has been added to the chatbot architecture. An open source AIML web-based chatbot has been modified and programmed for use in the health informatics domain. The chatbot has been named VDMS – Virtual Diabetes Management System. It is intended to be used by the general community and diabetic patients for diabetes education and management.

DOI: 10.4018/978-1-5225-6023-4.ch015


INTRODUCTION

With the rapid advancement of computing technology and the underlying language processing software progresses, there is an exponential growth in the delivered complexity of chatbots. They have already come a long way from their roots in systems that were more about simple chat or fun and entertainment. A text based or a voice based conversation is usually initiated by the user who asks a question using natural language and the chatbot answers the question using natural language. Natural language has recently been viewed as a compelling enabling technology for personalisation, which allows each user to interact with the system in his or her own words, rather than using one of a small number of preset ways to interact (Zadrozny, Budzikowska, Chai, & Kambhatla, 2000). From the chatbot literature, it is suggested that chatbots are like a typical search engine function but only produce one output as compared to a typical search engine. The basic process flow for a chat bot is similar to the search engine where an input is entered each time and a new search is done to produce a meaningful and relevant output (Lokman, & Zain, 2010). The brain of the chatbot is its knowledge base which could be simply in the forms of file/s or a database. Figure 1 shows the fundamental structure of a typical chatbot.

A typical implementation of chatbot brain/knowledge base contains a set of hand coded templates which match user inputs and then generate responses. Because those templates are hand coded, therefore the chatbot knowledge base is limited and the conversational level of the chatbot is insufficient to satisfy the users. In order solve this problem and to augment the traditional hand coded approach to the chatbot knowledge base, we presented a chatbot architecture that will use Wikipedia information, along with its own local hand coded knowledge base. The modified chatbot architecture also integrates user specific session ability in Virtual Diabetes Management System (VDMS) chatbot. The user specific ability of the chatbot will help the chatbot to remember and recall the previous conversation sessions of an individual user during the current conversation session.

This web-based chatbot (VDMS) will help general community members and diabetes patients by interacting with them during a question answer session. A new user needs to register first in order to start a session. After completing the registration process, a new user is created in the chatbot's database with its own login credentials. A logged in user can start the session by typing questions about diabetes in natural language and the chatbot will provide answers to the user's queries using the same natural language. All the conversations are saved in chatbot's database against that logged in user. AIML -

Figure 1. Chatbot Structure



9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/extending-a-conventional-chatbot-knowledge-base-to-external-knowledge-source-and-introducing-user-based-sessions-for-diabetes-education/214818

Related Content

Internet of Things: The Argument for Smart Forensics

Edewede Oriwohand Geraint Williams (2017). *The Internet of Things: Breakthroughs in Research and Practice* (pp. 241-259).

www.irma-international.org/chapter/internet-of-things/177928

Converging Technologies for the IoT: Standardization Activities and Frameworks

Dragorad Milovanovi, Vladan Pantoviand Gordana Gardaševi (2017). *Emerging Trends and Applications of the Internet of Things* (pp. 71-103).

www.irma-international.org/chapter/converging-technologies-for-the-iot/179786

Direction and Speed Control of DC Motor Using Raspberry PI and Python-Based GUI

Anup Kumar Kolya, Debasish Mondal, Alokesh Ghoshand Subhashree Basu (2021). *International Journal of Hyperconnectivity and the Internet of Things* (pp. 74-87).

www.irma-international.org/article/direction-and-speed-control-of-dc-motor-using-raspberry-pi-and-python-based-gui/274527

Portable Hybrid Refrigerator Prototype for Agribusiness With Its 3D Real Physical Geometry Scanned and Transferred for Simulation Software

Edith Obregón Morales, Jose de Jesus Perez Bueno, Juan Carlos Moctezuma Esparza, Diego Marroquín García, Arturo Trejo Perez, Roberto Carlos Flores Romero, Juan Manuel Olivares Ramírez, Maria Luisa Mendoza López, Juan Carlos Solís Ulloa, Yunny Meas Vongand Víctor Hugo Rodríguez Obregón (2021). *International Journal of Hyperconnectivity and the Internet of Things* (pp. 78-97).

www.irma-international.org/article/portable-hybrid-refrigerator-prototype-for-agribusiness-with-its-3d-real-physical-geometry-scanned-and-transferred-for-simulation-software/267224

Mobile Community Networks: Evolution and Challenges

Vijayan Sugumaran, Shriram Raghunathanand K. Vivekanandan (2010). *Networking and Telecommunications: Concepts, Methodologies, Tools, and Applications* (pp. 1068-1087).

www.irma-international.org/chapter/mobile-community-networks/49794