Chapter 3 Practical Guidance in Achieving Successful Change Management in Information System Environments

Jeffrey S. Zanzig Jacksonville State University, USA

Guillermo A. Francia III Jacksonville State University, USA

Xavier P. Francia Jacksonville State University, USA

ABSTRACT

Situations such as improvements in business transaction processing and various security issues keep today's information systems in a constant state of change. Serious disruption of company operations can occur when changes are improperly planned and/or carried out. In addition to technological issues, an equally important consideration is in regard to how information system changes will affect organizational personnel. The Institute of Internal Auditors has identified seven steps that can be used to effectively implement change in an information system environment. This along with a discussion of significant issues in managing system patches provides an appropriate background to consider a model for evaluating the maturity of an organization's change management process in an information system environment. The highly respected COBIT guidance from the ISACA is included throughout much of the discussion to provide support for many of the suggested change management practices.

DOI: 10.4018/978-1-5225-7271-8.ch003

INTRODUCTION

In the rapidly changing world of information technology it is imperative that organizations maintain a constant vigilance to ensure that their computer systems stay up-to-date. Some common problems in applying change management to an information system environment are delays in implementing software updates and the errors occurring during the update process. Schmidt and White (2017) point out that it is commonly understood that any significant piece of software has vulnerabilities that will eventually be discovered and require an update to correct them. For the average person, this can be as simple as pressing a button to agree to the update. However, it is common for many companies to make use of a complicated set of interacting software components where changing one thing can affect the system in a variety of unanticipated ways. In such situations, companies lacking sufficient financial resources and/ or expertise may be more likely to postpone system changes.

A recent hacking of the personal data of approximately 143 million persons at Equifax illustrates what can happen when a company uses software that has known security weaknesses that are not addressed in a timely manner. As is true with many Fortune 100 firms, Equifax made use of an open-source software to run parts of its website. One explanation for the security breach suggests that Equifax had a history of outsourcing software development to off-shore locations with no one internally who had any significant experience with software that needed updating (Schmidt and White, 2017). However, software issues can also be attributed situations where incorrect changes are made to address a vulnerability or make an improvement. For example, Goldman Sachs ended up paying a \$7 million penalty that resulted from a software configuration error that mistakenly "converted the firm's 'contingent orders' for various options series into live orders and assigned them all a price of \$1." The Securities and Exchange Commission (SEC) determined that "Goldman's written policies relating to the implementation of software changes did not require several precautionary steps that, if taken, would likely have prevented the erroneous options incident (SEC, 2015)."

The ISACA is well known for its development of international information system auditing and control standards. One of their most significant contributions is a continuing project known as the Control Objectives for Information and related Technology (COBIT) framework. COBIT 5 "helps enterprises create optimal value from information technology (IT) by maintaining a balance between realizing benefits and optimizing risk levels and resource use." The management process of COBIT 5 contains four domains:

- Align, Plan and Organize (APO)
- Build, Acquire and Implement (BAI)
- Deliver, Service and Support (DSS)
- Monitor, Evaluate and Assess (MEA)

COBIT 5 contains explanations of specific management practices than can be tailored to the development of various objectives that a company may wish to accomplish within each domain. COBIT 5 states that "each enterprise must define its own process set, taking into account its specific situation." In addition, the ISACA provides a process capability model in COBIT 5 that possesses some overlap with the maturity model of COBIT 4.1 (ISACA, 2012a).

The Institute of Internal Auditors (2012) issued an updated Global Technology Audit Guide (GTAG) entitled *Change and Patch Management Controls Critical for Organizational Success*. It contains information to guide internal auditors when working in conjunction with information technology professionals to

24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/practical-guidance-in-achieving-successful-</u> change-management-in-information-system-environments/216331

Related Content

Multidimensional Anlaysis of XML Document Contents with OLAP Dimensions

Franck Ravat, Olivier Testeand Ronan Tournier (2009). *Progressive Methods in Data Warehousing and Business Intelligence: Concepts and Competitive Analytics (pp. 155-171).* www.irma-international.org/chapter/multidimensional-anlaysis-xml-document-contents/28166

Spectral Methods for Data Clustering

Wenyuan Li (2005). *Encyclopedia of Data Warehousing and Mining (pp. 1037-1042).* www.irma-international.org/chapter/spectral-methods-data-clustering/10749

Retrieving Medical Records Using Bayesian Networks

Luis M. de Campos, Juan M. Fernandez-Lunaand Juan F. Huete (2005). *Encyclopedia of Data Warehousing and Mining (pp. 960-964).* www.irma-international.org/chapter/retrieving-medical-records-using-bayesian/10735

An Ontology-Based Data Mediation Framework for Semantic Environments

Adrian Mocanand Emilia Cimpian (2008). Data Warehousing and Mining: Concepts, Methodologies, Tools, and Applications (pp. 1037-1067).

www.irma-international.org/chapter/ontology-based-data-mediation-framework/7685

Explanation-Oriented Data Mining

Yiyu Yaoand Yan Zhao (2005). *Encyclopedia of Data Warehousing and Mining (pp. 492-497).* www.irma-international.org/chapter/explanation-oriented-data-mining/10647