

# Chapter LI

## Game Theory for PHY Layer and MAC Sublayer in Wireless Telecommunications

**J. Joaquín Escudero-Garzás**

*University Carlos III de Madrid, Spain*

**Ana García-Armada**

*University Carlos III de Madrid, Spain*

### ABSTRACT

*The aim of this chapter is to address the role of a novel concept in wireless telecommunications: Game theory. Game theory is a branch of applied mathematics, which has recently drawn attention as a powerful tool to solve complex problems in wireless environments. To fulfil the intended goal, this chapter introduces the most relevant concepts of game theory such as game, player, and strategy, and give an overview of the applications of game theory in wireless networks.*

### INTRODUCTION

In telecommunications, state-of-the-art trends are towards very sophisticated services the objective of which is to provide multimedia contents to fixed or mobile users. This implies a strict quality control to guarantee the delivery of these services to the clients, ensuring high quality of service (QoS) and large data rates. To meet such requirements, telecommunications resources are intensively used. Moreover, when providing

multimedia services, their quality parameters and the available resources are interrelated, creating dependence relations between them. As one may perceive, the task of a joint management of all these variables with the aim of exploiting the network in an optimized manner requires the utilization of tools capable of tackling such complex situations, and this task frequently becomes highly intricate when layer-by-layer solutions are applied. Then, novel approaches are used to solve complex telecommunications problems. One of these novel

approaches is game theory, which can efficiently deal with the aforementioned problem of joint management of resources, service provisioning and network exploitation.

From its beginning in the middle of 20th century game theory has been intensively applied to economics, evolutionary biology and psychology, among others. Its utilization in telecommunications started at the late 1990s for the resolution of problems related to networking (flow and congestion control, routing), but its most interesting applications came relatively recently: its potential utilization for wireless systems.

The objective of this chapter is to provide an overview of game theory for telecommunications. Once the basic concepts are introduced, most relevant and recent works will be described.

## **GAME THEORY FOR WIRELESS COMMUNICATIONS**

Why may game theory be applied to wireless telecommunications? The answer to this question rests on the very nature of game theory. It formalizes the interaction among autonomous agents (players) with selfish and even opposite objectives, and defines what a solution to the stated problem may be. It is clear then that by means of game theory the design and configuration of wireless networks such as ad hoc, sensor and mesh networks may be addressed in order to cope with limitations as power constraint, decentralized operation, interference mitigation and efficient multi-hop routing.

Game-theoretic concepts have mostly been applied in wireless applications to design network layer, flow control mechanisms and routing algorithms. Game theory has also demonstrated its validity for power allocation problem in wireless networks, where the network (e.g. the base station in centralized configurations) allocates the available resource (power) to the players (transmitters) with different types of constraints, e.g.

interference, energy minimization or minimum required bit-rate constraints. In a similar manner, bandwidth allocation problems may be solved for this type of networks considering constraints such as the mutual interference among the transmitters. An alternative approach to obtaining solutions in telecommunication networks, e.g. routing protocols, is the usage of pricing: pricing schemes charge each node or customer locally for the resources he has used. An overview of the most relevant works on these areas is developed in the next section.

PHYSICAL (PHY) LAYER and MEDIUM ACCESS CONTROL (MAC) SUBLAYER problems in wireless networks have not received too much attention up to recent dates in the context of game theory. For instance, in the case of PHY layer, we may consider cooperative diversity (explained in detail in a subsequent section) as a suitable technique to be studied applying game theory given the intrinsic selfish behaviour of the users of the network. With respect to the MAC sublayer, in addition to allocation applications, some game theoretic approaches have attempted to model packet radio protocols (Aloha, Slotted-Aloha) and channel assignment strategies. These applications demonstrate how promising game theory is for PHY and MAC LAYERS design.

Game theory, as we mentioned in the introduction, is a mathematical tool, but it is not very familiar to telecommunications. Hence, we will devote the remaining of this section to introduce the most relevant concepts and elements used in the literature up to now to address wireless systems by means of game theory. Although we consider the overview provided in this section adequate for the comprehension of the rest of this chapter, the reader may find it useful to complement this introduction to game theory with (MacKenzie and DaSilva, 2006).

### **What is a Game?**

Let us start by defining the very concept of game. A game is (Osborne, 2004) “a description of

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/game-theory-phy-layer-mac/21704](http://www.igi-global.com/chapter/game-theory-phy-layer-mac/21704)

## Related Content

---

### Fuzzy QoS Based OLSR Network

G. Uma Maheswari (2011). *International Journal of Interdisciplinary Telecommunications and Networking* (pp. 50-55).

[www.irma-international.org/article/fuzzy-qos-based-olsr-network/52984](http://www.irma-international.org/article/fuzzy-qos-based-olsr-network/52984)

### Research and Design of Geospatial Metadata Deployment Prototype System Based on PHP Framework

Li Zhang (2014). *International Journal of Interdisciplinary Telecommunications and Networking* (pp. 65-72).

[www.irma-international.org/article/research-and-design-of-geospatial-metadata-deployment-prototype-system-based-on-php-framework/130891](http://www.irma-international.org/article/research-and-design-of-geospatial-metadata-deployment-prototype-system-based-on-php-framework/130891)

### A Femtocellular-Cabled Solution for Broadband Wireless Access: A Qualitative and Comparative Analysis

Dario Di Zenobio, Massimo Celidonio, Lorenzo Pulciniand Arianna Rufini (2011). *International Journal of Interdisciplinary Telecommunications and Networking* (pp. 38-50).

[www.irma-international.org/article/femtocellular-cabled-solution-broadband-wireless/55103](http://www.irma-international.org/article/femtocellular-cabled-solution-broadband-wireless/55103)

### On the Impact of Network Dynamics on a Discovery Protocol for Ad-Hoc Networks

(2011). *Recent Advances in Broadband Integrated Network Operations and Services Management* (pp. 64-82).

[www.irma-international.org/chapter/impact-network-dynamics-discovery-protocol/54004](http://www.irma-international.org/chapter/impact-network-dynamics-discovery-protocol/54004)

### Using MapReduce Framework for Mobile Applications

Adam Dou, Vana Kalogeraki, Dimitrios Gunopulos, Taneli Mielikainenand Ville H. Tuulos (2012).

*Multimedia Services and Streaming for Mobile Devices: Challenges and Innovations* (pp. 181-201).

[www.irma-international.org/chapter/using-mapreduce-framework-mobile-applications/58704](http://www.irma-international.org/chapter/using-mapreduce-framework-mobile-applications/58704)