Chapter 4 The Use of Mobile ECG Monitoring Devices in Embolic Stroke Associated With Atrial Fibrillation

Nikita Maniar

University of Missouri – Kansas City School of Medicine, USA

Charles Donohoe University of Missouri – Kansas City School of Medicine, USA

Ellen Lau Troudt University of Missouri – Kansas City School of Medicine, USA

ABSTRACT

Stroke prevention is a primary aim in clinical neurology. Atrial fibrillation (AF), the most common cardiac arrhythmia affecting 35 million people worldwide, carries a 5x risk of devastating stroke largely preventable with anticoagulation. The AliveCor KardiaTM mobile application for iPhones and Kardia BandTM, a wristband for the Apple Watch, are approved by the Food and Drug Administration (FDA). These clinically validated mobile electrocardiograms (ECGs) utilize an artificial intelligence algorithm to provide instant analysis for detecting AF. The preliminary experience using this novel technology at a safety net, teaching hospital was very positive. AliveCor'sTM was easy to use by neurologists, residents, medical students and nursing personnel and, in combination with pulse palpation, consistently detected AF that was confirmed by a cardiologist with standard ECG. With this new technology, the identification of AF that previously went unrecognized and often asymptomatic has

DOI: 10.4018/978-1-5225-6289-4.ch004

The Use of Mobile ECG Monitoring Devices in Embolic Stroke

prompted significant changes in patient therapy (additional cardiology evaluation and administration of anticonvulsants). AliveCorTM improved the ability to identify AF in elderly patients with and without a prior history of stroke. Although detection of paroxysmal, persistent and chronic AF was achieved, stratification of the risk versus benefit of anticoagulation therapy in individual patients became more difficult. The anticipated epidemic of AF will be easier to detect with technological advances like AliveCorTM, which provides accurate analysis compared to current anticoagulation risk population-based assessment tools. One assessment tool, the CHA2DS2-VASc, depicts a predictive value for stroke in patients with AF with a P value equal to 0.58, making it merely significant. More precise physiologic biomarkers of thrombus formation using blood or cardiac imaging are needed to segregate subgroups of this expanding population of patients found to be in AF.

INTRODUCTION

The AliveCor KardiaTM is a portable ECG (iECG) for the iPhone, Android and iPad that incorporates electrodes for wireless cardiac telemetry monitoring. It was approved by the FDA in 2013 (AliveCor® KardiaMobile EKG Monitor, 2018). It provides a 30 second single (lead 1) rhythm strip when held in the right and left hands. A real-time display of the electrocardiogram is created by conversion of an electrical signal into ultrasound which is captured by the smartphone microphone. Approved automated algorithms provide immediate rhythm analysis of suspected atrial fibrillation (Figures 1 and 2).

Figure 1. AliveCor KardiaMobile for cellphone

Source: From Alivecor by AliveCor, Inc, 2018 (https://store.alivecor.com). Copyright 2018 by AliveCor. Reprinted with permission



11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/chapter/the-use-of-mobile-ecg-monitoring-

devices-in-embolic-stroke-associated-with-atrial-

fibrillation/217595

Related Content

Pedagogy and Design of Online Learning Environment in Computer Science Education for High Schools

Ebenezer Anohah (2016). International Journal of Online Pedagogy and Course Design (pp. 39-51).

www.irma-international.org/article/pedagogy-and-design-of-online-learning-environment-incomputer-science-education-for-high-schools/154895

Evolution of the Definition of "Academically Gifted"

Cassidy Tackettand Seth P. Tackett (2023). *Strategies and Considerations for Educating the Academically Gifted (pp. 1-18).* www.irma-international.org/chapter/evolution-of-the-definition-of-academically-gifted/320094

The Integration of Web2Quest Technology into Multicultural Curriculum in Teacher Education: A Potential for Globalization

Li-Mei Grace Linand Chris L. Ward (2011). *International Journal of Online Pedagogy* and Course Design (pp. 46-59).

www.irma-international.org/article/integration-web2quest-technology-into-multicultural/53549

Opportunities, Achievements, and Prospects for Use of IMS LD

David Griffithsand Oleg Liber (2009). *Handbook of Research on Learning Design and Learning Objects: Issues, Applications, and Technologies (pp. 87-112).* www.irma-international.org/chapter/opportunities-achievements-prospects-use-ims/20878

Using Concept Maps to Enhance Students' Prior Knowledge in Complex Learning

Robert Z. Zhengand Laura B. Dahl (2010). *Handbook of Research on Human Performance and Instructional Technology (pp. 163-181).* www.irma-international.org/chapter/using-concept-maps-enhance-students/38285