Chapter 1

Plasma Cocaine Metabolite Levels and Liver CYP450 3A4 Isoenzyme Activity as Indicators of Cocaine Metabolism in Rats Treated With Salako Supplements

Natwaine Sherune Gardner *University of the West Indies, Jamaica*

Kedon J. S. Luke University of the West Indies, Jamaica

Andrew O. Wheatley University of the West Indies, Jamaica

Winston De La Haye University of the West Indies, Jamaica

Perceval Steven Bahado-Singh University of Maryland Medical System, USA

Lowell L. Dilworth University of the West Indies, Jamaica

Donovan A. McGrowder University of the West Indies, Jamaica **Everard Barton** University of the West Indies, Jamaica

Lauriann E. Young-Martin University of the West Indies, Jamaica

Ajibeke Salako-Akande Getwele Natureceuticals, USA

Henry Lowe Environmental Health Foundation, Jamaica

Errol Morrison National Commission on Science and Technology, Jamaica

Denise Eldermire-Shearer University of the West Indies, Jamaica

Helen Asemota University of the West Indies, Jamaica

DOI: 10.4018/978-1-5225-5406-6.ch001

Copyright © 2019, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

ABSTRACT

The effects of Salako nutritional supplements on cocaine-dependent Sprague Dawley rats was investigated. Rats were made cocaine-dependent using conditioned place preference (CPP) where craving was analyzed regularly. Cocaine metabolite levels were determined from blood samples. CYP450 3A4 isoenzyme activities were obtained using liver homogenate. Statistical analysis was done using SPSS oneway ANOVA and Duncans multiple range test. Results show that when cocaine use was discontinued, the supplements reduced craving of cocaine significantly. Blood plasma results showed higher benzoylecgonine equilibrium possibly indicating that the supplements aided the removal of stored cocaine metabolites which may have contributed to better management of craving in the rats. CYP450 3A4 isoenzyme activity was further enhanced by the supplements and is indicative of increased cocaine metabolism. The results indicate that the Salako nutritional supplements reduce craving caused by chronic cocaine administration by increasing the liver CYP450 3A4 isoenzyme activity, resulting in better plasma clearance.

INTRODUCTION

Cocaine $(C_{17}H_{21}NO_4)$, classified as a stimulant, is described as being the most potent, powerfully addictive stimulant of natural origin. The leaves of the Coca plant *(Erythroxylum coca)* can be harvested several times a year. The alkaloid, cocaine, is extracted from the leaves of the Coca plant, which originates in South America, and to a lesser extent, in Africa, Indonesia and India (UNODC, 2010). Cocaine is one of the oldest known psychoactive substances. Coca use has been traced as far back as around 5000 B.C. wherein the leaves of the plant were continually chewed in the mouth. Pure cocaine was isolated in the 1880's (National Institute on Drug Abuse, 2008). In the early 1900s, pure cocaine was the main active ingredient in numerous pharmaceutical and recreational formulations due to their properties that enhanced general activity and decreased fatigue.

Illicit cocaine from South America is produced normally as relatively pure hydrochloride salt (ranging from 80 – 95 percent) for export to the United States. Illicit cocaine is distributed ranging from a white crystalline powder (cocaine hydrochloride), to that of an off-white chunky material ("crack" or "rock" cocaine) (Drug Enforcement Agency, 2005). Street cocaine is usually adulterated with various substances such as mannitol, lactose and glucose, talc and flour. Due to the heat

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/plasma-cocaine-metabolite-levels-andliver-cyp450-3a4-isoenzyme-activity-as-indicators-ofcocaine-metabolism-in-rats-treated-with-salakosupplements/217760

Related Content

Factors to Consider in the Design of Inclusive Online Assessment

Sandra J. Thompson, Rachel F. Quenemoenand Martha L. Tharlow (2005). *Online Assessment and Measurement: Foundations and Challenges (pp. 102-117).* www.irma-international.org/chapter/factors-consider-design-inclusive-online/27684

Electrical Resistivity Measures in Cohesive Soils for the Simulation of an Integrated Energy System Between CCS and Low-Enthalpy Geothermal

A. Cocozzaand A. Ficarella (2013). International Journal of Measurement Technologies and Instrumentation Engineering (pp. 48-68). www.irma-international.org/article/electrical-resistivity-measures-in-cohesive-soils-for-thesimulation-of-an-integrated-energy-system-between-ccs-and-low-enthalpy-geothermal/89754

New Approaches of Nanocomposite Materials for Electromagnetic Sensors and Robotics

Alessandro Massaro, Fabrizio Spano, Diego Caratelli, Alexander Yarovoy, Roberto Cingolaniand Athanassia Athanassiou (2011). *International Journal of Measurement Technologies and Instrumentation Engineering (pp. 55-72).*

www.irma-international.org/article/new-approaches-nanocomposite-materialselectromagnetic/53361

Impedance-Based Wireless Sensor Network for Metal-Protective Coating Evaluation

Ronghua Yu, Qixin Zhou, Yechun Wangand Chao You (2011). *International Journal of Measurement Technologies and Instrumentation Engineering (pp. 25-39).* www.irma-international.org/article/impedance-based-wireless-sensor-network/62655

Developments of Environmentally Certified Reference Material From the Brazilian Metrology Institute to Support National Traceability

Andreia de Lima Fioravante, Evelyn de Freitas Guimarães, Fabiano Barbieri Gonzaga, Cristiane Rodrigues Augusto, Claudia Cipriano Ribeiro, Eliane Cristina Pires do Rego, Elaine Batista de Santana, Laura Alves das Neves, Lucas Junqueira de Carvalho, Renato Rubim Ribeiro de Almeida, Rodrigo C. de Sena, Marcelo de Almeida Dominguez, Janaina Marques Rodrigues Caixeiro, Valnei Smarçaro da Cunhaand Sidney P. Sobral (2019). *Strategic Applications of Measurement Technologies and Instrumentation (pp. 120-139).*

www.irma-international.org/chapter/developments-of-environmentally-certified-referencematerial-from-the-brazilian-metrology-institute-to-support-national-traceability/217767