# Chapter 49 An Adapted Ant-Inspired Algorithm for Enhancing Web Service Composition

**Fadl Dahan** King Saud University, Saudi Arabia

Khalil El Hindi King Saud University, Saudi Arabia

Ahmed Ghoneim King Saud University, Saudi Arabia

## ABSTRACT

Web Service Composition (WSC) provides a flexible framework for integrating independent web services to satisfy complex user requirements. WSC aims to choose the best web service from a set of candidates. The candidates have the same functionality and different non-functional criteria such as Quality of Service (QoS). In this work, the authors propose an ant-inspired algorithm for such problem. They named it Flying Ant Colony Optimization (FACO). Flying ants inject pheromone not only on the nodes on their paths but also on neighboring nodes increasing their chances of being explored in future iterations. The amount of pheromone deposited on these neighboring nodes is inversely proportional to the distance between them and the nodes on the path. The authors believe that by depositing pheromone on neighboring nodes, FACO may consider a more diverse population of solutions, which may avoid stagnation. The empirical experiments show that FACO outperform Ant Colony Optimization (ACO) for the WSC problem, in terms of the quality of solutions but it requires slightly more execution time.

#### **1. INTRODUCTION**

Web services (WS's) are used in Service-Oriented Computing (SOC) to support low-cost, rapid development, code reuse, platform independent and easier to maintain applications. WS's are self-contained and self-described applications. They interact with other applications over the web (Gustavo, Casati, Kuno, & Machiraju, 2004; Papazoglou, 2008) to perform sophisticated tasks. WS providers create services, and then store their description into repository to make them available for potential users.

DOI: 10.4018/978-1-5225-7501-6.ch049

#### An Adapted Ant-Inspired Algorithm for Enhancing Web Service Composition

However, it may be difficult or impossible to find an individual (or atomic) WS that performs all tasks needed by a business process. Therefore, WS's may need to be composed to fulfill the requirements of a business process (Rodriguez-Mier, Mucientes, Vidal, & Lama, 2012). This process is called Web Service Composition (WSC).

From an enterprise perspective, WSC helps to develop a new business application at low cost and risk (Sheng et al., 2014). Business process can be described using two ways (Andrews et al., 2003): executable business processes (EBP) where the business process is defined in detail, and abstract business processes (ABP) where the message exchanged by the parties are specified.

In this work, we use ABP, which is modeled as *n* tasks/levels,  $T = [t_p, t_2, ..., t_n]$ . These tasks are formed as a workflow. For each task, a set of different WS's, called Candidate Web Services (CWS), are available from different providers. These WS's perform a similar functionality, and meet different non-functional criteria. The aim is to select a good combination of the WS's that meets the user non-functional requirements such as cost and availability.

Tasks and CWS can be presented as a directed acyclic graph (see Figure 1), where the first task is the start state and the last task is the end state. Assuming that there are m CWS's for each task, there are  $m^n$  available paths, each represents a potential solution for the problem.

The problem is challenging because in addition to the WS functional requirements we need to consider several non-functional requirements defining the QoS properties. These are cost, response time, availability and reliability.

Clients get the services from the service registry over the World Wide Web based on the WS description (Menasce, 2002). Many providers publish their WS's over the registry; these services may be identical in terms of functionality. In such cases, we may want to select the WS's that meet our QoS



Figure 1. Modeling for CWS that attached to each task

16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/an-adapted-ant-inspired-algorithm-for-

enhancing-web-service-composition/217869

# **Related Content**

### Handling Critical Issues of Big Data on Cloud

Madhavi Vaidya (2019). Web Services: Concepts, Methodologies, Tools, and Applications (pp. 1717-1748).

www.irma-international.org/chapter/handling-critical-issues-of-big-data-on-cloud/217911

### Security Personalization for Internet and Web Services

George Yeeand Larry Korba (2010). Web Services Research for Emerging Applications: Discoveries and Trends (pp. 205-229).

www.irma-international.org/chapter/security-personalization-internet-web-services/41523

#### Bottleneck-Aware Resource Allocation for Service Processes: A New Max-Min Approach

Shoulu Hou, Wei Ni, Ming Wang, Xiulei Liu, Qiang Tongand Shiping Chen (2021). International Journal of Web Services Research (pp. 1-21).

www.irma-international.org/article/bottleneck-aware-resource-allocation-for-service-processes/285925

### An Integrated Framework for Semantic Service Composition using Answer Set Programming

Yilong Yang, Jing Yang, Xiaoshan Liand Weiru Wang (2014). *International Journal of Web Services Research (pp. 47-61).* 

www.irma-international.org/article/an-integrated-framework-for-semantic-service-composition-using-answer-setprogramming/124985

### Big Data From Management Perspective

Alireza Bolhari (2019). Web Services: Concepts, Methodologies, Tools, and Applications (pp. 2060-2074). www.irma-international.org/chapter/big-data-from-management-perspective/217928