

Chapter 24

Integrating ACT-R Cognitive Models With the Unity Game Engine

Paul Richard Smart

University of Southampton, UK

Tom Scutt

Mudlark, UK

Katia Sycara

Carnegie Mellon University, USA

Nigel R. Shadbolt

University of Oxford, UK

ABSTRACT

The main aim of the chapter is to describe how cognitive models, developed using the ACT-R cognitive architecture, can be integrated with the Unity game engine in order to support the intelligent control of virtual characters in both 2D and 3D virtual environments. ACT-R is a cognitive architecture that has been widely used to model various aspects of human cognition, such as learning, memory, problem-solving, reasoning and so on. Unity, on the other hand, is a very popular game engine that can be used to develop 2D and 3D environments for both game and non-game purposes. The ability to integrate ACT-R cognitive models with the Unity game engine thus supports the effort to create virtual characters that incorporate at least some of the capabilities and constraints of the human cognitive system.

INTRODUCTION

Cognitive architectures are computational frameworks that can be used to develop computational models of human cognitive processes (Langley et al., 2009; Taatgen & Anderson, 2010; Thagard, 2012). Cognitive architectures have been useful in terms of advancing our understanding of human cognition in specific task environments, and they have also been used to support the development of a variety of

DOI: 10.4018/978-1-5225-8060-7.ch024

intelligent systems and agents (e.g., cognitive robots). Although a variety of cognitive architectures are available, such as SOAR (Laird, 2012; Laird et al., 1987), ACT-R (Anderson, 2007; Anderson et al., 2004) and CLARION (Sun, 2006a; Sun, 2007), the focus of the current chapter is on ACT-R. ACT-R is a rule-based system that has been widely used by cognitive scientists to model aspects of human cognitive performance. It is also one of the few cognitive architectures that has an explicit link to research in the neurocognitive domain: the structural elements of the core ACT-R architecture (i.e., its modules and buffers) map onto different regions of the human brain (Anderson, 2007), and this enables cognitive modelers to make predictions about the activity of different brain regions at specific junctures in a cognitive task (see Anderson et al., 2007)¹.

Given their role in the computational modeling of cognitive processes, it is perhaps unsurprising that cognitive architectures have been used in the design of intelligent virtual characters. The SOAR architecture, for example, has been used to control a humanoid character that co-exists in a virtual 3D environment alongside a human-controlled avatar (Rickel & Johnson, 2000). The aim, in this case, is to provide a training environment in which the SOAR-controlled character possesses expertise in a particular domain of interest and then mentors human subjects as they progress through the stages of skill acquisition. This is an excellent example of the productive merger of cognitive architectures with virtual environments. As Rickel and Johnson (2000) point out, virtual tutors that cohabit a virtual environment with human players benefit from the ability to communicate nonverbally using gestures, gaze, facial expression and locomotion. In addition, the virtual agents can closely monitor the behavior of human subjects in a way that is not typically possible outside of a virtual environment; for example, a user's actions and field of view can be carefully monitored to determine their likely focus of attention. Rickel and Johnson's (2000) work is also a clear example where a multidisciplinary focus is required to engineer the intelligent virtual agent: the development of an intelligent virtual tutor draws on technical and scientific advances in the fields of knowledge elicitation (Shadbolt & Smart, 2015), knowledge modeling (Schreiber et al., 2000), human expertise development (Chi et al., 1988), and educational psychology.

Another example of cognitive architectures being used in virtual character design is provided by Best and Lebiere (2006). They used ACT-R to control the behavior of synthetic team-mates in a virtual environment as part of military training simulations². As is the case with virtual tutors, the use of a virtual environment is important here because it enables human actions to be closely monitored in a way that is difficult (if not impossible) with real-world environments. As a result of such monitoring, the behavior of ACT-R-controlled virtual agents can be adjusted in ways that respect the norms and conventions of team-based behavior. This is a topic of particular interest in the context of military behavior simulations, where issues of team coordination and the synchronization of team-member responses (often in alignment with doctrinal specifications) are all-important.

In addition to situations where cognitive architectures have been used to control virtual characters as part of training simulations or tutoring applications, there are a number of other research and development contexts where one sees a convergence of issues relating to cognitive architectures, virtual environments and virtual character design. These include the use of cognitive architectures to model the behavior of human game players (Moon & Anderson, 2012), as well as the use of cognitive architectures and virtual environments to study issues in embodied, extended and embedded cognition (Smart & Sycara, 2015b). Other areas that benefit from the integrative use of cognitive architectures and virtual environments include computer simulations of socially-situated behaviors and collaborative problem-solving processes (Smart & Sycara, 2015b; Sun, 2006b), the development of believable game characters (Arrabales et al., 2009), the implementation of virtual coaches and mentors in therapeutic applications (Niehaus, 2013),

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/integrating-act-r-cognitive-models-with-the-unity-game-engine/222446

Related Content

Modeling and Designing an Intelligent Controller using Bond Graph for a Satellite Controlled by Magnetic Actuators

Majid Habibiand Alireza B. Novinzadeh (2012). *International Journal of Intelligent Mechatronics and Robotics* (pp. 72-90).

www.irma-international.org/article/modeling-designing-intelligent-controller-using/64220

Musical Robots and Interactive Multimodal Systems

Angelica Lim (2012). *International Journal of Synthetic Emotions* (pp. 84-86).

www.irma-international.org/article/musical-robots-interactive-multimodal-systems/70419

Medical Robotics in K-12 Education

Ronald Rockland, Howard Kimmel, John Carpinelli, Linda S. Hirschand Levelle Burr-Alexander (2014). *Robotics: Concepts, Methodologies, Tools, and Applications* (pp. 1096-1115).

www.irma-international.org/chapter/medical-robotics-in-k-12-education/84940

Who Ever Said that ILS Migrations Had to be Stressful?

D Ruth Bavousett (2013). *Robots in Academic Libraries: Advancements in Library Automation* (pp. 90-100).

www.irma-international.org/chapter/ever-said-ils-migrations-had/76460

Awareness Based Recommendation: Passively Interactive Learning System

Tomohiro Yamaguchi, Takuma Nishimuraand Keiki Takadama (2016). *International Journal of Robotics Applications and Technologies* (pp. 83-99).

www.irma-international.org/article/awareness-based-recommendation/165451