Chapter 3.7
Use of RFID In Supply Chain Data Processing

Jan Owens
University of Wisconsin – Parkside, USA

Suresh Chalasani
University of Wisconsin – Parkside, USA

INTRODUCTION

The use of Radio Frequency Identification (RFID) is becoming prevalent in supply chains, with large corporations such as Wal-Mart, Tesco, and the Department of Defense phasing in RFID requirements on their suppliers. The implementation of RFID can necessitate changes in the existing data models and will add to the demand for processing and storage capacities. This article discusses the implications of the RFID technology on data processing in supply chains.

BACKGROUND

RFID is defined as the use of radio frequencies to read information on a small device known as a tag (Rush, 2003). A tag is a radio frequency device that can be read by an RFID reader from a distance, when there is no obstruction or misorientation. A tag affixed to a product flowing through a supply chain will contain pertinent information about that product.

There are two types of tags: passive and active. An active tag is powered by its own battery, and it can transmit its ID and related information continuously. If desired, an active tag can be programmed to be turned off after a predetermined period of inactivity. Passive tags receive energy from the RFID reader and use it to transmit their ID to the reader. The reader then may send the data

Figure 1. Reading ID information from an RFID tag



Figure 2. Interaction between a retailer and a supplier in a supply chain



to a host system for processing. Figure 1 depicts the activity of reading the ID from a passive tag by an RFID reader (Microlise, 2003).

The ID in the above discussion is a unique ID that identifies the product, together with its manufacturer. MIT's Auto-ID Center proposed the Electronic Product Code (EPC) that serves as the ID on these tags (Auto-ID Technology Guide, 2002). EPC can be 64 bits or 96 bits long. However, EPC formats allow the length of the EPC to be extended in future. Auto-ID center envisions RFID tags constituting an Internet of things.

RFID tag information is generated based on events such as a product leaving a shelf or being checked out by a customer at a (perhaps automatic) checkout counter. Such events or activities generate data for the host system shown in Figure 1. The host system, when it processes these data, in turn may generate more data for other partners in the supply chain. Our focus in this article is to study the use of RFID in supply chains.

MAIN THRUST

This article explores the data generated by RFID tags in a supply chain and where this data may be placed in the data warehouse. In addition, this article explores the acceptance issues of RFID tags to businesses along the supply chain and to consumers.

Figure 3. Processing information from operational data stores (ODS) to an enterprise data warehouse (EDWH) and to data marts (DM)



Types of Data Generated by RFID Tags

The widespread use of the Internet has prompted companies to manage their supply chains using the Internet as the enabling technology (Gunasekaran, 2001). Internet-based supply chains can reduce the overall cost of managing the supply chains, thus allowing the partners to spend more money and effort on innovative research and product development (Grosvenor & Austin, 2001; Hewitt, 2001). Internet-based supply chains also allow smaller companies to thrive without massive physical infrastructures. The impact of RFID on a retailer supplier interaction in the supply chain is discussed below.

The information system model for communication between a retailer and a supplier is shown in Figure 2. The retailer is assumed to have several locations, each equipped with RFID readers and RFID-tagged items. Each location has its own computer system comprising a local database of its inventory and application programs that process data from the RFID readings. The complete inventory information for the retailer is maintained at a central location comprising high-end database and application servers (Chalasani & Sounderpandian, 2005).

Computer systems at retail locations are interconnected to the central inventory server of the retailer by the company's intranet. Reordering