

Chapter 8

Set-Valuations of Graphs and Their Applications

Germina K. Augusthy

Central University of Kerala, India

ABSTRACT

A set-valuation of a graph $G=(V,E)$ assigns to the vertices or edges of G elements of the power set of a given nonempty set X subject to certain conditions. A set-indexer of G is an injective set-valuation $f:V(G)\rightarrow 2^X$ such that the induced set-valuation $f^\oplus:E(G)\rightarrow 2^X$ on the edges of G defined by $f^\oplus(uv)=f(u)\oplus f(v)$ $\forall uv\in E(G)$ is also injective, where \oplus denotes the symmetric difference of the subsets of X . Set-valued graphs such as set-graceful graphs, topological set-graceful graphs, set-sequential graphs, set-magic graphs are discussed. Set-valuations with a metric, associated with each pair of vertices is defined as distance pattern distinguishing (DPD) set of a graph (open-distance pattern distinguishing set of a graph (ODPU)) is $\emptyset\neq M\subseteq V(G)$ and for each $u\in V(G)$, $f_{M(u)}=\{d(u,v): v\in M\}$ be the distance-pattern of u with respect to the marker set M . If f_M is injective (uniform) then the set M is a DPD (ODPU) set of G and G is a DPD (ODPU)-graph. This chapter briefly reports the existing results, new challenges, open problems, and conjectures that are abound in this topic.

INTRODUCTION

Labeling is a term used in technical sense for naming objects using symbolic format drawn from any universe of discourse such as the set of numbers, algebraic groups or the power set 2^X of a ‘ground set’ X . The objects requiring labeling could come from a variety of fields of human interest such as chemical elements, radio antennae, spectral bands and plant/animal species. Further, categorization of objects based on certain clustering rules might lead to derived labels from the labels of objects in each cluster; for instance labels a and b of two individual elements in a dyad $\{A,B\}$ could be used to derive a labeling for the dyad in a way that could reflect a relational combination of the labels a and b . To be specific, A and B are assigned labels a,b from an algebraic group, whence the dyad $\{A,B\}$ is assigned the label $a*b$ where $*$ is the group operation. Such assignments are generally motivated by a need to optimize on the number of symbols used to label the entire discrete structure so that the structure could be effectively

DOI: 10.4018/978-1-5225-9380-5.ch008

encoded for handling its computerized analysis. In general, graph labelings, where the *basic elements* (i.e., vertices and/or edges) of a graph are assigned elements of a given set or subsets of a nonempty ‘ground set’ subject to given conditions, have often been motivated by practical considerations such as the one mentioned above. They are also of theoretical interest on their own right. ‘Graph labeling’ as an independent notion using numbers was first introduced in the mid sixties. Most graph labeling methods trace their origin to one introduced by Rosa (1967).

Even though the study of graceful graphs and graceful labeling methods was introduced by Rosa (1965) the term *graceful graph* was used first by Golomb (1972). Rosa (1965) defined a β -valuation of a (p, q) -graph G as an injection f from the vertices of G to the set $\{0, 1, \dots, q-1\}$ such that, when each edge xy is assigned the label $|f(x) - f(y)|$, the resulting edge labels are all distinct. In a graceful labeling of a graph G the resulting edge labels must be distinct and take values $1, 2, \dots, q$. The study of graceful labelings of a graph is a prolific area of research in graph theory. The graceful labeling problem is to determine which graphs are graceful. Proving a graph G is or is not graceful involves either producing a graceful labeling of G or showing that G does not admit a graceful labeling. While the graceful labeling of graphs is perceived to be a primarily theoretical topic in the field of graph theory, gracefully labelled graphs often serve as models in a wide range of applications. Such applications include coding theory and communication network addressing. Bloom and Golomb (1977) give a detailed account of some of the important applications of gracefully labelled graphs. That ‘all trees are graceful’ is a long-standing conjecture known as the “Ringel–Kotzig Conjecture” (Acharya, Rao & Arumugam, 2008).

A seminal departure from assigning numbers to the basic elements of a given graphs G was made in Acharya (2001) by suggesting to consider set-valued functions instead, motivated by certain considerations in social psychology. Interpersonal relationships depend on personal attitudes of the individuals in any social group. When opinions are expressed by the individuals to others in the group, the types of interpersonal interactions get affirmed and/or modified. On the other hand, such affirmations and/or modifications in various types of interpersonal interaction in the group could induce change in the attitudes of the persons in the group. In fact, it was this revisory socio-psychological phenomenon that motivated a study of *total set-valuations* $h : V(G) \cup E(G) \rightarrow 2^X$, viz. assignment of subsets of a given set to the basic elements of a given graph with a variety of constraints motivated either by theoretical or by practical considerations (Acharya, 1983). In this chapter, we give a brief report of the existing results, new challenges, open problems and conjectures that are abound in this area, of set-valuations of a finite simple graph.

For standard terminology and notation in graph theory, hypergraph theory and signed graph theory not given here, the reader may refer respectively to Berge (1973), Harary (1972), and Harary and Norman (1953). In this paper, by a *graph* we shall mean a finite undirected graph without loops or multiple edges.

SET-VALUATIONS

A *set-valuation* of a graph $G=(V, E)$ is simply an assignment of elements of the *power set* 2^X of a given nonempty ‘ground set’ X to the basic elements of G ; set-valuations have a variety of origins (Acharya, 2001). In particular, a *set-indexer* of G is defined to be an injective ‘vertex set-valuation’ $f : V(G) \rightarrow 2^X$ such that the induced ‘edge set-valuation’ $f^\oplus : E(G) \rightarrow 2^X$ on the edges of G defined by

35 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/set-valuations-of-graphs-and-their-applications/235537

Related Content

Shifting Preservice Teachers' Sources of Mathematics Teaching Efficacy Through Scaffolded Reflection: Fostering Commitment to Reform-Based Mathematics

Brooke Krejci, Elana Joramand Anthony J. Gabriele (2022). *Global Perspectives and Practices for Reform-Based Mathematics Teaching* (pp. 116-135).

www.irma-international.org/chapter/shifting-preservice-teachers-sources-of-mathematics-teaching-efficacy-through-scaffolded-reflection/301354

Formulae for Finding the Number of NeutroTopological Spaces

Bhimraj Basumatary, Jili Basumataryand Nijwm Wary (2023). *NeutroGeometry, NeutroAlgebra, and SuperHyperAlgebra in Today's World* (pp. 202-220).

www.irma-international.org/chapter/formulae-for-finding-the-number-of-neutrotopological-spaces/323475

Elementary School Arithmetic

(2024). *Utilizing Visuals and Information Technology in Mathematics Classrooms* (pp. 1-14).

www.irma-international.org/chapter/elementary-school-arithmetic/346415

Introduction to the Finite NeutroGeometries: The Mixed Projective-Affine Geometry

Erick González Caballero (2023). *NeutroGeometry, NeutroAlgebra, and SuperHyperAlgebra in Today's World* (pp. 52-80).

www.irma-international.org/chapter/introduction-to-the-finite-neutrogeometries/323468

Parallelohedrons and Stereohedrons of Delaunay

(2021). *Normal Partitions and Hierarchical Fillings of N-Dimensional Spaces* (pp. 182-197).

www.irma-international.org/chapter/parallelohedrons-and-stereohedrons-of-delaunay/267846