



Chapter 7

Multi-Band Rectangular Zig-Zag-Shaped Microstrip Patch Antenna for Wireless Applications

Pranay Yadav

 <https://orcid.org/0000-0002-9368-8398>
Ultra-Light Technology Bhopal, India

Bharat Bhushan Khare

 <https://orcid.org/0000-0001-8755-9808>
UIT RGPV Bhopal, India

Sudesh Gupta

Technocrats Institute of Technology Bhopal, India

Yash Kumar Kshirsagar

Bhopal School of Social Sciences, India

Swati Jain

UIT RGPV Bhopal, India

ABSTRACT

In the era of fifth generation communication system, multi-band patch antenna is the key element of this system. Most of the wireless communication devices work in the range of 1 to 6 GHz such as wireless fidelity (Wi-Fi), Wi-Max, and wireless local area network. In this research work, a modified zig-zag-shaped multiband patch antenna with cross-cut set that covers 1 to 6 GHz range is designed. Proposed patch antenna shows five different bands at

DOI: 10.4018/978-1-5225-9683-7.ch007

different resonant frequencies 1.4, 2.3, 2.5, 3.42, and 4.16 all in GHz. The proposed zig-zag-shaped patch antenna also calculates the radiation pattern and specific absorption rate (SAR).

INTRODUCTION

In this paper the knowledge of the wireless communication, the conventional Microstrip patch antenna, dielectric resonator antenna and the introduction of new advanced technology that is electromagnetic band gap structures are defined. The crucial component of a wireless network is the 'Antenna' so without appropriate design of the antenna, the signal produced by the RF system will not be transmitted properly and not any proper interfered signal can be detected at the receiver end (Luk, 2003 & Yang and Rahmat-Samji, 2003 & Khalily et. al, 2014 & Mu'ath, Denidni, and Sebak, 2012). Various types of antenna have been made to provide various applications and suitable for particular requirements.

The microstrip antenna has been considered to be the most ingenious field in the engineering of antenna having the properties like low material cost and the easy simulation. So the frequency range is also increased slightly in the some millimeter region (approx 100-300 GHz) that can be utilized (Al-Hasan, Denidni, and Sebak 2012 & Yadav and Singh, 2019 & Bhardwaj and Kumar, 2012 & Ryu and Kishk, 2010 & Coulibaly and Denidni, 2009). The conduction losses in metallic antennas have expanded to a level that affects the relevant operation of the systems. So an idea to use dielectric material as a radiator was perceived. These antennas are used in space applications, government and commercial applications. They include radiating patch of metallic material on substrate with ground structure on its back (Ge and Esselle, 2009 & Aras et al, 2008 & El-Deen et al, 2006).

This paper covered the basic principle of the design of dielectric resonator antenna with the help of mushroom-like electromagnetic band gap structure. The design and simulation of triple-band rectangular zigzag micro-strip patch antenna having Defected Ground Structure (DGS) for improved bandwidth for WLAN AND DBS applications. The fabrication and testing of Triple-Band Rectangular Zigzag microstrip patch antenna has been done (Li and Sun, 2005 & Mittal, Khanna, and Kaur, 2015 & Singh, Dhupkariva, and Bangari, 2017 & Kaur, Khanna, and Kartikeyan, 2014). In this micro-strip patch antenna, slotting and different feeding technique is also used to enhance the gain.

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/multi-band-rectangular-zig-zag-shaped-microstrip-patch-antenna-for-wireless-applications/235783

Related Content

An Efficient and Effective Index Structure for Query Evaluation in Search Engines

Yangjun Chen (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 1730-1743).

www.irma-international.org/chapter/an-efficient-and-effective-index-structure-for-query-evaluation-in-search-engines/214735

Options for WiMAX Uplink Media Streaming

Salah Salehand Martin Fleury (2010). *International Journal of Mobile Computing and Multimedia Communications* (pp. 49-66).

www.irma-international.org/article/options-wimax-uplink-media-streaming/43893

Biocompatible Implanted Dielectric Sensors for Breast Cancer Detection

Noah P. Svobodaand Abas Sabouni (2014). *International Journal of Handheld Computing Research* (pp. 1-19).

www.irma-international.org/article/biocompatible-implanted-dielectric-sensors-for-breast-cancer-detection/137117

Cloud Governance at the Local Communities

Vasileios Yfantis (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 117-125).

www.irma-international.org/chapter/cloud-governance-at-the-local-communities/214610

Mobile Evaluations in a Lab Environment

Murray Creaseand Robert Longworth (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications* (pp. 2042-2060).

www.irma-international.org/chapter/mobile-evaluations-lab-environment/26647