

Chapter 6

Role of Plant Growth Promoting Rhizosphere (PGPR) on Molecular Mechanisms Transporters Under Heavy Metal Stress

ABSTRACT

In this chapter, the authors discuss the molecular mechanisms transporters used for the removal of heavy metals contaminants from soil and water. The bioremediation method used for soil remediation render the land useless as a medium for plant growth as they also remove other contaminants that harm microbes and maintaining soil fertility with the help generating heat shock protein and metallothioneins and also molecular transporters.

INTRODUCTION

Bacteria have ability to tolerance of metals using different mechanism which maintain metal homeostasis with keeping concentration of essential metals (Nies, 2003). Microorganisms involve both actively and passively for metal uptake, remaining or sequestering. Effects of different bacteria on metal uptake, depends on the basis of chromosomally or extrachromosomally which controlled detoxification of metals (Ehrlich, 1997). Several type sequestration

DOI: 10.4018/978-1-5225-9016-3.ch006

mechanism of metal resistant system including efflux pumps to remove metals from the cell and to bind inside the cell. Metals pump out by using adenosine triphosphates two efflux system and through antiports proton generate protein gradient across the cell membrane (Nies, 2003). Researchers indicated about another mechanism about metals resistance in cyanobacteria is sequestration by metallothioneins signaling. Metallothioneins compounds bind to different metals on receptor of plasmamembrane to sufhydryl group of cysteine residue with phosphate groups and activate the channels for the expression of gene to tolerate under stress. More cadmium (Cd) accumulation and tolerance by *Stenotrophomonas maltophilia* and also found Cd efflux pump. Some bacteria produce more extracellular polymeric substances (EPS) which bind to metal and create environment around the plant root for less toxic.

Hyperaccumulation mechanism in plant described briefly that hyperaccumulation is not only depends on plant but also interaction between microbes and present amount available of metals and non metals in soil. Bacterial communities present in soil with tolerable metals like zinc, lead, copper and nickel. According to Idris et al. (2004) were reported that rhizosphere of hyperaccumulating plants such as *Arabidopsis murale* and *Thlaspi goesingense* has an increased proportion of metal resistant bacteria. Many bacteria have tendency that can alter heavy metal mobility for uptake plant easily (Rajkumar and Freitas, 2006). Isolated Ni mobilizing bacteria from Ni rich soil and check their efficiency to promoting plant growth with the using Brassica species (Abou-Shanab et al., 2003). Soil bacteria produce such compounds biosurfactants, siderophores and organic acids which stimulate metal bioavailability in soil and increase root absorption of various ions like (Mn^{2+} , Fe^{2+} and Cd^{2+}).

PLANT GROWTH PROMOTING RHIZOSPHERE

Rhizobium leguminosarum of different strains was showed Cd tolerant and increased the levels of glutathione which indicating about tripeptide allows bacterium to deal under heavy metals stress rather than efflux systems activate (Ma et al., 2013). Metal toxicity occurred in cell or plant organs at that condition important glutathione antioxidant generate to protect against stress. Apart from other mechanism plants also dealing with toxic metals which involve polyphosphates and long chains of thiophosphates for metals sequester (Lv et al., 2012). Biofilm formation from *E.coli* under nickel stress which may serve as as tolerance mechanism and involved in adherence by inducing

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/role-of-plant-growth-promoting-rhizosphere-pgpr-on-molecular-mechanisms-transporters-under-heavy-metal-stress/241169

Related Content

Identification of Dry Periods in the Dobrogea Region

Silvia Chelcea, Monica Ionitaand Mary-Jeanne Adler (2015). *Extreme Weather and Impacts of Climate Change on Water Resources in the Dobrogea Region* (pp. 52-72). www.irma-international.org/chapter/identification-of-dry-periods-in-the-dobrogea-region/131526

Frameworks

(2018). *Innovative Strategies and Frameworks in Climate Change Adaptation: Emerging Research and Opportunities* (pp. 15-20). www.irma-international.org/chapter/frameworks/191154

Emerging Contaminants: Pollution Control and Abatement

Emily Ng'enoand Victor Odhiambo Shikuku (2020). *Effects of Emerging Chemical Contaminants on Water Resources and Environmental Health* (pp. 172-192). www.irma-international.org/chapter/emerging-contaminants/248381

Biological Conservation: Can We Break the Inertia?

Gerardo P. Reyes, Nandakumar Kanavilliland Ryan Stevens (2019). *Intellectual, Scientific, and Educational Influences on Sustainability Research* (pp. 87-120). www.irma-international.org/chapter/biological-conservation/230818

Bondonic Electrochemistry: Basic Concepts and Sustainable Prospects

Mihai V. Putz, Marina A. Tudoranand Marius C. Mirica (2017). *Renewable and Alternative Energy: Concepts, Methodologies, Tools, and Applications* (pp. 277-359). www.irma-international.org/chapter/bondonic-electrochemistry/169599