Chapter 5 COGARCH Models: An Explicit Solution to the Stochastic Differential Equation for Variance

Yakup Arı

b https://orcid.org/0000-0002-5666-5365 Alanya Alaaddin Keykubat University, Turkey

ABSTRACT

In this chapter, the features of a continuous time GARCH (COGARCH) process is discussed since the process can be applied as an explicit solution for the stochastic differential equation which is defined for the volatility of unequally spaced time series. COGARCH process driven by a Lévy process is an analogue of discrete time GARCH process and is further generalized to solutions of Lévy driven stochastic differential equations. The Compound Poisson and Variance Gamma processes are defined and used to derive the increments for the COGARCH process. Although there are various parameter estimation methods introduced for COGARCH, this study is focused on two methods which are Pseudo Maximum Likelihood Method and General Methods of Moments. Furthermore, an example is given to illustrate the findings.

INTRODUCTION

Mandelbrot (1963) pointed out that the financial time series are not usually stationary, and the increments of these series have no autocorrelation but their squares present out a correlation. Furthermore, he showed the volatility of financial series which exist in volatility cluster is not constant and the distribution of the series is not normal since leptokurtic shape. Black (1976) showed leverage-effect is another stylized

DOI: 10.4018/978-1-7998-0134-4.ch005

fact of financial series. The leverage-effect occurs when the negative fluctuations on stock price have a greater influence on volatility than positive fluctuations do where negative and positive fluctuations have the same magnitude. The long-term persistence is another important subject to discuss for financial series. Fractal mathematics helps us to identify the long-term persistence via models which are the generalization of short-term memory models such as Autoregressive Integrated Moving Average (ARIMA) models with Chaos theory. The randomness generated by deterministic systems, as in how the sensitivity of chaotic systems to their initial conditions can be assumed as a definition of Chaos theory. After the study of Hosking (1981) that is the introduction of the fractional differentiation operator makes these models especially important. The chaotic systems, which have complex forms, are becoming indistinctive with respect to the randomness when the time is going up. Thus, the term pseudo-randomness is sometimes used to define the behaviour of chaotic systems. On the other hand, the scope of non-linear models is the nonstationary of increments assuming the presence of heteroskedasticity in the model. The Autoregressive Conditional Heteroscedastic (ARCH), Generalized ARCH (GARCH) and Continuous GARCH (COGARCH) models and their extensions are the part of this approach.

Engle (1982), The Nobel Prize laureates, has introduced the ARCH models that are proper to represent the typical empirical findings of financial time series. Although the ARCH model can yield volatility clusters, it also has some weaknesses in describing the stylized fact of financial series. It can be concluded that a mechanical way to describe the behaviour of the conditional variance. But it gives no indication of the behaviour of conditional variance because it assumes that positive and negative shocks have the same effects on volatility since it depends on the square of the previous shocks (Tsay, 2013).

After Engle, Bollerslev (1986) whose study was another milestone for financial time series analysis was GARCH model. The discrete-time GARCH models, which are improper models to deal with heteroscedasticity in time series, capture some of the most prominent features in financial data, particularly in the volatility process. In ordinary discrete time GARCH models, time series are assumed to be equally spaced. But time series have often irregular space between two observations. Tick-by-tick data and daily data are examples of this situation. To accommodate the irregularity of time spaces, Klüppelberg et al. (2004) proposed a continuous time GARCH (COGARCH) process driven by a Lévy process, which is an analogue of discrete time GARCH process and is further generalized to solutions of Lévy driven stochastic differential equations. Like in the discrete time case, the COGARCH model cannot model this stylized fact of time series. Therefore, Haug (2006) have developed the exponential COGARCH model as the first extension of the COGARCH model that is based on the discrete time EGARCH model.

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igiglobal.com/chapter/cogarch-models/242343

Related Content

Application of Meta-Heuristic Optimization Techniques for Design Optimization of a Robotic Gripper

Golak Bihari Mahanta, Amruta Rout, Deepak BBVLand Bibhuti Bhusan Biswal (2019). *International Journal of Applied Metaheuristic Computing (pp. 107-133).* www.irma-international.org/article/application-of-meta-heuristic-optimization-techniques-for-design-optimization-of-a-robotic-gripper/234675

Scalable Differential Evolutionary Clustering Algorithm for Big Data Using Map-Reduce Paradigm

Zakaria Benmounah, Souham Meshouland Mohamed Batouche (2017). *International Journal of Applied Metaheuristic Computing (pp. 45-60).* www.irma-international.org/article/scalable-differential-evolutionary-clustering-algorithm-for-bigdata-using-map-reduce-paradigm/171462

Development of Financial Forecasting Tools

Monu Bhardwaj, Namrata Prakash, Himanshu Kargetiand Rajesh Tiwari (2024). *Artificial Intelligence and Machine Learning-Powered Smart Finance (pp. 213-225).* www.irma-international.org/chapter/development-of-financial-forecasting-tools/339171

A Dual PSO-Adaptive Mean Shift for Preprocessing Optimization on Degraded Document Images

Aicha Eutamene, Mohamed Khireddine Kholladi, Djamel Gaceband Hacene Belhadef (2017). *International Journal of Applied Metaheuristic Computing (pp. 61-76).* www.irma-international.org/article/a-dual-pso-adaptive-mean-shift-for-preprocessingoptimization-on-degraded-document-images/171463

Mining Association Rules from Fuzzy DataCubes

Nicolás Marín, Carlos Molina, Daniel Sánchezand M. Amparo Vila (2010). Scalable Fuzzy Algorithms for Data Management and Analysis: Methods and Design (pp. 84-129).

www.irma-international.org/chapter/mining-association-rules-fuzzy-datacubes/38566