Chapter 3.27 Wearable and Ubiquitous Video Data Management for Computational Augmentation of Human Memory

Tatsuyuki Kawamura

Nara Institute of Science and Technology, Japan

Takahiro UeokaNara Institute of Science and Technology, Japan

Yasuyuki Kono Nara Institute of Science and Technology, Japan

Masatsugu Kidode Nara Institute of Science and Technology, Japan

ABSTRACT

This chapter introduces video data management techniques for computational augmentation of human memory, i.e., augmented memory, on wearable and ubiquitous computers used in our everyday life. The ultimate goal of augmented memory is to enable users to conduct themselves using human memories and multimedia data seamlessly anywhere, anytime. In particular, a user's viewpoint video is one of the most important triggers for recalling past events that have been experienced. We believe designing augmented memory system is a practical issue for real worldoriented video data management. This chapter also describes a framework for an augmented memory albuming system named Sceneful Augmented Remembrance Album (SARA). In the SARA framework, we have developed three modules for retrieving, editing, transporting, and exchanging augmented memory. Both the Residual Memory module and the I'm Here! module enable a wearer to retrieve video data that he/she wants to recall in the real world. The Ubiquitous Memories module is proposed for editing, transporting, and exchanging video data via real world objects. Lastly, we discuss future works for the proposed framework and modules.

INTRODUCTION

In this chapter, we introduce our wearable and ubiquitous video data management study for computational augmentation of human memory in everyday life. Scientific psychological analysis and engineering technologies for memory aid have been studied extensively in recent years. Psychological results show that the human brain can cause mistakes in either the encoding, storing, or retrieval process (Brewer & Treyens, 1981; Nickerson & Adams, 1979). The technology of the computational augmentation of human memory aims to integrate computationally recorded multimedia data named, "augmented memory" (Rhodes, 1995, 1997), into human memory. The ultimate goal of augmented memory is to enable users to conduct themselves using these memories seamlessly anywhere, anytime in their everyday life. In particular, video data provides the user with strong stimuli to recall past events that he or she has experienced. Our research consists of several studies used in developing a video-based augmented memory system.

In the field of computational memory aid, several representative works on wearable computers exist. Mann (1997), for example, described a user who wears a CCD camera and sensors to record his/her everyday life. This system allows the user to get information anytime and anywhere the user wants. This type of human-centered computer technology is called "wearable computing." Wearable computing technology must be aware of the user's internal (desire, emotion, health, action, etc.) and external (goings on, temperature, other people, etc.) state at any time. *Jimminy* (a Wearable Remembrance Agent) also supports human activities using just-in-time information retrieval (Rhodes, 2003). Kawashima, Nagasaki, and Toda (2002) and Toda, Nagasaki, Iijima, and Kawashima (2003) have developed an automatic video summarization system using visual pattern recognition methods for location recognition and a view tracking device for a user's action recognition. The *Mithril* platform has also advanced over the years (DeVaul, Pentland , & Corey, 2003). Kidode (2002) has developed an advanced media technology project named a *Wearable Information Playing Station* (WIPS). Our study of augmented memory in this chapter is a part of the WIPS project.

Lamming and Flynn (1994) have developed *Forget-me-not*, a prototype system as a portable episodic memory aid. This system records a user's action history using sensors implanted in a laboratory and active badges worn by users. The user can refer to his/her own history and easily replay a past event on a PDA. This *Forget-me-not* study is based on the concept of "ubiquitous computing" proposed by Weiser (1991). *The Aware Home Research Initiative* is also directly inspired by the same concept (Abowd & Mynatt, 2002; Kidd et al., 1999; Tran & Mynatt, 2003).

Augmented memory technologies using video data are divided into three simple topics as follows: a location-based memory aid, ubiquitous video data management, and a person's informationbased augmented memory. In the case of location-based memory supporting systems, Hoisko (2000) developed a visual episodic memory prosthesis that retrieves video data recorded at the place attached to certain IR tags. The Global Positioning System (GPS) and the Geographic Information System (GIS) are also used for a location-based memory-aid. Ueda, Amagasa, Yoshikawa, and Uemura. (2002) proposed an automatic video summarization method using a wearer position detected by the GPS, with the user's body direction showing his/her interests around various architectures. In the object-based augmented memory, Rekimoto, Ayatsuka, and Hayashi (1998) proposed a system for browsing

36 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/wearable-ubiquitous-video-data-management/24339

Related Content

Al-Based Performance Appraisal Systems: A Game-Changer in Asia

Duan Xiuqing, Muhammad Rafiqand Wang Zhumin (2024). *Exploring the Intersection of AI and Human Resources Management (pp. 15-29).*

www.irma-international.org/chapter/ai-based-performance-appraisal-systems/336259

Measures of Linear and Nonlinear Interval-Valued Hexagonal Fuzzy Number

Najeeb Alam Khan, Oyoon Abdul Razzaq, Avishek Chakraborty, Sankar Parsad Mondaland Shariful Alam (2020). International Journal of Fuzzy System Applications (pp. 21-60).

www.irma-international.org/article/measures-of-linear-and-nonlinear-interval-valued-hexagonal-fuzzy-number/259936

Conceptual Graphs Based Approach for Subjective Answers Evaluation

Goonjan Jainand D.K. Lobiyal (2017). International Journal of Conceptual Structures and Smart Applications (pp. 1-21).

www.irma-international.org/article/conceptual-graphs-based-approach-for-subjective-answers-evaluation/189218

The Impact of AI on Disintermediation Processes in the Tourism Industry

Jovanka Damoska Sekuloskaand Aleksandar Erceg (2021). Handbook of Research on Applied AI for International Business and Marketing Applications (pp. 96-115).

www.irma-international.org/chapter/the-impact-of-ai-on-disintermediation-processes-in-the-tourism-industry/261935

Exploring Multi-Path Communication in Hybrid Mobile Ad Hoc Networks

Roberto Speicys Cardosoand Mauro Caporuscio (2010). International Journal of Ambient Computing and Intelligence (pp. 1-12).

www.irma-international.org/article/exploring-multi-path-communication-hybrid/47173